

1 - BELLEAIR RD - KEENE RD.  
\$1,267,000

Print This Page

Home | Help | Contact | **Logout** paul.bertels@myclearwater.com

Change Scenario: CLEARWATER\_37503

**Create New Zone**  
**Manage Existing Zones**  
**Log Off**

**Step by Step Instructions:**

**Step 1:** To specify New Warning Device (For Pre-Rule Quiet Zone Only) and/or SSM, click the **MODIFY** Button

**Step 2:** Select proposed warning device or SSM. Then click the **UPDATE** button. To generate a spreadsheet of the values on this page, click on **ASM** button—This spreadsheet can then be used for ASM calculations.

**Step 3:** Repeat Step (2) until the **SELECT** button is shown at the bottom right side of this page. Note that the **SELECT** button is shown **ONLY** when the Quiet Zone Risk Index falls below the NSRT or the Risk Index with Horn.

**Step 4:** To save the scenario and continue, click the **SELECT** button

Crossing	Street	Traffic	Warning Device	Pre-SSM	SSM	Risk	
626647E	LAKEVIEW RD	9157	Gates	0	0	8,573.68	MODIFY
626648L	WOODLAWN ST	2038	Gates	0	0	4,387.09	MODIFY
626649T	HOWARD ST	480	Gates	0	0	1,992.70	MODIFY
626650M	BELLEAIR RD	13694	Gates	0	0	7,384.10	MODIFY
626794S	PINELLAS ST	2391	Gates	0	10	868.96	MODIFY
626795Y	GRAND CENTRAL ST	0	CLOSED(SSM 2)	0	2	0	Closed
626796F	JEFFORDS ST	3859	Gates	0	10	1,180.84	MODIFY
626797M	DRUID RD	5558	Gates	0	0	5,112.10	MODIFY
626803N	TURNER ST	3275	Gates	0	0	4,420.80	MODIFY
626804V	CHESTNUT ST	17000	Gates	14	0	8,899.80	MODIFY
626805C	COURT ST	21303	Gates	14	0	9,430.38	MODIFY
626806J	FRANKLIN ST	0	CLOSED(SSM 2)	0	2	0	Closed
626807R	PIERCE ST	2362	Gates	0	10	1,030.98	MODIFY
626808X	PARK ST	2162	Gates	0	10	1,005.95	MODIFY
626809E	CLEVELAND STREET	13700	Gates	0	13	1,304.96	MODIFY
626810Y	LAURA ST	2930	Gates	0	0	4,286.88	MODIFY
626811F	HENDRICKS ST	0	CLOSED(SSM 2)	0	2	0	Closed
626812M	GROVE ST	0	CLOSED(SSM 2)	0	2	0	Closed
626813U	DREW ST/SR 590	14055	Gates	0	0	8,472.56	MODIFY
626814B	JONES ST	1939	Gates	0	0	3,123.14	MODIFY
626815H	MYRTLE AVE	4916	Gates	0	0	7,268.17	MODIFY
626816P	VINE AVE	1380	Gates	0	0	3,074.21	MODIFY
626817W	PENNSYLVANIA AVE	1857	Gates	0	0	3,472.72	MODIFY
626818D	GREENWOOD AVE	4472	Gates	0	0	5,042.35	MODIFY
626820E	BETTY LANE	2482	Gates	0	0	4,286.15	MODIFY
626825N	PALMETTO ST	7942	Gates	0	0	6,376.39	MODIFY
626826V	HIGHLAND AVE	16364	Gates	0	0	7,743.52	MODIFY
918637G	KEENE ROAD	28381	Gates	0	0	13,472.55	MODIFY

\* Only Public At Grade Crossings are listed.  
 Click for Supplementary Safety Measures [SSM]  
 Click for ASM spreadsheet: **ASM** \* Note: The use of ASMs requires an application to and approval from the FRA.

Summary	
Proposed Quiet Zone:	Clearwater 1
Type:	New 24-hour QZ
Scenario:	CLEARWATER_37503
Estimated Total Cost:	\$1,267,000.00
Nationwide Significant Risk Threshold:	14347 .00
Risk Index with Horns:	4925.1
Quiet Zone Risk Index:	<b>4364.68</b>
Select <input type="text"/>	

1A - BELLEAIR RD - KEENE RD  
\$175,000

Print This Page

Home | Help | Contact | logoff paul.bertels@myclearwater.com

Cancel

Change Scenario: CLEARWATER\_43074

Continue

Create New Zone  
Manage Existing Zones

Log Off

Step by Step Instructions:

**Step 1:** To specify New Warning Device (For Pre-Rule Quiet Zone Only) and/or SSM, click the MODIFY Button

**Step 2:** Select proposed warning device or SSM. Then click the UPDATE button. To generate a spreadsheet of the values on this page, click on ASM button—This spreadsheet can then be used for ASM calculations.

**Step 3:** Repeat Step (2) until the SELECT button is shown at the bottom right side of this page. Note that the SELECT button is shown ONLY when the Quiet Zone Risk Index falls below the NSRT or the Risk Index with Horn.

**Step 4:** To save the scenario and continue, click the SELECT button

Crossing	Street	Traffic	Warning Device	Pre-SSM	SSM	Risk	
626647E	LAKEVIEW RD	9157	Gates	0	0	430.07	MODIFY
626648L	WOODLAWN ST	2038	Gates	0	0	324.07	MODIFY
626649T	HOWARD ST	480	Gates	0	0	79.68	MODIFY
626650M	BELLEAIR RD	13694	Gates	0	0	324.07	MODIFY
626794S	PINELLAS ST	2391	Gates	0	14	512.50	MODIFY
626795Y	GRAND CENTRAL ST	0	CLOSED(SSM 2)	0	2	0	Closed
626796F	JEFFORDS ST	8491	Gates	0	14	950.34	MODIFY
626797M	DRUID RD	8300	Gates	0	0	5,246.76	MODIFY
626803N	TURNER ST	3862	Gates	0	0	4,245.55	MODIFY
626804V	CHESTNUT ST/SR 60	31000	Gates	14	0	9,662.40	MODIFY
626805C	COURT ST/SR 60	21803	Gates	14	0	8,816.99	MODIFY
626806J	FRANKLIN ST	0	CLOSED(SSM 2)	0	2	0	Closed
626807R	PIERCE ST	1862	Gates	0	14	623.00	MODIFY
626808X	PARK ST	2162	Gates	0	14	649.72	MODIFY
626809E	CLEVELAND STREET	13700	Gates	0	13	1,203.48	MODIFY
626810Y	LAURA ST	2351	Gates	0	0	3,695.47	MODIFY
626811F	HENDRICKS ST	0	CLOSED(SSM 2)	0	2	0	Closed
626812M	GROVE ST	0	CLOSED(SSM 2)	0	2	0	Closed
626813U	DREW ST	14634	Gates	0	0	7,938.20	MODIFY
626814B	JONES ST	1939	Gates	0	0	2,612.52	MODIFY
626815H	MYRTLE AV./ALT.19	4916	Gates	0	0	6,675.48	MODIFY
626816P	VINE AVE	1380	Gates	0	0	2,561.74	MODIFY
626817W	PENNSYLVANIA AVE	1857	Gates	0	0	2,893.80	MODIFY
626818D	GREENWOOD AV./MLK	4472	Gates	0	0	4,605.83	MODIFY
626820E	BETTY LANE	2482	Gates	0	0	3,907.77	MODIFY

626825N	PALMETTO ST	7942	Gates	0	0	6,814.12	MODIFY
626826V	HIGHLAND AVE	16364	Gates	0	0	8,301.22	MODIFY
626827C	HERCULES AVE	20689	Gates	0	0	10,624.18	MODIFY
918637G	KEENE ROAD	28381	Gates	0	0	12,414.84	MODIFY

\* Only Public At Grade Crossings are listed.

[Click for Supplementary Safety Measures \[SSM\]](#)

[Click for ASM spreadsheet: \*\*ASM\*\*](#) \* Note: The use of

ASMs requires an application to and approval from the FRA.

Summary	
<b>Proposed Quiet Zone:</b>	Clearwater 1A
<b>Type:</b>	New 24-hour QZ
<b>Scenario:</b>	CLEARWATER_43074
<b>Estimated Total Cost:</b>	\$175,000.00
<b>Nationwide Significant Risk Threshold:</b>	14347 .00
<b>Risk Index with Horns:</b>	4429.04
<b>Quiet Zone Risk Index:</b>	<b>3659.1</b>
<a href="#">Select</a>	

*1B - BELLEAIR RD - FAIRWOOD AVE*  
*\$ 860,000*

Print This Page

Home | Help | Contact | logoff paul.bertels@myclearwater.com

Change Scenario: CLEARWATER\_43172

**Create New Zone**

**Manage Existing Zones**

**Log Off**

Crossing	Street	Traffic	Warning Device	Pre-SSM	SSM	Risk	
626419S	FAIRWOOD ST	7886	Gates	0	0	6,800.87	<input type="button" value="MODIFY"/>
626490B	BELCHER RD	45349	Gates	0	0	14,005.26	<input type="button" value="MODIFY"/>
626647E	LAKEVIEW RD	9157	Gates	0	0	430.07	<input type="button" value="MODIFY"/>
626648L	WOODLAWN ST	2518	Gates	0	0	324.07	<input type="button" value="MODIFY"/>
626649T	HOWARD ST	0	CLOSED(SSM 2)	0	2	0	<input type="button" value="Closed"/>
626650M	BELLEAIR RD	13694	Gates	0	0	324.07	<input type="button" value="MODIFY"/>
626794S	PINELLAS ST	1635	Gates	0	8	438.46	<input type="button" value="MODIFY"/>
626795Y	GRAND CENTRAL ST	1513	Gates	0	0	3,264.48	<input type="button" value="MODIFY"/>
626796F	JEFFORDS ST	7734	Gates	0	0	5,145.82	<input type="button" value="MODIFY"/>
626797M	DRUID RD	8300	Gates	0	0	5,246.76	<input type="button" value="MODIFY"/>
626803N	TURNER ST	3862	Gates	0	0	4,245.55	<input type="button" value="MODIFY"/>
626804V	CHESTNUT ST/SR 60	31000	Gates	0	0	9,662.40	<input type="button" value="MODIFY"/>
626805C	COURT ST/SR 60	20800	Gates	0	0	8,708.91	<input type="button" value="MODIFY"/>
626806J	FRANKLIN ST	1003	Gates	0	0	2,906.20	<input type="button" value="MODIFY"/>
626807R	PIERCE ST	1862	Gates	0	0	3,461.10	<input type="button" value="MODIFY"/>
626808X	PARK ST	2162	Gates	0	0	3,609.55	<input type="button" value="MODIFY"/>
626809E	CLEVELAND STREET	13700	Gates	0	0	6,017.40	<input type="button" value="MODIFY"/>
626810Y	LAURA ST	2930	Gates	0	0	3,930.56	<input type="button" value="MODIFY"/>
626811F	HENDRICKS ST	0	CLOSED(SSM 2)	0	2	0	<input type="button" value="Closed"/>
626812M	GROVE ST	0	CLOSED(SSM 2)	0	2	0	<input type="button" value="Closed"/>
626813U	DREW ST	15994	Gates	0	0	8,127.06	<input type="button" value="MODIFY"/>
626814B	JONES ST	0	CLOSED(SSM 2)	0	2	0	<input type="button" value="Closed"/>
626815H	MYRTLE AV./ALT.19	4916	Gates	0	0	6,675.48	<input type="button" value="MODIFY"/>
626816P	VINE AVE	1380	Gates	0	8	461.11	<input type="button" value="MODIFY"/>
626817W	PENNSYLVANIA AVE	1857	Gates	0	8	520.88	<input type="button" value="MODIFY"/>

- Step 1:** To specify New Warning Device (For Pre-Rule Quiet Zone Only) and/or SSM, click the MODIFY Button
- Step 2:** Select proposed warning device or SSM. Then click the UPDATE button. To generate a spreadsheet of the values on this page, click on ASM button—This spreadsheet can then be used for ASM calculations.
- Step 3:** Repeat Step (2) until the SELECT button is shown at the bottom right side of this page. Note that the SELECT button is shown ONLY when the Quiet Zone Risk Index falls below the NSRT or the Risk Index with Horn.
- Step 4:** To save the scenario and continue, click the SELECT button

626818D	GREENWOOD AV./MLK	4472	Gates	0	0	4,605.83	MODIFY
626820E	BETTY LANE	2482	Gates	0	0	3,907.77	MODIFY
626825N	PALMETTO ST	7942	Gates	0	0	6,814.12	MODIFY
626826V	HIGHLAND AVE	16364	Gates	0	0	8,301.22	MODIFY
626827C	HERCULES AVE	20689	Gates	0	0	10,624.18	MODIFY
626828J	COACHMAN RD	9900	Gates	0	0	7,239.03	MODIFY
626829R	OLD COACHMAN RD	1	Gates	0	0	684.56	MODIFY
918637G	KEENE ROAD	28381	Gates	0	0	12,414.84	MODIFY

\* Only Public At Grade Crossings are listed.

[Click for Supplementary Safety Measures \[SSM\]](#)

[Click for ASM spreadsheet: ASM](#) \* Note: The use of

ASMs requires an application to and approval from the FRA.

Summary	
Proposed Quiet Zone:	Clearwater 1B
Type:	New 24-hour QZ
Scenario:	CLEARWATER_43172
Estimated Total Cost:	\$860,000.00
Nationwide Significant Risk Threshold:	14347 .00
Risk Index with Horns:	2893.68
Quiet Zone Risk Index:	<b>4512.05</b>
<input type="button" value="Select"/>	

*1BB - BELLEAIR RD - FAIRWOOD AVE*  
*\$1,960,000*

Print This Page

Home | Help | Contact | logoff paul.bertels@myclearwater.com

Cancel

Change Scenario: CLEARWATER\_43363

Continue

Create New Zone

Manage Existing Zones

Log Off

Crossing	Street	Traffic	Warning Device	Pre-SSM	SSM	Risk	
626419S	FAIRWOOD ST	7886	Gates	0	0	6,800.87	MODIFY
626490B	BELCHER RD	45349	Gates	0	0	14,005.26	MODIFY
626647E	LAKEVIEW RD	9157	Gates	0	0	430.07	MODIFY
626648L	WOODLAWN ST	2038	Gates	0	0	324.07	MODIFY
626649T	HOWARD ST	480	Gates	0	8	14.34	MODIFY
626650M	BELLEAIR RD	13694	Gates	0	0	324.07	MODIFY
626794S	PINELLAS ST	1635	Gates	0	8	438.46	MODIFY
626795Y	GRAND CENTRAL ST	1513	Gates	0	0	3,264.48	MODIFY
626796F	JEFFORDS ST	7734	Gates	0	0	5,145.82	MODIFY
626797M	DRUID RD	8300	Gates	0	0	5,246.76	MODIFY
626803N	TURNER ST	3862	Gates	0	0	4,245.55	MODIFY
626804V	CHESTNUT ST/SR 60	31000	Gates	0	0	9,662.40	MODIFY
626805C	COURT ST/SR 60	20800	Gates	0	0	8,708.91	MODIFY
626806J	FRANKLIN ST	1003	Gates	0	0	2,906.20	MODIFY
626807R	PIERCE ST	1862	Gates	0	0	3,461.10	MODIFY
626808X	PARK ST	2162	Gates	0	0	3,609.55	MODIFY
626809E	CLEVELAND STREET	13700	Gates	0	0	6,017.40	MODIFY
626810Y	LAURA ST	2351	Gates	0	0	3,695.47	MODIFY
626811F	HENDRICKS ST	579	Gates	0	8	174.72	MODIFY
626812M	GROVE ST	355	Gates	0	8	145.80	MODIFY
626813U	DREW ST	13700	Gates	0	0	7,800.57	MODIFY
626814B	JONES ST	1939	Gates	0	8	470.25	MODIFY
626815H	MYRTLE AV./ALT.19	4916	Gates	0	0	6,675.48	MODIFY
626816P	VINE AVE	1380	Gates	0	8	461.11	MODIFY

Step by Step Instructions:

**Step 1:** To specify New Warning Device (For Pre-Rule Quiet Zone Only) and/or SSM, click the MODIFY Button

**Step 2:** Select proposed warning device or SSM. Then click the UPDATE button. To generate a spreadsheet of the values on this page, click on ASM button—This spreadsheet can then be used for ASM calculations.

**Step 3:** Repeat Step (2) until the SELECT button is shown at the bottom right side of this page. Note that the SELECT button is shown ONLY when the Quiet Zone Risk Index falls below the NSRT or the Risk Index with Horn.

**Step 4:** To save the scenario and continue, click the SELECT button

626817W	PENNSYLVANIA AVE	1857	Gates	0	8	520.88	MODIFY
626818D	GREENWOOD AV./MLK	4472	Gates	0	0	4,605.83	MODIFY
626820E	BETTY LANE	2482	Gates	0	0	3,907.77	MODIFY
626825N	PALMETTO ST	7942	Gates	0	0	6,814.12	MODIFY
626826V	HIGHLAND AVE	16364	Gates	0	0	8,301.22	MODIFY
626827C	HERCULES AVE	20689	Gates	0	0	10,624.18	MODIFY
626828J	COACHMAN RD	9900	Gates	0	0	7,239.03	MODIFY
626829R	OLD COACHMAN RD	1	Gates	0	0	684.56	MODIFY
918637G	KEENE ROAD	28381	Gates	0	0	12,414.84	MODIFY

\* Only Public At Grade Crossings are listed.

[Click for Supplementary Safety Measures \[SSM\]](#)

[Click for ASM spreadsheet: ASM](#) \* Note: The use of

ASMs requires an application to and approval from the FRA.

Summary	
Proposed Quiet Zone:	Clearwater 1BB
Type:	New 24-hour QZ
Scenario:	CLEARWATER_43363
Estimated Total Cost:	\$1,960,000.00
Nationwide Significant Risk Threshold:	14347 .00
Risk Index with Horns:	2893.68
Quiet Zone Risk Index:	4519.43
	Select

4 - DREW ST - PINELLAS ST.  
\$ 245,000

Print This Page

Home | Help | Contact | logoff paul.berteis@myclearwater.com

Change Scenario: CLEARWATER\_26466

Crossing	Street	Traffic	Warning Device	Pre-SSM	SSM	Risk	
626794S	PINELLAS ST	2055	Gates	0	14	663.68	MODIFY
626795Y	GRAND ST	0	CLOSED(SSM 2)	0	2	0	Closed
626796F	JEFFORDS ST	3102	Gates	0	14	903.64	MODIFY
626797M	DRUID RD	5558	Gates	0	0	5,892.97	MODIFY
626803N	TURNER ST	3275	Gates	0	0	5,096.07	MODIFY
626804V	CHESTNUT ST	9260	Gates	0	14	1,576.41	MODIFY
626805C	COURT ST	8111	Gates	0	14	1,522.31	MODIFY
626806J	FRANKLIN ST	0	CLOSED(SSM 2)	0	2	0	Closed
626807R	PIERCE ST	1813	Gates	0	14	778.48	MODIFY
626808X	PARK ST	1063	Gates	0	14	670.42	MODIFY
626809E	CLEVELAND ST	19337	Gates	0	13	2,120.94	MODIFY
626810Y	LAURA ST	3109	Gates	0	0	5,023.38	MODIFY
626811F	HENDRICKS ST.	0	CLOSED(SSM 2)	0	2	0	Closed
626812M	GROVE ST	0	CLOSED(SSM 2)	0	2	0	Closed
626813U	DREW ST	12298	Gates	0	0	9,433.35	MODIFY

**Step by Step Instructions:**

**Step 1:** To specify New Warning Device (For Pre-Rule Quiet Zone Only) and/or SSM, click the MODIFY Button

**Step 2:** Select proposed warning device or SSM. Then click the UPDATE button. To generate a spreadsheet of the values on this page, click on ASM button—This spreadsheet can then be used for ASM calculations.

**Step 3:** Repeat Step (2) until the SELECT button is shown at the bottom right side of this page. Note that the SELECT button is shown ONLY when the Quiet Zone Risk Index falls below the NSRT or the Risk Index with Horn.

**Step 4:** To save the scenario and continue, click the SELECT button

\* Only Public At Grade Crossings are listed.

Click for Supplementary Safety Measures [SSM]

Click for ASM spreadsheet: **ASM** \* Note: The use of ASMs requires an application to and approval from the FRA.

Summary	
<b>Proposed Quiet Zone:</b>	Clearwater4
<b>Type:</b>	New 24-hour QZ
<b>Scenario:</b>	CLEARWATER_26466
<b>Estimated Total Cost:</b>	\$245,000.00
<b>Nationwide Significant Risk Threshold:</b>	14347 .00
<b>Risk Index with Horns:</b>	3116.14
<b>Quiet Zone Risk Index:</b>	<b>2245.44</b>
<input type="button" value="Select"/>	