



Option List

1/14/2026

Customer: Clearwater
Representative Bouwer, Dustin
Organization: Ten-8 Fire & Safety
Requirements Manager:
Description: 2026 - Clearwater - Velocity Pumper E45
Body: Pumper, Medium, Aluminum, 2nd Gen
Chassis: Velocity Chassis (Med Block), 2010

Bid Number: 1395
Job Number:
Number of Units: 1
Bid Date: 11/28/2025
Stock Number:
Price Level: 54 (Current: 54)
Lane: Lane 1

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 1 | 0010012 | | No Boiler Plates requested | 1 |
| 2 | 0661794 | | Single Source Compliance | 1 |
| 3 | 0584456 | | Manufacture Location, Appleton, Wisconsin | 1 |
| 4 | 0584452 | | RFP Location: Appleton, Wisconsin | 1 |
| 5 | 0588609 | | Vehicle Destination, US | 1 |
| 6 | 0520877 | | Comparison Report Required | 1 |
| | | | Fill in Blank - 38965 | |
| 7 | 0816491 | | Comply NFPA 1900 Changes Effective Jan 1, 2024, With Exceptions | 1 |
| 8 | 0533347 | | Pumper/Pumper with Aerial Device Fire Apparatus | 1 |
| 9 | 0588611 | | Vehicle Certification, Pumper | 1 |
| 10 | 0661778 | | Agency, Apparatus Certification, Pumper/Tanker, U.L. | 1 |
| 11 | 0816495 | | Certification, Vehicle Inspection Program, NFPA 1900 | 1 |
| 12 | 0000114 | | Inspection Trip(s) | 2 |
| | | | Qty, - 02 | |
| | | | Fill in Blank - five (5) travel, lodging and meals for the | |
| 13 | 0766110 | | Consortium, Sourcewell | 1 |
| 14 | 0537375 | | Unit of Measure, US Gallons | 1 |
| 15 | 0030006 | | Bid Bond Not Requested | 1 |
| 16 | 0816569 | | Performance Bond, Not Requested, PPI Terms | 1 |
| 17 | 0000007 | | Approval Drawing | 1 |
| 18 | 0002928 | | Electrical Diagrams | 1 |
| 19 | 0597598 | | Velocity Chassis (Med Block), 2010 | 1 |
| 20 | 0000110 | | Wheelbase | 1 |
| | | | Wheelbase - 184.50 inches | |
| 21 | 0000070 | | GVW Rating | 1 |
| | | | GVW rating - 46,800 | |
| 22 | 0000203 | | Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel | 1 |
| 23 | 0020018 | | Frame Liner Not Req'd | 1 |
| 24 | 0508849 | | Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel | 1 |
| 25 | 0010427 | | Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/Enf/SFR | 1 |
| 26 | 0087572 | | Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/Enf | 1 |
| 27 | 0000322 | | Oil Seals, Front Axle | 1 |
| 28 | 0899438 | | Tires, Front, Goodyear, Armor MAX MSA, 425/65R22.50, 20 ply | 1 |
| 29 | 0890369 | | Wheels, Front, 22.50" x 12.25", Steel, Hub Pilot | 1 |
| 30 | 0530464 | | Axle, Rear, Meritor RS24-160, 24,000 lb, Imp/Vel | 1 |
| 31 | 0544253 | | Top Speed of Vehicle, 68 MPH /109 KPH | 1 |
| 32 | 0122076 | | Suspen, Rear, Standens, Spring, 24,000 lb, Imp/Vel | 1 |
| 33 | 0000485 | | Oil Seals, Rear Axle | 1 |
| 34 | 0585004 | | Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single | 1 |
| 35 | 0654797 | | Wheels, Rear, Accuride, 22.50" x 9.00", Steel, Hub Pilot, Single | 1 |
| 36 | 0568081 | | Tire Balancing, Counteract Beads | 1 |
| 37 | 0620570 | | Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle | 1 |
| | | | Qty, Tire Pressure Ind - 6 | |
| 38 | 0002045 | | Mud Flap, Front and Rear, Pierce Logo | 1 |
| 39 | 0544802 | | Chocks, Wheel, SAC-44-E, Folding, (Up to 44" Diameter Tires) | 1 |
| | | | Qty, Pair - 01 | |
| 40 | 0544806 | | Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal | 1 |
| | | | Qty, Pair - 01 | |
| | | | Location, Wheel Chocks - Left Side Rear Tire, Forward and Rearward | |
| 41 | 0820509 | | ESC/ABS/ATC Wabco Brake System, Single Rear Axle, NFPA 1900/ULC | 1 |
| 42 | 0030185 | | Brakes, Knorr/Bendix 17", Disc, Front, TAK-4 | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 43 | 0000730 | | Brakes, Meritor, Cam, Rear, 16.50 x 7.00" | 1 |
| 44 | 0020784 | | Air Compressor, Brake, Cummins/Wabco 18.7 CFM | 1 |
| 45 | 0000785 | | Brake Reservoirs, Three | 1 |
| | | | Paint Color, Air Tanks - Frame color | |
| 46 | 0568012 | | Air Dryer, Wabco System Saver 1200, Heater, 2010 | 1 |
| 47 | 0000790 | | Brake Lines, Nylon | 1 |
| 48 | 0000854 | | Air Inlet, w/Disconnect Coupling | 1 |
| | | | Location, Air Coupling(s) - DS Step Well, Forward | |
| | | | Qty, Air Coupling (s) - 1 | |
| 49 | 0012034 | | Moisture Ejector, Manual, Remote Mounted | 3 |
| | | | Location - Under LS3 | |
| | | | Qty, Man. Moist Ejector - 3 | |
| 50 | 0615609 | | Fittings, Compression Type, Entire Apparatus, Single Rear Axle | 1 |
| 51 | 0808533 | | Engine, Cummins X10, 450 hp, 1250 lb-ft, W/OBD, EPA 2027, Imp/Vel | 1 |
| 52 | 0811409 | | Not Required, Engine Contingency Adjustment | 1 |
| 53 | 0001244 | | High Idle w/Electronic Engine, Custom | 1 |
| 54 | 0687994 | | Engine Brake, Jacobs Compression Brake, Cummins Engine | 1 |
| | | | Switch, Engine Brake - e) Cummins Hi Med Lo | |
| 55 | 0552334 | | Clutch, Fan, Air Actuated, Horton Drive Master | 1 |
| 56 | 0123135 | | Air Intake, w/Ember separator, Imp/Vel | 1 |
| 57 | 0814375 | | Exhaust System, Horizontal, Right Side | 1 |
| | | | Exhaust, Diffuser - Aluminized Steel (Standard) | |
| | | | Exhaust, Material/Finish - Aluminized Steel (Standard) | |
| | | | Location, Diffuser Termination - Flush With Rub Rail | |
| | | | Tip, Exhaust - Curved Down (4" exhaust only) (Premium) | |
| 58 | 0787999 | | Radiator, Impel/Velocity | 1 |
| 59 | 0722487 | | Cooling Hoses, Gates Silicone and Rubber Combination, Velocity | 1 |
| 60 | 0788718 | | Radiator Coolant, Peak Final Charge Global OAT, Red | 1 |
| 61 | 0051125 | | Fuel Tank, 75 Gallon, Left Side Fill, Qtm/AXT/Vel/Imp/SFR/Enf | 1 |
| | | | Finish - Polished Stainless | |
| 62 | 0001129 | | Lines, Fuel | 1 |
| 63 | 0692516 | | DEF Tank, 4.5 Gallon, DS Fill, Rear of Axle, Common Door, Spring Flip Door | 1 |
| | | | Door, Material & Finish, DEF Tank - Polished Stainless | |
| 64 | 0723716 | | Fuel Priming Pump, Electronic, Automatic, Cummins, No Swt Req'd | 1 |
| 65 | 0582243 | | Shutoff Valves, Fuel Line @ Primary Filter, Cummins | 1 |
| 66 | 0699437 | | Cooler, Chassis Fuel, Not Req'd. | 1 |
| 67 | 0698720 | | Fuel Cap Retaining Chain With Holder | 1 |
| 68 | 0606925 | | Access, With Cab Raised, Fuel Filter and Shutoff Valves | 1 |
| 69 | 0887559 | | Trans, Allison 6th Gen, 3000 EVS P, w/Prognostics, Imp/Vel/SFR/Enf | 1 |
| 70 | 0625329 | | Transmission, Shifter, 5-Spd, Push Button, 3000 EVS | 1 |
| 71 | 0684459 | | Transmission Oil Cooler, Modine, External | 1 |
| 72 | 0090176 | | Mode, Downshift, Aggressive downshift to 3rd, w/engine brake, 5 speed | 1 |
| 73 | 0801878 | | Fluid, 3000 Series Trans, Allison Approved TES-668 Synthetic, IPOS, Custom | 1 |
| 74 | 0001370 | | Driveline, Spicer 1710 | 1 |
| 75 | 0669988 | | Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler | 1 |
| 76 | 0001544 | | Not Required, Steering Assist Cylinder on Front Axle | 1 |
| 77 | 0509230 | | Steering Wheel, 4 Spoke without Controls | 1 |
| 78 | 0690274 | | Logo/Emblem, on Dash | 1 |
| | | | Text, Row (1) One - Clearwater | |
| | | | Text, Row (2) Two - Fire | |
| | | | Text, Row (3) Three - Rescue | |
| 79 | 0524744 | | Bumper, 22" Extended, Steel, Painted, Imp/Vel | 1 |
| 80 | 0616489 | | Tray, Hose, Center, 22" Bumper, Inside Air Horns, 13" Deep, Imp/Vel | 1 |
| | | | Grating, Bumper extension - Grating, Rubber | |
| | | | Capacity, Bumper Tray - 20) 125' of 1.75" | |
| 81 | 0728443 | SP | Hose Restraint, Bumper Tray, 1" Nylon Webbing, Passenger Side Mount, Fasteners | 1 |
| | | | Type of Fastener - 1" side release | |
| 82 | 0760795 | SP | Tray, Hose, Left, 15.5" Deep, 13.5" Wide, 17.5" Long, Radius Lip | 1 |
| | | | Grating, Bumper extension - Grating, Rubber | |
| | | | Capacity, Bumper Tray - 21) 150' of 1.75" | |
| 83 | 0728504 | SP | Hose Restraint, Bumper Tray, 1" Nylon Webbing, Outboard Mounted, Fasteners | 1 |
| | | | Type of Fastener - 1" side release | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 84 | 0510226 | | Lift & Tow Package, Imp/Vel, AXT | 1 |
| 85 | 0522573 | | Tow Hooks Not Required, Due to Lift and Tow Package | 1 |
| 86 | 0698960 | | Coating, Top Flange, Front Bumper, Outside Exterior, UL-LX Coating, Black | 1 |
| 87 | 0668315 | | Cab, Velocity FR, 7010 Raised Roof | 1 |
| 88 | 0724237 | | Engine Tunnel, ISL, Foil Insulation w/Mech Fasteners, Impel/Velociry FR | 1 |
| 89 | 0818272 | | Cab Insulation, Extreme Climate, Foil Insulation, Impel/Velociry | 1 |
| 90 | 0677478 | | Rear Wall, Exterior, Cab, Aluminum Treadplate | 1 |
| 91 | 0122465 | | Cab Lift, Elec/Hyd, Imp/Vel | 1 |
| 92 | 0123176 | | Grille, Bright Finished, Front of Cab, Velocity | 1 |
| 93 | 0752555 | | Scuffplate, S/S, Striker Side, Cabinet Door(s), Each | 2 |
| | | | Location - DS and PS EMS compartment exterior access doors | |
| | | | Qty, - 02 | |
| 94 | 0029007 | SP | Material Trim/Scuffplate - c) S/S, Polished Scuffplates, On Rear Corners of Cab | 1 |
| 95 | 0002224 | | Material Trim/Scuffplate - c) S/S, Polished Scuffplates, S/S At Cab Door Jambs, 4-Door Cab | 1 |
| 96 | 0527032 | | Material Trim/Scuffplate - c) S/S, Polished Trim, S/S Band, Across Cab Face, Rect Lights, Velocity | 1 |
| | | | Material Trim/Scuffplate - c) S/S, Polished Turnsignal Covers - No Covers | |
| 97 | 0015440 | | No Chrome Molding, On side of cab | 1 |
| 98 | 0521669 | | Mirrors, Retractable, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex | 1 |
| 99 | 0667921 | | Door, Half-Height, Velocity FR 4-Door Cab, Raised Roof | 1 |
| | | | Key Model, Cab Doors - 751 | |
| | | | Cab, Exterior Door Handle, Finish - 4-Door, Chrome/Black | |
| 100 | 0655511 | | Door Panel, Brushed Stainless Steel, Impel/Velociry 4-Door Cab | 1 |
| 101 | 0667905 | | Storage Pockets w/ Elastic Cover, Recessed, Overhead, Impel/Velociry FR | 1 |
| 102 | 0667902 | | Controls, Electric Windows, All Cab Doors, Impel/Velociry FR | 1 |
| 103 | 0606691 | | Steps, 4-Door Cab, Dual, 2" Larger Middle and Bottom Steps, Imp/Vel | 1 |
| | | | Light, Step, Additional - P25 LED | |
| 104 | 0770200 | | Handrail, Exterior, Hansen, Knurled, Alum, LED Backlit, 4-Door Cab | 1 |
| | | | Color, Handrail Light - Red | |
| | | | Control, Handrail Light - Cab Switch and Parking Brake | |
| 105 | 0892637 | | Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 1Lt Per Step ** | 1 |
| | | | Color, Trim - Chrome Housing | |
| 106 | 0002140 | | Fenders, S/S on Cab | 1 |
| 107 | 0592071 | | No Windows, Side of Crew Cab, Vel/Imp | 1 |
| 108 | 0568605 | | Not Required, Interior Trim, No Cab Side Windows | 1 |
| 109 | 0012090 | | Not Required, Windows, Front/Side of raised roof | 1 |
| 110 | 0509286 | | Not Required, Windows Rear of Crew Cab, Imp/Vel | 1 |
| 111 | 0558334 | | Not Required, Trim, Cab Rear Windows, No Rear Windows | 1 |
| 112 | 0814268 | SP | Fasteners, S/S, Rain Drip, IATS | 1 |
| 113 | 0123686 | | Drip Rail, Cab Roof, Impel/Velociry/Velociry SLT | 1 |
| 114 | 0803382 | SP | Guard, Radiator, S/S, Below Cab Grille, Lettering, AXT/Imp/Vel | 1 |
| | | | Fill in Blank - CLEARWATER | |
| 115 | 0773956 | | Work Surface, 3/16" Alum, Full Eng Tnl, Flat, Upper Overhang, Lwr Lip, Vel/Imp FR | 1 |
| | | | Material Finish, Cab Interior - Painted | |
| | | | Lip - 2.00" | |
| 116 | 0658283 | | Tray, Slideout, S/S, w/Sides, Locking, MDT Bracket, Officer | 1 |
| 117 | 0748671 | | Cab Interior, Vinyl, Velocity FR, CARE | 1 |
| | | | Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Black | |
| 118 | 0667943 | | Cab Interior, Paint Color, Impel/Velociry FR | 1 |
| | | | Color, Cab Interior Paint - b) black | |
| 119 | 0509532 | | Floor, Rubber Padded Cab & Crew Cab, Imp/Vel | 1 |
| 120 | 0819169 | | HVAC, Extreme-Duty, Impel/Velociry FR, CARE | 1 |
| | | | Paint Color, A/C Condenser - Painted to Match Cab Roof | |
| | | | HVAC System, Filter Access - Tool Free Panel | |
| | | | Auxiliary Cab Heater - None | |
| 121 | 0639675 | | Sun Visor, Smoked Lexan, AXT, Imp/Vel, SFR/Enf | 1 |
| | | | Sun Visor Retention - Polished S/S Bracket | |
| 122 | 0548173 | | Grab Handles, Driver and Passenger Door Post, Imp/Vel | 1 |
| 123 | 0002526 | | Light, Engine Comp, All Custom Chassis | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 124 | 0122516 | | Fluid Check Access, Imp/Vel Latch, Door, Storage - Southco C2 Black Raised | 1 |
| 125 | 0583040 | | Frontal Impact Protection | 1 |
| 126 | 0622618 | | Seating Capacity, 5 Belted Seats | 1 |
| 127 | 0697006 | | Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Frontal Impact, PRIMARY | 1 |
| 128 | 0696991 | | Seat, Officer, Pierce PS6, Premium, Air Ride, SCBA, Frontal, PRIMARY | 1 |
| 129 | 0002517 | | Not Required, Radio Compartment | 1 |
| 130 | 0754652 | | Cabinet, Rear Facing, LS, 24 W x 40.5 H x 30.5 D, Roll, Ext Acc, Imp/Vel Light, Short Cabinet - Pierce, Interior, Left Side Scuffplate, Material/Finish - S/S, Polished Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (2) Shelves, Adjustable, 0.75" Up-Turned Lip Door, Cab Exterior Cabinet - Double Pan, Locking #751 Door, Exterior Stop - Web Strap Door, Cab Interior Cabinet - Rollup, Gortite, Anodized, Locking #751 Louvers, Cabinet - 0-No Louvers | 1 |
| 131 | 0102783 | | Not Required, Seat, Rr Facing C/C, Center | 1 |
| 132 | 0752556 | | Cabinet, Rear Facing, RS, 21.5 W x 40.5 H x 26.5 D, Roll, Ext Acc, Imp/Vel Light, Short Cabinet - Pierce, Interior, Right Side Scuffplate, Material/Finish - S/S, Polished Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (2) Shelves, Adjustable, 0.75" Up-Turned Lip Door, Cab Exterior Cabinet - Double Pan, Locking #751 Door, Exterior Stop - Web Strap Door, Cab Interior Cabinet - Rollup, Gortite, Anodized, Locking #751 Louvers, Cabinet - 0-No Louvers | 1 |
| 133 | 0740001 | SP | Seat, Fwd Fcng C/C, LS Otbrd, Pierce PS6, Base, SCBA, 17" Btm,3" Inbrd,SECONDARY | 1 |
| 134 | 0649764 | | Seat, Fwd Fcng C/C, Ctr, (1) Pierce PS6, Base, SCBA, 17" Btm, SECONDARY | 1 |
| 135 | 0739999 | SP | Seat, Fwd Fcng C/C, RS Otbrd, Pierce PS6, Base, SCBA, 17" Btm,3" Inbrd,SECONDARY | 1 |
| 136 | 0651182 | | Scuffplate, Cabinet, Interior Door Pan, Cab Location - DS and PS EMS cabinets external doors Qty, - 02 Material Trim/Scuffplate - b) S/S, Brushed | 2 |
| 137 | 0059419 | | Guard, S/S, Roll-up Door, EMS Compartment Location - rear facing interior cabinets Qty, - 02 | 2 |
| 138 | 0566653 | | Upholstery, Seats In Cab, Turnout Tuff Color, Cab Interior Vinyl/Fabric - c) Black | 1 |
| 139 | 0543991 | | Bracket, Air Bottle, Hands-Free II, Cab Seats Qty, - 04 | 4 |
| 140 | 0690610 | | Embroidery, Seats, Cab and Crew Cab Qty, Seats Embroidery - 5 Seats | 1 |
| 141 | 0734952 | | Door, Access, Front, (2) Rear Facing Seat Risers, No Heater Latch, Door, Storage - Southco C2 Black Raised Material Finish, Cab Interior - Black Louvers, Cabinet - 0-No Louvers | 1 |
| 142 | 0678689 | | Compt, Enclose, Forward Facing Seat Riser, VEL/IMP/SFR/Enf Location - under center forward facing rear crew seat Qty, - 1 | 1 |
| 143 | 0603867 | | Seat Belt, ReadyReach Seat Belt Color - Red | 1 |
| 144 | 0604864 | | Seat Belt Height Adjustment, 5 Seats, Imp/Vel | 1 |
| 145 | 0627014 | | Pick Not Required, Seat Belt Color Selected in Seat Belt Category | 1 |
| 146 | 0817557 | | Helmet Storage, Provided by Fire Department, NFPA/ULC 2024 | 1 |
| 147 | 0647647 | | Lights, Dome, FRP Dual LED 4 Lts Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch | 1 |
| 148 | 0896451 | | Enhanced Software for Cab and Crew Cab Dome Lts | 1 |
| 149 | 0631779 | | Light, Map, Overhead, Round Halogen, AXT/Imp/Vel 12vdc power from - Battery switched | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 150 | 0816997 | | Portable Hand Light, Provided by Fire Dept, NFPA/ULC 2024 | 1 |
| 151 | 0554191 | | Handlight, Streamlight, Fire Vulcan, 44451, C4 LED, Tail Lights, 12v, Orange Qty, Lights - 02 Location, Lights - to be installed at final inspection. wiring location to be at either side of the rear engine tunnel | 2 |
| 152 | 0568369 | | Cab Instruments, Ivory Gauges, Chrome Bezels, Impel/Velocity 2010 | 1 |
| 153 | 0509511 | | Air Restriction Indicator, Imp/Vel, AXT, Enf MUX | 1 |
| 154 | 0543751 | | Light, Do Not Move Apparatus Alarm, Do Not Move Truck - Pulsing Alarm | 1 |
| 155 | 0509042 | | Messages, Open Dr/DNMT, Color Dsply, | 1 |
| 156 | 0611681 | | Switching, Cab, Membrane, Impel/Velocity, AXT WiFi MUX Location, Emerg Sw Pnls - Driver's Side Overhead | 1 |
| 157 | 0555915 | | Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity | 1 |
| 158 | 0834416 | | USB, Cab, 4, 12V DC, Dual USB Termination, NFPA1900/ULC USB, Type - USB Combo A & C | 1 |
| 159 | 0790556 | | Wire, CAT 6, terminated, Spare, Qty, 1st Qty, - 01 Location 2 - in wrap around center console behind panel #10 Location - behind driver's seat | 1 |
| 160 | 0821325 | | Wiring, Spare, 10 A 12V DC 1st NFPA1900/ULC Qty, - 01 12vdc power from - Battery switched Wire termination - Butt Splice Location - behind driver's seat | 1 |
| 161 | 0821674 | | Wiring, Spare, 60A 12V DC 1st NFPA1900/ULC Qty, - 01 12vdc power from - Battery switched Wire termination - Stud Location - behind driver's seat | 1 |
| 162 | 0817967 | SP | Wire, 14-ga. Spare, LS Dir, RS Dir, P Brk, E Mst, 10A Batt Dir, 10A Batt Sw, Gnd Qty, - 01 Location - (Traffic Preemption Wiring) over Officer head switch panel | 1 |
| 163 | 0821330 | | Wiring, Spare, 10 A 12V DC Batt Dir 2nd NFPA1900/ULC 12vdc power from - Battery direct Wire termination - Butt Splice Location - behind panel location #10 in center dash extension | 1 |
| 164 | 0821329 | | Wiring, Spare, 10 A 12V DC Batt Dir 1st NFPA1900/ULC 12vdc power from - Battery direct Wire termination - Butt Splice Location - PS RF interior compartment. lower outboard wall (for suction charger) | 1 |
| 165 | 0583273 | | Wire, 18-ga. Spare, Dual Wire 1st Qty, - 01 Location 2 - Behind driver's seat Location - behind panel #10 (wrap around console) | 1 |
| 166 | 0566101 | | Recess, Dash Panel, Officer Side, Vel/Imp | 1 |
| 167 | 0743033 | | Bin, Center Dash Console | 1 |
| 168 | 0814201 | | Vehicle Information Center, 7" Color Display, Touchscreen, MUX, CL714 System Of Measurement - US Customary | 1 |
| 169 | 0816633 | | Collision Mitigation, HAAS Alert (R2V), HA7 Subscription, HAAS R2V - R2V - 10 Year Data Plan Subscription | 1 |
| 170 | 0606247 | | Vehicle Data Recorder w/CZ Display Seat Belt Monitor | 1 |
| 171 | 0692961 | | Cable, Motorola HKN6169, 17' Mobile 2-way Radio, Remote Head Location - behind driver's seat Qty, - 01 Location 2 - behind panel #3 | 1 |
| 172 | 0665245 | | Cable, Motorola HKN6168, 30' Mobile 2-way Radio, Remote Head Location - behind driver's seat Qty, - 01 | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 172 | | | Location 2 - behind panel #6 | |
| 173 | 0835677 | | Install Customer Provided Multiband/GPS Antenna(s), Loc Location - Match previous units and J#44547 Location 1 - Match previous units and J#44547 Qty, Customer Supplied Antenna - 1 | 1 |
| 174 | 0694166 | | Antenna Mount, Larsen NMOKHFUDTHK, 0-6000MHz Location - best roof location Qty, - 01 Location 1 - Behind Driver's seat | 1 |
| 175 | 0724766 | | Camera, FRC, Mux, Inview360HD, SDC Location, Event Button - Driver Side Dash | 1 |
| 176 | 0814831 | | Not Required, Camera Switcher | 1 |
| 177 | 0511071 | | Guard, 4-Way, Rear Vision Camera Qty, - 01 Location - above B1 compartment, please match previous | 1 |
| 178 | 0896458 | | Pierce Command Zone, Advanced Electronics & Control System, Vel WiFi CZT Color, Antenna - White Antenna Module Housings - Black Housing with Power and Status Ind | 1 |
| 179 | 0896456 | | Prognostics, Electrical System | 1 |
| 180 | 0816093 | | ClearSky Telematics, Remote Fleet & On-scene Management, AT&T Commercial Subscription, Telematics - 8 Year Subscription | 1 |
| 181 | 0730603 | | Electrical System, Velocity ESP, Cummins, Paccar | 1 |
| 182 | 0079166 | | Batteries, (4) Stryten/Exide Grp 31, 950 CCA ea, Threaded Stud | 1 |
| 183 | 0008621 | | Battery System, Single Start, All Custom Chassis | 1 |
| 184 | 0123174 | | Battery Compartment, Imp/Vel | 1 |
| 185 | 0812586 | | Charger, Sngl Sys, Kussmaul, Chief 091-266-12-60, 60 Amp | 1 |
| 186 | 0814949 | | Location, Crew Cab, Charger, Forward Facing Seat Riser, Center Position | 1 |
| 187 | 0811943 | | Panel, Remote Control, Kussmaul, Chief 091-266-RCP | 1 |
| 188 | 0815291 | | Location, Cab, Ind/Remote, LS Above Wheel Well | 1 |
| 189 | 0811952 | | Not Required, Indicator/Remote Status | 1 |
| 190 | 0824337 | | Not Required, Location Ind/Remote | 1 |
| 191 | 0804247 | | Shoreline, 20A 120V, Kussmaul Chf Auto Eject, 091-55-20-120, 091-55-266-XX Cover Color, Kussmaul Cover - b) red Shoreline Connection - battery charger and cab receptacle | 1 |
| 192 | 0026800 | | Shoreline Location Location, Shoreline(s) - DS Extd Bumper | 1 |
| 193 | 0647728 | | Alternator, 430 amp, Delco Remy 55SI | 1 |
| 194 | 0676572 | SP | Switch, Rocker Style, Load Manager | 1 |
| 195 | 0532857 | SP | Programming, Step Lights, Activated w/Prk Brk, IAT | 1 |
| 196 | 0627524 | SP | Scene Light Switching, All Lights controlled by 1 switch cab, 1 switch rear. | 1 |
| 197 | 0092582 | | Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - d)High Idle disable | 1 |
| 198 | 0783153 | | Headlights, Rect LED, JW Spkr Evo 2, AXT/Enf/Imp/Sab/Vel Color, Headlight Bez - Chrome Bezel | 1 |
| 199 | 0648425 | | Light, Directional, WIn 600 Cmb, Cab Crn, Wrp Bzl Out HD Lts, Imp/Vel/AXT/Qtm Color, Lens, LED's - m)match LED's | 1 |
| 200 | 0620054 | | Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts | 1 |
| 201 | 0736083 | | Lights, Clearance/Marker, Side, P25 LED 2 Lts, Others With Visor Lt | 1 |
| 202 | 0627282 | | Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts | 1 |
| 203 | 0804519 | | Lights, Tail, WIn M62BTT* Red Stop/Tail & M62T* Amber Dir Arw w/Flange Color, Lens, LED's - Clear Color, Trim - Chrome Trim Flash Pattern, Directional Lts - Steady On (Arrow) | 1 |
| 204 | 0805618 | | Lights, Backup, WIn M62BU Color, Trim - Chrome Trim | 1 |
| 205 | 0889577 | | Bracket, License Plate & Light, P25 LED, Stainless Brkt ** Color, Trim - Chrome Housing | 1 |
| 206 | 0589905 | | Alarm, Back-up Warning, PRECO 1040 | 1 |
| 207 | 0817254 | | Lights, Perimeter Cab, Amdor AY-LB-12HW0** LED 4Dr | 1 |
| 208 | 0769572 | | Lights, Perimeter Pump House, Amdor AY-LB-12HW020 LED 2lts | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 209 | 0770056 | | Lights, Perimeter Body, Amdor AY-LB-12HW020 LED 2lts, Rear Step Control, Perimeter Lts - DS Switch Panel, Ignition Switch, DS Directional Light to DS Side Lts and PS Directional Light to PS Side Lts | 1 |
| 210 | 0769567 | | Lights, Perimeter, Amdor AY-LB-12HW012 12", Brkt Qty, Lights - 02 Location, Additional Perimeter Lights - Under Compt D1, 1lt and Under Compt P1, 1lt | 2 |
| 211 | 0896454 | | Enhanced Software for Perimeter Lts | 1 |
| 212 | 0622040 | SP | Lights, Step, P25 LED 4lts, Pump Pnl Sw, Cab Sw | 1 |
| 213 | 0619793 | SP | Guard, Light, Treadplate Location - over the top Location, Lights - Whelen Summit body scene Qty, - 02 | 2 |
| 214 | 0609064 | SP | Trim, SS Polished Around Recessed Light At the Rear of the Apparatus. Location - DS and PS rear Qty, - 02 | 2 |
| 215 | 0749399 | | Light, Visor Mt, Wln S72M**, 72" Cnt Feature Color, Wln Lt Housing - White Paint Control, Scene Lts - Cab Sw Panel DS LED Module Type - 4 White Spot | 1 |
| 216 | 0774948 | | Lights, Wln, P*H1* Pioneer, 12 VDC, 2nd Location - High and rear of PS crew door Qty, - 01 Color, Wln Lt Housing - White Paint Control, Scene Lts - Cab and Crew Cab Dr Sw, PS and PS Flood Lts Scene Light Optics - flood | 1 |
| 217 | 0775524 | | Lights, Wln, P*H1* Pioneer, 12 VDC, 1st Mount, Wln II - Semi-recessed 15 deg P**1 Location - High and rear of DS crew door Qty, - 01 Color, Wln Lt Housing - White Paint Control, Scene Lts - Cab and Crew Cab Dr Sw, DS and DS Flood Lts Scene Light Optics - flood | 1 |
| 218 | 0774017 | | Lights, Wln, P*H1* Pioneer, 12 VDC, 3rd Mount, Wln II - Semi-recessed 15 deg P**1 Location - One DS and one PS rear Match 33243 Qty, - 02 Color, Wln Lt Housing - White Paint Control, Scene Lts - Cab Sw Panel DS Scene Light Optics - Flood | 2 |
| 219 | 0728517 | SP | Lights, Wln, S72M** 72" 12VDC, RS Body Mount, Wln II - Semi-recessed 15 deg P**1 Location - center over RS2 on catwalk Qty, - 01 Control, Light - Mkr Lt Not Connected Color, Wln Lt Housing - White Paint Control, Scene Lts - Cab Sw Panel DS LED Module Type - 4 White Spot | 1 |
| 220 | 0728518 | SP | Lights, Wln, S72M** 72" 12VDC, LS Body Mount, Wln II - Semi-recessed 15 deg P**1 Location - center over LS2 on catwalk Qty, - 01 Control, Light - Mkr Lt Not Connected Color, Wln Lt Housing - White Paint Control, Scene Lts - Cab Sw Panel DS LED Module Type - 4 White Spot | 1 |
| 221 | 0645668 | | Lights, Front of Hose Bed, Wln 70C0ELZR LED Location - mounted high and centered on cross divider Qty, - 01 Light Guard - Without Guard Control, Hose Bed Lts - DS Pump Panel Sw Light Bracket - No Bracket | 1 |
| 222 | 0645677 | | Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body | 1 |
| 223 | 0787447 | | Lights, Walk Surf, Dual LED Light Strips, Cargo Area, Bdy Stp Lt | 1 |
| 224 | 0007883 | | Switch, Master, Pump Panel Lights | 1 |
| 225 | 0060115 | | Pumper, Medium, Aluminum, 2nd Gen | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 226 | 0554271 | | Body Skirt Height, 20" | 1 |
| 227 | 0013303 | | Tank, Water, 500 Gallon, Poly, Med, New York Style | 1 |
| 228 | 0003405 | | Overflow, 4.00" Water Tank, Poly | 1 |
| 229 | 0541296 | SP | Dome, Foam Fill, Location Location - Match 33243. On the DS front corner of upper portion of water tank | 1 |
| 230 | 0010011 | | Fill Dome Special Location Location, Tank Dome - Match 33243 - in line and rearward of foam dome | 1 |
| 231 | 0635329 | | Modified Poly Tank & Cradle, Ext'd To Rear, Pumper | 1 |
| 232 | 0553725 | | Restraint, Water Tank, Heavy Duty, Special Type Tank, 4x4, or Export | 1 |
| 233 | 0003429 | | Not Required, Direct Tank Fill | 1 |
| 234 | 0003424 | | Not Required, Dump Valve | 1 |
| 235 | 0048710 | | Not Required, Jet Assist | 1 |
| 236 | 0030007 | | Not Required, Dump Valve Chute | 1 |
| 237 | 0514778 | | Not Required, Switch, Tank Dump Master | 1 |
| 238 | 0815391 | | Hose Bed, Aluminum, Pumper, New York Style, Fill in the Blank Height Fill in Blank - 62" Material Trim/Scuffplate - b) S/S, Brushed | 1 |
| 239 | 0723545 | | Unpainted/Dual Action Finished Aluminum Hose Bed, 2G Pumper/Tankers | 1 |
| 240 | 0003481 | | Hose Bed Capacity, Special Capacity, Hose Bed - starting from the driver's side: 400' of 2.5", 300' of 3", 300' of 3", 1100' of 5", 150' of 1.75" and 200' of 1.75" | 1 |
| 241 | 0832691 | SP | Divider, Hose Bed, .25" Unpainted, Special Height, Special Contour at Rear Qty, Hose Bed Dividers - 3 Size - one divider 30.25" high then tapered down to 16" high starting at the rear 24" (most inboard divider) two dividers 23.25" high then tapered down to 16" high starting at the rear 24" (two outboard dividers inside of 32" divider)(Ref drawing in stage 3) Height, Hose Bed Divider - one divider 30.25" high then tapered down to 16" high starting at the rear 24" (most inboard divider) two dividers 23.25" high then tapered down to 16" high starting at the rear 24" (two outboard dividers inside of 32" divider)(Ref drawing in stage 3) | 3 |
| 242 | 0824269 | SP | Hose Restraint, Hose Bed, Vinyl, Top, Separate from Rear, Added Webbing/Velcro Color, Vinyl Cover - c) black Fastener, Top Restraint, Front - Velcro Fastener, Top Restraint, Sides - Velcro Straps/Footman Loops | 1 |
| 243 | 0807424 | | Hose Restraint, Hose Bed, Web, Rear, Separate From Top Fastener, Rear Restraint, Top - Velcro Straps/Footman Loops Fastener, Rear Restraint, Bottom - Velcro Straps/Footman Loops | 1 |
| 244 | 0040083 | SP | Divider, Unpainted, Extruded, Additional Location - Install two in the center of the hose bed Match previous unit 33243 Qty, - 02 | 2 |
| 245 | 0817279 | | Extension, Over Pre-Connect, Webbing or Vinyl, Rear Hose Bed Cover Qty, - 04 Dimensions - match 44547 (Engine 44 & 46) Location - DS & PS | 4 |
| 246 | 0695401 | | Running Boards, 14.75" Deep, Rear 45 Degree Corner | 1 |
| 247 | 0681766 | | Tailboard, 16" Deep, Full Width, Extended Substructure, Angled Corners | 1 |
| 248 | 0815881 | | Wall, Rear, Smooth Aluminum/Body Material, Flush Rear Wall | 1 |
| 249 | 0889214 | | Tow Eyes, w/Tow Bar, 2G Pumper ** | 1 |
| 250 | 0590926 | | Hose Restraint, Running Board, Velcro Straps Location, Hose Tray, Running Board - a) both sides Qty, Tray, Hose - 2 | 2 |
| 251 | 0014110 | | Tray, Hose, Running Board, 100' of 1.50" Hose Location, Hose Tray, Running Board - a) both sides Qty, Tray, Hose - 2 | 2 |
| 252 | 0895820 | | Construction, Compt, Alum, 2G Pumper | 1 |
| 253 | 0023650 | | LS 152" Rollup, Full Height Compts, FDLER | 1 |
| 254 | 0063658 | | RS 152" Rollup, Full Height Compts, FDLER | 1 |
| 255 | 0692733 | | Doors, Rollup, Gortite, Side Compartments Qty, Door Accessory - 06 Color, Roll-up Door, Gortite - Painted to Match Lower Body Latch, Roll-up Door, Gortite - Non-Locking Liftbar | 6 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 256 | 0013671 | | Rear, Rollup, 30.75" F-F, 25.88" D | 1 |
| 257 | 0692746 | | Door, Gortite, Rollup, Rear Compartment Color, Roll-up Door, Gortite - Satin finish Latch, Roll-up Door, Gortite - Locking, 751, AXT/Qtm/Dash CF/Saber Cab | 1 |
| 258 | 0554995 | | No Body Modification Required | 1 |
| 259 | 0509489 | | Scuffplate, S/S, Rear Ladder Rack Arm Location - DS Qty, Scuffplates - 01 | 1 |
| 260 | 0016023 | | Scuffplate, Polished S/S On Rear Outside Edge of Body | 1 |
| 261 | 0618000 | SP | Guard, S/S for "D" Latch Handle on Access Door, Each Location - Each door at pump panel next to crosslays Mount on inside of slam latch so back boards cannot hit lock and unlock Qty, - 02 | 2 |
| 262 | 0625184 | | Guard, Drip Pan, S/S, Rollup Door, Pumper Qty, Door Accessory - 07 Location, Door Guard/Drip Pan - LS1, LS2, LS3, RS1, RS2, RS3 and B1 | 7 |
| 263 | 0616670 | | Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker Qty, - 05 Location, Compartment Lights - LS1, LS3, RS1, RS3 and B1 | 5 |
| 264 | 0689538 | | Lights, Compt, Pierce, LED Light Strip, 54", Additional Location, Lights - P2 and D2 mounted horizontal on ceiling Qty, - 02 | 2 |
| 265 | 0687135 | | Shelf Tracks, Unpainted Qty, Shelf Track - 01 Location, Shelf Track - RS3 | 1 |
| 266 | 0600350 | | Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations Qty, Shelf - 01 Material Finish, Shelf - DA Finish Location, Shelves/Trays, Predefined - RS3-Centered | 1 |
| 267 | 0726394 | | Partition, Trans Rear Compt, Notched Qty, Partition - 02 Location, Partition - c) both sides Fill in Blank - a pike pole tube (broom storage) w/ open ends to pass through from RS1 to LS1 Location - upper/forward (of body) corner | 2 |
| 268 | 0003995 | | Grating, Alum in Compt Location - LS3 Qty, Comp. Accessory - 01 | 1 |
| 269 | 0820754 | | No Louvers, Delete Standard Compt Louvers, Per Compt, Non-NFPA 2024 Location - B1 Qty, Comp. Accessory - 1 | 1 |
| 270 | 0009729 | | Pac Trac, Installed on Compartment Walls Location - rear upper tank wall of RS2, LS1, LS2 and LS3 Qty, Comp. Accessory - 04 | 4 |
| 271 | 0696950 | | High Rise Pack Storage, Curved Mount, Inside Compt, Each Location - RS1 Qty, Comp. Accessory - 02 Location, Bracket/comp. - Match 33243 - the mounts will be positioned 49.25" off the compartment floor to the top of curve. One (1) bracket to be 11" to center of bracket off rear wall and one (1) 31" to center off rear wall. Size - 9.25" Dimensions - 7.25" by 3" high. | 2 |
| 272 | 0004016 | | Rub Rail, Aluminum Extruded, Side of Body | 1 |
| 273 | 0784811 | | Fender Crowns, Rear, Stainless, w/Removable Liner Material Finish, Fender Liner - Painted Aluminum Lower Body | 1 |
| 274 | 0519849 | | Not Required, Hose, Hard Suction | 1 |
| 275 | 0621021 | | Handrails, Side Pump Panels, Per Print, Hansen Knurled Alum Tubing, LED Backlit Switch, Handrail Light Control - With Cab Hand Rail Controls Color, Light, Hansen Handrail - Red | 1 |
| 276 | 0778825 | SP | Handrails, Beavertail, Hansen Tubing, Knurled Aluminum, LED Backlit, RS Only Switch, Handrail Light Control - With Cab Hand Rail Controls Color, Light, Hansen Handrail - Red | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 277 | 0739825 | SP | Handrails, Rear, (3), (1) Above (2) Below, Hansen,Below Knurled Alum LED Backlit Switch, Handrail Light Control - With Cab Hand Rail Controls Color, Light, Hansen Handrail - Red | 1 |
| 278 | 0749600 | SP | Compt, Air Bottle, Fender Panel, Double, Vertical, SouthCo C2 Latch Location, Bracket/comp. - RS rear fender Qty, Air Bottle Comp - 1 | 1 |
| 279 | 0657651 | | Compt, Air Bottle, Double, Fender Panel Qty, Air Bottle Comp - 2 Door Finish, Fender Compt - Polished Location, Fender Compt - Double - LS Fwd and Double - RS Fwd Latch, Air Bottle Compt - Southco C2 Chrome Raised Insert, Air Bottle Compt - Rubber Matting and W-Shaped Insert | 2 |
| 280 | 0004225 | | Ladder, 24' Duo-Safety 900A 2-Section | 1 |
| 281 | 0004230 | | Ladder, 14' Duo-Safety 775A Roof | 1 |
| 282 | 0028934 | | Rack, Ladders, Hydraulic, LS, Air Clamps Ladder Rack Lock Enclosure/Light Mounting Bracket - LS Front & Rear S/S Enclosure Location, Hydraulic Ladder Rack Controls - Pump Panel | 1 |
| 283 | 0756375 | | Lights, Hyd Lad Rack Deployed, Truck-Lite 15**** Color, Light - Amber Flashing Color, Lens, LED's - Clear Trim, T-L 15 - Chrome | 1 |
| 284 | 0733387 | | Ladder, 10' Duo-Safety Folding 585A | 1 |
| 285 | 0761307 | | Mounting Clips, Folding Ladder, Hydraulic Ladder Rack Location, Folding Ladder Storage - Hydraulic Rack - Outboard | 1 |
| 286 | 0024499 | | Arm, Rear, Offset, Hydraulic Rack 2000, Recess Light | 1 |
| 287 | 0040714 | SP | Ladder, Mounting, 2000 Rack Special Arrangement Fill in Blank - They want the 14' ladder to load first so the first one off will be the 24'. Mount 10' folding ladder inboard of 14" ladder on surfboard bracket | 1 |
| 288 | 0795582 | SP | Bracket, Mounting, Surf Board, Inboard of Hydraulic Ladder Rack Location - inboard of hydraulic rack similar to when HSH is mounted there Fill in Blank - 11'L x 24"W x 5" thick on the ends; however the board is curved so there is 7" in the center. Also, the fin is 10.75" tall. | 1 |
| 289 | 0725371 | | Compt w/Door, Backboard, Over Pump Door, Material & Finish, Storage - Polished S/S Latch, Door, Storage - Southco M1 Push Close, Flush Qty, Backboard Troughs - 2 Hinge Location - Rearward Location, BB/Stokes/Long Tool Storage Over Pump - Forward, Cargo Area Access, Backboard/Stokes/Long Tool Compt - Both Size, Backboard, Predefined - 72"L x 18"W x 3"H | 1 |
| 290 | 0816920 | | Pike Pole, Provided by Fire Department, NFPA/ULC 2024 Qty, - 01 Pike Pole Make/Model - Fire Hooks Unlimited 10' All Purpose Hook | 1 |
| 291 | 0816918 | | Pike Pole, 6', Provided by Fire Department, NFPA/ULC 2024 Qty, - 01 Pike Pole Make/Model - Fire Hooks Unlimited New York Roof Hook, RH-6 | 1 |
| 292 | 0784210 | SP | Tubes, Alum, Long Tool Storage, 2.50" Diameter, Trans Through Rr Compt Location - upper front corner of B1, open ends flush with partitions for transverse pass through, per write up at final Qty, - 01 | 1 |
| 293 | 0058193 | | Tubes, Alum, Pike Pole Storage, Spcl Notch, NY PP Head Location - on the left side hydraulic ladder rack, outboard, underneath the folding ladder Qty, Pike Pole Tubes - 01 | 1 |
| 294 | 0785102 | | Steps, Folding, Front of Body, Cargo Bed Access, w/LED, Trident Coating, Step - luminescent Location, Steps - Full Height Right Side w/LED Light | 1 |
| 295 | 0592994 | | Steps, Folding, Rear of Body, w/LED, Trident Coating, Step - luminescent | 1 |
| 296 | 0005496 | | Pump House, Side Control, 45" | 1 |
| 297 | 0035501 | | Pump House Structure, Std Height | 1 |
| 298 | 0004460 | | Pump, Waterous, CMU, 1500 GPM, Two Stage | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 299 | 0004482 | | Seal, Mechanical, Waterous | 1 |
| 300 | 0816447 | | Trans, Pump, Waterous C22 Series | 1 |
| 301 | 0635600 | | Pumping Mode, Stationary Only | 1 |
| 302 | 0605126 | | Pump Shift, Air Mnl Override, Split Shaft, Interlocked, Waterous | 1 |
| 303 | 0003148 | | Transmission Lock-up, EVS | 1 |
| 304 | 0004547 | | Auxiliary Cooling System | 1 |
| 305 | 0004485 | | Transfer Valve, Electric, Waterous | 1 |
| 306 | 0746511 | | Valve, Relief Intake, TFT | 1 |
| | | | Pressure Setting - 125 psig | |
| 307 | 0826104 | | Controller, Pressure, FRC, Pump Boss Max, PBA500 | 1 |
| | | | Pressure Governor Throttle Control - Clockwise | |
| | | | Pressure Governor Default Mode - RPM Setting | |
| | | | Pressure Governor Std/Metric - Standard psi readouts | |
| | | | Pressure Governor Transducer - Single 600 PSI | |
| | | | Pressure Governor Alarm - NOT BE an additional alarm provided | |
| 308 | 0641743 | | Primer, Waterous, VPO Motor, (1) VAP Valve, (1) Push Button Control | 1 |
| 309 | 0780364 | | Manuals, Pump, (2) Total, Electronic Copies | 1 |
| 310 | 0603128 | | Plumbing, Stainless Steel and Hose, Two Stage Pump | 1 |
| 311 | 0795135 | | Plumbing, Stainless Steel, w/Foam System | 1 |
| 312 | 0004645 | | Inlets, 6.00" - 1250 GPM or Larger Pump | 1 |
| 313 | 0004646 | | Cap, Main Pump Inlet, Long Handle, NST, VLH | 1 |
| 314 | 0084610 | | Valves, Akron 8000 series- All | 1 |
| 315 | 0004686 | | Valve, Inlet(s) Recess Behind Panel, Side Cntrl | 2 |
| | | | Qty, Inlets - 2 | |
| 316 | 0004700 | | Control, Inlet, at Valve | 1 |
| 317 | 0004660 | | Inlet (1), Left Side, 2.50" | 1 |
| 318 | 0004680 | | Inlet, Right Side, 2.50" | 1 |
| 319 | 0897257 | | Inlet, 4" to 6" Front, 5" Plumbing, w/Bleeder Valve, Top of Bumper | 1 |
| | | | Inlet, Size - Six | |
| | | | Drain, Suction - T Swing Handle | |
| | | | Inlet, Front, Valve - Bray 5.00" | |
| | | | Inlet, Front, Plumbing - Stainless Steel | |
| 320 | 0014823 | | Control, Front Inlet, Electric, w/Indicator Lights | 1 |
| 321 | 0737987 | | Valve, Relief Intake, Front Inlet, TFT | 1 |
| | | | Pressure Setting - 125 psig | |
| 322 | 0732444 | | Swivel, Front Inlet, 4.00" to 6.00", w/Drain | 1 |
| | | | Inlet, Size - 6.00" inlet | |
| | | | Inlet Bleeder - Quarter-Turn Style Bleeder | |
| | | | Finish, Front Inlet Elbow/Adapter - Chrome | |
| 323 | 0004788 | | Cap, Front Inlet, Long Handle, VLH | 1 |
| 324 | 0092569 | | No Rear Inlet (Large Dia) Requested | 1 |
| 325 | 0064116 | | No Rear Inlet Actuation Required | 1 |
| 326 | 0092696 | | Not Required, Cap, Rear Inlet | 1 |
| 327 | 0009648 | | No Rear Intake Relief Valve Required on Rear Inlet | 1 |
| 328 | 0037897 | SP | Front Suction, Max Clearance | 1 |
| 329 | 0092568 | | No Rear Auxiliary Inlet Requested | 1 |
| 330 | 0723049 | | Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle | 1 |
| 331 | 0029043 | | Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing | 1 |
| 332 | 0004905 | | Outlet, Tank Fill, 1.50" | 1 |
| 333 | 0820189 | | Control, Outlets, Manual, Pierce HW if applicable | 1 |
| 334 | 0004940 | | Outlet, Left Side, 2.50" | 2 |
| | | | Qty, Discharges - 02 | |
| 335 | 0005091 | | Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 336 | 0092570 | | Not Required, Outlets, Left Side Additional | 1 |
| 337 | 0035094 | | Not Required, Elbow, Left Side Outlets, Additional | 1 |
| 338 | 0004945 | | Outlet, Right Side, 2.50" | 1 |
| | | | Qty, Discharges - 01 | |
| 339 | 0025091 | | Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 340 | 0092571 | | Not Required, Outlets, Right Side Additional | 1 |
| 341 | 0089584 | | Not Required, Elbow, Right Side Outlets, Additional | 1 |
| 342 | 0816625 | | Outlet, Large Diameter, Right Side, Akron Valve | 1 |
| | | | Outlet, Large Diameter, Plumbing - 4.00" | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 342 | | | Outlet, Large Diameter, NST Adapter - 4.00" MNST | |
| 343 | 0005097 | | Outlet, Large Diameter, Valve Actuation - Pierce large handwheel Elbow, Large Dia Outlet, 30 Deg, 4.00" FNST x 5.00" Storz | 1 |
| 344 | 0649939 | | Qty, - 01 Outlet, Front, 1.50" w/2" Plumbing | 1 |
| | | | Fitting, Outlet - 1.50" NST with 90 degree swivel | |
| | | | Drain, Front Outlet - Automatic | |
| 345 | 0633403 | | Location, Front, Single - top of left bumper Front Outlet, Raised, On a Bright Aluminum Treadplate Box | 1 |
| 346 | 0004995 | | Outlet, Rear, 2.50" | 2 |
| | | | Qty, Discharges - 02 | |
| | | | Location, Outlet - b) left side | |
| 347 | 0820244 | | Elbow, Rear Outlets, 2.50", Provided by Fire Department, NFPA 2024 | 1 |
| 348 | 0024930 | | Outlet, Rear, 1.50", Additional | 2 |
| | | | Location - PS | |
| | | | Qty, Discharges - 02 | |
| 349 | 0065696 | | Not Required, Elbow, Rear Outlets, 1.50", Additional | 1 |
| 350 | 0092573 | | Not Required, Outlet, Hose Bed/Running Board Tray | 1 |
| 351 | 0752097 | | Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain | 1 |
| 352 | 0723042 | | Valve, 0.75" Bleeder, Discharges, "T" Swing Handle | 1 |
| 353 | 0091106 | | Outlet, 3.00" Deluge w/TFT Extend-a-Gun XG18, Handwheel | 1 |
| 354 | 0770359 | | No Monitor Requested, Customer/Dealer Furnished and Installed | 1 |
| | | | Fill in Blank - TFT Crossfire | |
| 355 | 0029304 | | No Nozzle Req'd | 1 |
| 356 | 0046857 | | Deluge Mount, For TFT Crossfire Monitor, TFT Manual Extend-A-Gun Only | 1 |
| 357 | 0723726 | | Speedlay Module Not Required | 1 |
| 358 | 0722432 | | Hose Restraint Not Required, No Speedlay Module | 1 |
| 359 | 0723395 | | Speedlays, Not Required | 1 |
| 360 | 0723394 | | Speedlays, Not Required | 1 |
| 361 | 0029167 | | Crosslays Sngl Sheet Unpainted, (2+) 1.50", Std. Cap | 2 |
| | | | Qty, Crosslays - 2 | |
| 362 | 0029196 | | Not Required, 2.50" Crosslay | 1 |
| 363 | 0591145 | | Hose Restraint, Crosslay/Deadlay, Top/Ends, Elastic Netting | 1 |
| | | | Qty, - 01 | |
| 364 | 0029260 | | Not Required, Speedlays | 1 |
| 365 | 0750536 | | Hose Restr, Spdly, Not Required, No Spdly | 1 |
| 366 | 0034554 | SP | Crosslays, 6.00" Lower Than Standard | 1 |
| 367 | 0764515 | SP | Scuffplate, Brushed S/S, Front & Rear Wall of Crosslay | 2 |
| | | | Location - on the painted surfaces of the crosslays | |
| | | | Qty, - 02 | |
| 368 | 0015412 | | Foam Sys, Akron Eductor 3126-125 (Single Agent) | 1 |
| | | | Discharge - Forward crosslay | |
| 369 | 0012126 | | Not Required, CAF Compressor | 1 |
| 370 | 0552517 | | Not Required, Refill, Foam Tank | 1 |
| 371 | 0031896 | | Demonstration, Foam System, Dealer Provided | 1 |
| 372 | 0005448 | | Foam Cell, 40 Gallon, Not Reduce Water | 1 |
| | | | Type of Foam - Class "A" | |
| | | | Foam, Brand Name - national | |
| 373 | 0091036 | | Drain, 1.00" Foam Tank #1 | 1 |
| 374 | 0091079 | | Not Required, Foam Tank #2 | 1 |
| 375 | 0091112 | | Not Required, Foam Tank #2 Drain | 1 |
| 376 | 0746445 | | Approval Dwg, Pump Operator's Panel, Includes Color And Label Tags | 1 |
| | | | Num Of Truck(s) or Sim Unit, OPER Pump Pnl, Dwg - 33243 | |
| 377 | 0035570 | | Pump Panel Configuration, No Match Required | 1 |
| 378 | 0629224 | | Material, Pump Panels, Side Control Black UL-LX | 1 |
| | | | Material Finish, Pump Panel, Side Control - Black UL-LX | |
| | | | Material, Pump Panel, Side Control - Aluminum | |
| 379 | 0721765 | | Panel, Pump Access - Right Side Only, Side Control | 1 |
| | | | Latch, Pump Panel Access, Side Mount - Raised Trigger, Black | |
| 380 | 0005945 | | Light, Pump Compt | 1 |
| 381 | 0586382 | | Gauges, Engine, Included With Pressure Controller | 1 |
| 382 | 0005601 | | Throttle, Engine, Incl'd w/Press Controller | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 383 | 0739224 | | Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle,Green | 1 |
| 384 | 0549333 | | Indicators, Engine, Included with Pressure Controller | 1 |
| 385 | 0745568 | | Indicator Light, Pump Panel, Ok To Pump, Green | 1 |
| 386 | 0069390 | | Control, Air Horn At Pmp Pnl, Red Button | 1 |
| 387 | 0763096 | | Fittings, Compression IPO PTC, All Pump Panel Gauges | 1 |
| 388 | 0511078 | | Gauges, 4.00" Master, Class 1, 30"-0-600psi | 1 |
| 389 | 0511100 | | Gauge, 2.00" Pressure, Class 1, 30"-0-400psi | 1 |
| 390 | 0032297 | | Gauge, Flowmeter, Class 1, IAT | 1 |
| | | | Qty, Gauges/Disc. - 01 | |
| | | | Discharge w/Flowmeter - 4" PS LD discharge | |
| 391 | 0604123 | | Gauge, Water Level, FRC, WLA 300-A00, TankVision Pro, w/Remote Light Driver | 1 |
| 392 | 0750438 | | Water Level Gauge, WIn PSTANK2, LED 1-Light, 4-Level | 2 |
| | | | Qty, - 02 | |
| | | | Activation, Water Level G - pg) pump in gear | |
| | | | Location, Water Level Gauge, Multi-Select - Each Side Custom Cab | |
| | | | Color, Trim - Chrome Trim | |
| 393 | 0604354 | | Gauge, Foam Level, FRC, Tank Vision Pro, WLA 360-A00, Class "A" | 1 |
| 394 | 0833575 | SP | Light Shield/Step 8", LED, E03-G001-1 Grn Pmp in Gear, P25 LED Stp Lt | 1 |
| 395 | 0751486 | SP | Light Shield/Step 8", PS LED, P25 LED Stp Lt, Act w/Pump Engaged | 1 |
| 396 | 0606694 | | Air Horns, (2) Hadley, 6" Round, eTone, In Bumper | 1 |
| 397 | 0606833 | | Location, Air Horns, Bumper, Each Side, Inside Frame (Pos #3 & #5) | 1 |
| 398 | 0757092 | | Control, Air Horn, Multi Select | 1 |
| 399 | 0757076 | | Control, Air Horn, Lanyard, RS | 1 |
| | | | Lanyard - Plastic Coated Braided Cable | |
| 400 | 0757084 | | Control, Air Horn, Horn Ring | 1 |
| 401 | 0835902 | | Siren, Code 3 3692S, 100/200 Watt | 1 |
| 402 | 0510206 | | Location, Elect Siren, Recessed Overhead In Console | 1 |
| | | | Location, Elec Siren - Overhead, PS Inside Sw Pnl | |
| 403 | 0748306 | | Control, Elec Siren, Multi Select | 1 |
| 404 | 0805709 | | Control, Elec Siren, Horn Ring, Interlock | 1 |
| | | | Control, Interlocks - No Interlocks | |
| 405 | 0601375 | | Speaker, (1) Code 3, PB100C, Chrome | 1 |
| | | | Connection, Speaker - siren head | |
| 406 | 0601551 | | Location, Speaker, Frt Bumper, Recessed, Right Side, Outside Frame,Outbrd(Pos 1) | 1 |
| 407 | 0895310 | | Siren, Federal Q2B | 1 |
| | | | Finish, Q2B Siren - Chrome | |
| 408 | 0006095 | | Siren, Mechanical, Mounted Above Deckplate | 1 |
| | | | Location, Siren, Mech - a) Left | |
| 409 | 0748305 | | Control, Mech Siren, Multi Select | 1 |
| 410 | 0748280 | | Control Mech Siren, Horn Ring | 1 |
| 411 | 0740834 | | Sw, Siren Brake, Momentary Red, LS Overhead Sw Pnl | 1 |
| 412 | 0740391 | | Sw, Siren Brake, Momentary Chrome Push Button, RS | 1 |
| 413 | 0811625 | | Control System, Supplier Based, Electrical WIn CenCom Core C399 HW CCCo | 1 |
| 414 | 0824788 | | Not Required | 1 |
| 415 | 0746353 | | Not Required, Warning Lights Intensity | 1 |
| 416 | 0724937 | | Lightbar, WIn, Frdm D WCX, 72", RRRRWROptRWRWRRRR, CCCo | 1 |
| | | | Opticom Priority - b) High | |
| | | | Opticom Activation - No Switch | |
| | | | Momentary Opticom Activation - No Activation | |
| 417 | 0641779 | | Bracket, Lightbar, Forward Offset, FR Raised Roof Cab | 1 |
| 418 | 0887345 | | Lightbars, WIn, Freedom IV-WCXF4MINI, 2-21.5", RRWRR RRWRR, CCCo | 1 |
| | | | Lightbar Location, Cab/Crew Cab - c)over the cab doors | |
| | | | Filter, Whl Freedom Ltbrs - No Filters | |
| 419 | 0731884 | | Lights, Front Zone, WIn M6**S, Q Bezel 4Lts CCCo | 1 |
| | | | Color, Lens, LED's - Clear | |
| | | | Color, Lt DS Frnt Outside - Left Red | |
| | | | Color, Lt PS Frnt Outside - Right Red | |
| | | | Color, Lt DS Front Inside - Left Red | |
| | | | Color, Lt PS Front Inside - Right Red | |
| | | | Color, Q Bezel and Trim - Polished Chrome | |
| 420 | 0818269 | SP | Light, Front, WIn WX2230F, Lower Grl Mt, CCCo | 1 |
| | | | LED 1 - Red/Wht | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 420 | | | LED 2 - Red/Wht LED 3 - Red/Wht LED 4 - Red/Wht LED 5 - Red/Wht LED 6 - Red/Wht | |
| 421 | 0895940 | | Lights, Side Zone Lower, WIn, Separated into Front, Middle, Rear | 1 |
| 422 | 0804494 | | Lights, Side Zone Lower Front, WIn M6D# DUO, CCCo Location, Lights Front Side - b)each side bumper Color, Trim - Chrome Trim Color, Lt Side Frnt RS Cmb - Red and White Color, Lt Side Frnt LS Cmb - Red and White | 1 |
| 423 | 0804496 | | Lights, Side Zone Lower Middle, WIn M6D# DUO, CCCo Location, Lights Mid Side - Rearward of Crew Cab Doors Color, Trim - Chrome Trim Color, Lt Side Mid LS Cmb - Red and White Color, Lt Side Mid RS Cmb - Red and White | 1 |
| 424 | 0807294 | | Lights, Side Zone Lower Rear, WIn M6V2**, CCCo Color, Lens, LED's - Clear Control, Scene Lts - Cab Sw Panel DS and Directional Light - Respective Location, Lights Rear Side - Centered Above Rear Wheels Color, Trim - Chrome Trim Color, Lt Side Rear PS - Right Red Color, Lt Side Rear DS - Left Red | 1 |
| 425 | 0890833 | SP | Lights, Door Interior Flash, 4 Dr Cab, (8) Weldon 8401-0000-20 Strip Lights Control, Door Int Flash - None (Doors only) Location, Light, Door Int Flash - Over Window and Low Door Panel | 1 |
| 426 | 0895060 | | Lights, Door Interior Flash, 4 Dr Cab, WIn PSSEQACR Strip Light Color, Trim - Chrome Trim Control, Door Int Flash - None (Doors only) Location, Light, Door Int Flash - Low and Outside | 1 |
| 427 | 0815847 | | Connectors, Door Interior Flash, All Cabs, Weatherproof | 1 |
| 428 | 0803815 | SP | Lights, Side, WIn M9D# DUO, CCCo, 1st Location - TBD Qty, - 02 Color, Lights, Warning - Red and White Control, Light - f) emerg master Color, Trim - Chrome Trim | 2 |
| 429 | 0807350 | | Lights, Side, WIn M6D# DUO, CCCo, 1st Location - a pair rear of the crew cab door inline with the side warning light on the front bumper. Put the second pair on the front bumper on the angled portion. Match J#33243 Qty, - 04 Color, Lights, Warning - Red and White Control, Light - f) emerg master Color, Trim - Chrome Trim | 4 |
| 430 | 0808641 | SP | Lights, Side, WIn WIONSM#* Split Mtd/Rec in Rub Rail, 1st CCCo Location, Lights - Center of each rub rail Total 6 Qty, - 06 Color, Lt Side Split - Red and White Color, Lt Housing - Chrome | 6 |
| 431 | 0727126 | | Lights, Rear Zn Lwr, WIn M6**S, For Tail Lt Housing CCCo Color, Lens, LED's - Clear Color, Lt DS Rear - Left Red Color, Lt PS Rear - Right Red | 1 |
| 432 | 0898488 | | Lights, Rear, WIn M6**S LED, 1st, CCCo Location - This light will go on the inside rear portion of lift up door on B1 so that when the door is open the amber light will flash for visibility Qty, - 02 Color, Lights, Warning - Amber Flashing Control, Light - f) emerg master Color, Lens, LED's - Clear Color, Trim - Chrome Trim | 2 |
| 433 | 0006700 | | Mtg, Lights, Recess In Rear Bulkhead (pair) Location - one (1) each side on upper corners of bulkheads Qty, Lights, Pair - 1 | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 434 | 0837807 | SP | Lights, Rear/Side Up Zone, WIn M6*CS Sides, M6D# DUO Rear High Int, 4lts, CCCo Color, Lt, Side Rear Upper DS - Red Color, Lt, Side Rear Upper PS - Red Color, Lt DS Rear Splt - Red and Blue Color, Lt PS Rear Splt - Red and Blue Color, Trim - Chrome Trim | 1 |
| 435 | 0006551 | | Not Required, Lights, Rear Upper Zone Blocking | 1 |
| 436 | 0537807 | | Mtg, Rear Warn Lts, Side Sheets & On Rear Bulkheads | 1 |
| 437 | 0781579 | | Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab Qty, - 01 Location 1 - DS RF EMS compartment. Lower inboard corner AC Power Source - Shoreline Cover, Receptacle - Interior SS Wall Plate(s) | 1 |
| 438 | 0519934 | | Not Required, Brand, Hydraulic Tool System | 1 |
| 439 | 0007150 | | Bag of Nuts and Bolts Qty, Bag Nuts and Bolts - 1 | 1 |
| 440 | 0816508 | | NFPA Required Loose Equipment, Pumper, NFPA/ULC 2024, Provided by Fire Dept | 1 |
| 441 | 0816941 | | Soft Suction Hose, Provided by Fire Department, NFPA/ULC 2024 | 1 |
| 442 | 0027023 | | No Strainer Required | 1 |
| 443 | 0816939 | | Extinguisher, Dry Chemical, NFPA 2024, Provided by Fire Department | 1 |
| 444 | 0816937 | | Extinguisher, 2.5 Gal. Pressurized Water, NFPA/ULC 2024, Provided by Fire Dept | 1 |
| 445 | 0816998 | | Axe, Flathead, Provided by Fire Department | 1 |
| 446 | 0817000 | | Axe, Pickhead, Provided by Fire Department | 1 |
| 447 | 0741569 | | Paint Process / Environmental Requirements, Appleton | 1 |
| 448 | 0709846 | | Paint, Two-Tone Color, Velocity/Impel Paint Color, Upper Area, Predefined - #10 White Shield, Cab - High Shield-Velocity/Impel Paint Color, Lower Area, Predefined - #90 Red Paint Break, Cab - Standard Two-Tone Cab Break | 1 |
| 449 | 0709845 | | Paint, Single Color, Body Paint, Body - Match Lower Cab | 1 |
| 450 | 0646897 | | Paint Chassis Frame Assy, E-Coat, Standard Paint Color, Frame Assembly, Predefined - Standard Black | 1 |
| 451 | 0693798 | | Paint, Front Wheels Paint, Wheels - Powder Coat Black #101 | 1 |
| 452 | 0693793 | | Paint, Rear Wheels, Single Axle Paint, Wheels - Powder Coat Black #101 | 1 |
| 453 | 0733739 | | Paint, Axle Hubs Paint, Axle Hub - Black #101 | 1 |
| 454 | 0007234 | | Compartment, Unpainted, D/A Finished | 1 |
| 455 | 0544087 | | Reflective Band, 6" Color, Reflect Band - A - a) white | 1 |
| 456 | 0510041 | | Reflective across Cab Face, Imp/Vel | 1 |
| 457 | 0536954 | | Stripe, Chevron, Rear, Diamond Grade, Pumper Color, Rear Chevron DG - yellow | 1 |
| 458 | 0027341 | | Jog, In Reflective Stripe, Single or Multiple Qty, - 1 | 1 |
| 459 | 0679885 | | Stripe, Sign Gold Outline Above & Below Reflective Band Qty, - 01 | 1 |
| 460 | 0567374 | | Stripe, Black Outline each Chevron Stripe @ Rear (Not Warranted) | 1 |
| 461 | 0087355 | | Stripe, Reflective, 6" Inside Compt Door Location - each exterior access EMS compt door Color, Reflect Band - A - e) black Qty, - 02 | 2 |
| 462 | 0065687 | | Stripe, Reflective, Cab Doors Interior Color, Reflective - e) black | 1 |
| 463 | 0679822 | | Stripe, Sign Gold, Two-Tone Paint Break with Shield, IPO Chrome Molding | 1 |
| 464 | 0594559 | | Lettering Specifications, (Sign Gold Process) | 1 |
| 465 | 0685932 | | Lettering, Sign Gold, 3.00", (41-60) Outline, Lettering - Outline and Shade | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 466 | 0686082 | | Lettering, Reflective, 3.00", (1-20) Outline, Lettering - Outline | 1 |
| 467 | 0686084 | | Lettering, Reflective, 3.00", Each Qty, Lettering - 04 Outline, Lettering - Outline | 4 |
| 468 | 0685817 | | Lettering, Sign Gold, 4.00", Each Qty, Lettering - 13 Outline, Lettering - Outline and Shade | 13 |
| 469 | 0685732 | | Lettering, Sign Gold, 14.00", Each Qty, Lettering - 04 Outline, Lettering - Outline and Shade | 4 |
| 470 | 0776253 | SP | Emblem, ISO CLASS 1, w/Ribbon, Sign Gold, Pair Qty, - 1 | 1 |
| 471 | 0632430 | SP | Emblem, Helmet Logo w/Sign Gold Lettering America's Bravest Qty, - 1 Location, Emblem - D1/P1 | 1 |
| 472 | 0657001 | SP | Emblem, Reflective, Per Dept. Submittal, Each Qty, - 02 Location, Emblem - cab doors Size, Dept Seal, Reflect - 12" - 14" | 2 |
| 473 | 0654570 | | Emblem, Vinyl, Per Dept. Submittal, Each Qty, - 02 Location, Emblem - crew cab windows Size, Dept Seal, Vinyl - 13"-15" | 2 |
| 474 | 0695610 | | Emblem, Reflective, Per Dept. Submittal, Each Qty, - 01 Location, Emblem - rear roll up door Size, Dept Seal, Reflect - 22" - 24" | 1 |
| 475 | 0769765 | | Lettering, Numerals, Grille, Painted w/ Outline (2) | 1 |
| 476 | 0000000 | STF | Equipment Mounting | 1 |
| 477 | 0624039 | | Manual, Fire Apparatus Parts, (1) Hard Copy, (1) USB Flash Drive, Custom | 1 |
| 478 | 0624037 | | Manual, Chassis Service, (1) Hard Copy, One (1) USB Flash Drive, Custom | 1 |
| 479 | 0772060 | | Manual, Chassis Operation, (1) Hard Copy, (1) USB Flash Drive, Custom, English | 1 |
| 480 | 0030008 | | Warranty, Basic, 1 Year, Apparatus, WA0008 | 1 |
| 481 | 0611136 | | Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 | 1 |
| 482 | 0696698 | | Warranty, Engine, Cummins, 5 Year, WA0181 | 1 |
| 483 | 0684953 | | Warranty, Steering Gear, Sheppard M110, 3 Year WA0201 | 1 |
| 484 | 0595767 | | Warranty, Frame, 50 Year, Velocity/Impel, WA0038 | 1 |
| 485 | 0595698 | | Warranty, Axle, 3 Year, TAK-4, WA0050 | 1 |
| 486 | 0733306 | | Warranty, Single Axle, 5 Year, Meritor, General Service, WA0384 | 1 |
| 487 | 0652758 | | Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232 | 1 |
| 488 | 0019914 | | Warranty, Structure, 10 Year, Custom Cab, WA0012 | 1 |
| 489 | 0744240 | | Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055 | 1 |
| 490 | 0524627 | | Warranty, Electronics, 5 Year, MUX, WA0014 | 1 |
| 491 | 0744215 | | Warranty, FRC, Camera System | 1 |
| 492 | 0647720 | | Warranty, Pierce LED Strip Lights, WA0203 | 1 |
| 493 | 0046369 | | Warranty, 5-year EVS Transmission, Standard Custom, WA0187 | 1 |
| 494 | 0685945 | | Warranty, Transmission Cooler, WA0216 | 1 |
| 495 | 0688798 | | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195 | 1 |
| 496 | 0596025 | | Warranty, Structure, 10 Year, Body, WA0009 | 1 |
| 497 | 0693127 | | Warranty, Gortite, Roll-up Door, 6 Year, WA0190 | 1 |
| 498 | 0734463 | | Warranty, Pump, Waterous, 7 Year Parts, WA0382 | 1 |
| 499 | 0648675 | | Warranty, 10 Year S/S Pumbing, WA0035 | 1 |
| 500 | 0641372 | | Warranty, Foam System, Not Available | 1 |
| 501 | 0595820 | | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 | 1 |
| 502 | 0595412 | | Warranty, Graphics Lamination, 1 Year, Apparatus, WA0168 | 1 |
| 503 | 0819254 | | Certification, Vehicle Stability, CD0196 | 1 |
| 504 | 0808580 | | Certification, Engine Installation, Imp/Vel, Cummins X10, 2027 | 1 |
| 505 | 0686786 | | Certification, Power Steering, CD0098 | 1 |
| 506 | 0892701 | | Certification, Cab Integrity, Impel/Velocity FR, CD0190 | 1 |
| 507 | 0548950 | | Certification, Cab Door Durability, Velocity/Impel, CD0001 | 1 |
| 508 | 0548967 | | Certification, Windshield Wiper Durability, Impel/Velocity, CD0005 | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 509 | 0667411 | | Certification, Electric Window Durability, Velocity/Impel FR, CD0004 | 1 |
| 510 | 0549273 | | Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 | 1 |
| 511 | 0735950 | | Certification, Cab HVAC System Perf, Vel/Imp FR, CD0166/CD0168/CD0176/CD0177 | 1 |
| 512 | 0545073 | | Amp Draw Report, NFPA Current Edition | 1 |
| 513 | 0002758 | | Amp Draw, NFPA/ULC Radio Allowance | 1 |
| 514 | 0799248 | | Appleton/Florida BTO | 1 |
| 515 | 0000018 | | PUMPER, 2ND GEN | 1 |
| 516 | 0000012 | | PIERCE CHASSIS | 1 |
| 517 | 0004713 | | ENGINE, OTHER | 1 |
| 518 | 0046395 | | EVS 3000 Series TRANSMISSION | 1 |
| 519 | 0020011 | | WATEROUS PUMP | 1 |
| 520 | 0020009 | | POLY TANK | 1 |
| 521 | 0028087 | | EDUCTOR FOAM SYSTEM | 1 |
| 522 | 0020006 | | SIDE CONTROL | 1 |
| 523 | 0020007 | | AKRON VALVES | 1 |
| 524 | 0020014 | | FRONT SUCTION | 1 |
| 525 | 0020015 | | ABS SYSTEM | 1 |
| 526 | 0658751 | | PUMPER BASE | 1 |