

**Milburn Southeast LLC dba Milburn Demolition****NORTH AND SOUTH ELEVATED WATER TANK SERVICES**

Selected	Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total
	<b>MOBILIZATION</b>					
X	1	Contractor Mobilization	1	LS	\$25,000.00	\$25,000.00
		<b>NORTH ELEVATED WATER TANK - WESTON DR</b>				
X	2	Remove the one-million-gallon elevated steel tank and all associated components, including but not limited to concrete pads, concrete pile caps, piping, conduits, posts, pedestals, valves, and other related appurtenances. Foundation piles shall be cut to a final top of pile elevation of 6 feet below grade	1	LS	\$330,000.00	\$330,000.00
X	3	Remove all site features within the fenced areas that exist within a 6 feet depth of the grade level. These include but are not limited to concrete slabs/foundations, fencing around service pads, piping, conduits, post, pedestals, valves, fixtures and control panels etc.	1	LS	\$10,000.00	\$10,000.00
X	4	Provide a layout, prepared by a licensed surveyor, of all elements that will remain on site following the demolition of all elements that are within 6 feet of the grade level.	1	LS	\$3,500.00	\$3,500.00

X	5	Cut and cap pipes, of existing water lines, below grade outside the fenced area. Remove all leftover pipes and dispose of them properly in accordance with local regulations. Final location of cap off to be provided The City.	1	LS	\$6,000.00	\$6,000.00
X	6	Provide for the delivery or pick-up of salvaged material from the demolition project.	1	LS	(\$25,000.00)	(\$25,000.00)
X	7	Site Cleanup - Remove and transport debris and rubbish in a manner that will prevent spillage on streets or adjacent areas. The site shall have all debris removed and shall be graded to conform to the adjacent area in such a manner to provide proper drainage. The site shall be properly resodded after completion of demolition operations.	1	LS	\$6,000.00	\$6,000.00
		<b>SOUTH ELEVATED WATER TANK - S MLK JR. AVE</b>				
X	8	Remove the one-million-gallon elevated steel tank and all associated components, including but not limited to concrete pads, concrete pile caps, piping, conduits, posts, pedestals, valves, and other related appurtenances. Foundation piles shall be cut to a final top of pile elevation of 6 feet below grade	1	LS	\$330,000.00	\$330,000.00
X	9	Remove all site features within the fenced areas that exist within a 6 feet depth of the grade level. These include but are not limited to concrete slabs/foundations, fencing around service pads, piping, conduits, post, pedestals, valves, fixtures and control panels etc.	1	LS	\$10,000.00	\$10,000.00

X	10	Provide a layout, prepared by a licensed surveyor, of all elements that will remain on site following the demolition of all elements that are within 6 feet of the grade level.	1	LS	\$3,500.00	\$3,500.00
X	11	Cut and cap pipes, of existing water lines, below grade outside the fenced area. Remove all leftover pipes and dispose of them properly in accordance with local regulations. Final location of cap off to be provided The City.	1	LS	\$14,000.00	\$14,000.00
X	12	Provide for the delivery or pick-up of salvaged material from the demolition project.	1	LS	(\$25,000.00)	(\$25,000.00)
X	13	Site Cleanup - Remove and transport debris and rubbish in a manner that will prevent spillage on streets or adjacent areas. The site shall have all debris removed and shall be graded to conform to the adjacent area in such a manner to provide proper drainage. The site shall be properly resodded after completion of demolition operations.	1	LS	\$6,000.00	\$6,000.00
		<b>Total</b>				<b>\$694,000.00</b>

Contingency						
electe	Line Item	Description	Quantity	t of Meas	Unit Cost	Total
X	14	10% CONTINGENCY	1	LS	\$69,400.00	\$69,400.00
		<b>Total</b>				<b>\$69,400.00</b>

**GRAND TOTAL \$763,400.00**