

**NOTICE OF HEARING  
MUNICIPAL CODE ENFORCEMENT BOARD  
CITY OF CLEARWATER, FLORIDA  
Case 01-25**

**Certified Mail**  
**December 13, 2024**

Owner: **Okuboye, Julius A Revocable Living Trust**  
**Okuboye, Julius A Tre**  
**600 N Osceola Ave.**  
**Clearwater, FL 33755-3838**

Violation Address: **403 Princess St.**  
**04-29-15-61488-007-0040**

Dear Sir/Madam:

You are hereby formally notified that on **Wednesday, January 22, 2025, at 1:30 p.m.** there will be a public hearing before the Municipal Code Enforcement Board in the Council Chambers, Clearwater Main Library at 100 North Osceola Avenue, Clearwater, Florida, concerning violation of Section(s) **3-1502.B, 3-1502.D.1, and 3-1502.D.3** of the Clearwater City Code. (See attached Affidavit(s) of Violation).

You are hereby ordered to appear before the Municipal Code Enforcement Board on the hearing date to answer these charges and to present your side of the case. Failure to appear may result in the Board proceeding in your absence. You have the right to obtain an attorney, at your own expense, to represent you before the Board. If you are absent but represented at the hearing, your representative must present to the Board your letter authorizing your representative to speak on your behalf. You will have the opportunity to present witnesses as well as question witnesses against you prior to the Board making a determination. Please be prepared to present evidence at the hearing concerning the amount of time necessary to correct the alleged violations should you be found to be in violation of the City Code.

The case shall be presented to the Board even if the violations described in the attached Affidavit(s) of Violation are corrected prior to the Board hearing.

Should you be found in violation of the City Code, the Municipal Code Enforcement Board has the power by law to levy fines of up to \$250 a day per violation against you and your property for every day each violation continues beyond the date set for compliance in an Order of the Board.

If you wish to have any witnesses subpoenaed, please contact the Secretary of the Municipal Code Enforcement Board within five (5) days at 727-444-7155. If you have any questions regarding the cited violations or if the violations are corrected prior to the hearing, please contact the Inspector whose name appears on the Affidavit(s) of Violation.

Sincerely,



SECRETARY TO THE MUNICIPAL CODE ENFORCEMENT BOARD

The Municipal Code Enforcement Board was created pursuant to General Act 80-300, General Laws of Florida, 1979, and Ordinance 2169-80 of the City of Clearwater.

The City of Clearwater strongly supports and fully complies with the Americans with Disabilities Act (ADA). Please advise us at least 48 hours prior to the hearing if you require special accommodations at 727-562-4090. Assisted Listening Devices are available. **Kindly refrain from private conversations, cellular phone use, etc. that distract meeting participants.**

**Any party may appeal a final order of this Board by filing an appeal with the Circuit Court within 30 days of entry of the order. Appellants need a record of proceedings; a verbatim record of testimony and evidence that is the basis for the appeal may be required. F.S. § 286.0105, CDC Sec 7-104**

**MUNICIPAL CODE ENFORCEMENT BOARD OF THE CITY OF CLEARWATER, FLORIDA**  
**AFFIDAVIT OF VIOLATION AND REQUEST FOR HEARING**

NAME OF VIOLATOR: OKUBOYE, JULIUS A REVOCABLE LIVING TRUST CITY CASE#: CDC2024-01290  
MAILING ADDRESS: OKUBOYE, JULIUS A TRE  
600 N OSCEOLA AVE  
CLEARWATER, FL 33755-3838

VIOLATION ADDRESS: 403 PRINCESS ST  
CLEARWATER, FL

DATE OF OFFICIAL NOTICE OF VIOLATION: 8/26/2024

LEGAL DESCRIPTION OF PROPERTY: NORTH SHORE PARK BLK 7, LOT 4

PARCEL #: 04-29-15-61488-007-0040

DATE OF INSPECTION: 8/26/2024 11:40:00 AM


SECTION(S) OF THE CITY CODE WHICH HAVE BEEN VIOLATED: CODE  
SECTION VIOLATED

3-1502.B. - \*\*EXTERIOR SURFACES\*\* All building walls shall be maintained in a secure and attractive manner. All defective structural and decorative elements of any building wall shall be repaired or replaced in a workmanlike manner to match as closely as possible the original materials and construction of the building. Exterior surfaces shall be free of mildew; rust; loose material including peeling paint; and patching, painting or resurfacing shall be accomplished to match the existing or adjacent surfaces as to material, color, bond and joining. All exterior surfaces other than decay-resistant wood and other weather durable finishes, shall be protected from the elements by paint or other protective covering applied and maintained in accord with manufacturer's specifications and otherwise treated in a consistent manner.

SPECIFICALLY,

Please clean your buildings, repair all damage to the exterior stucco/wood, and repaint where necessary to come into compliance.


A violation exists and a request for hearing is being made.

  
\_\_\_\_\_  
Daniel Kasman

SWORN AND SUBSCRIBED before me by means of  physical presence or \_\_\_\_\_ online notarization on this 6th day of December, 2024, by Daniel Kasman.


STATE OF FLORIDA  
COUNTY OF PINELLAS

- PERSONALLY KNOWN TO ME  
 PRODUCED AS IDENTIFICATION

  
\_\_\_\_\_  
Type of Identification

(Notary Signature)

  
\_\_\_\_\_  
Name of Notary (typed, printed, stamped)



FILED THIS 13 DAY OF December, 2024

MCEB CASE NO. 01-25

Chloe Sprague  
Secretary, Municipal Code Enforcement Board

**MUNICIPAL CODE ENFORCEMENT BOARD OF THE CITY OF CLEARWATER, FLORIDA**  
**AFFIDAVIT OF VIOLATION AND REQUEST FOR HEARING**

NAME OF VIOLATOR: OKUBOYE, JULIUS A REVOCABLE LIVING TRUST CITY CASE#: CDC2024-01291  
MAILING ADDRESS: OKUBOYE, JULIUS A TRE  
600 N OSCEOLA AVE  
CLEARWATER, FL 33755-3838

VIOLATION ADDRESS: 403 PRINCESS ST  
CLEARWATER, FL

DATE OF OFFICIAL NOTICE OF VIOLATION: 8/26/2024

LEGAL DESCRIPTION OF PROPERTY: NORTH SHORE PARK BLK 7, LOT 4

PARCEL #: 04-29-15-61488-007-0040

DATE OF INSPECTION: 8/26/2024 11:45:00 AM

SECTION(S) OF THE CITY CODE WHICH HAVE BEEN VIOLATED: CODE  
SECTION VIOLATED

3-1502.D.1. - **\*\*ROOF MAINTENANCE\*\*** All roofs shall be maintained in a safe, secure and watertight condition.

3-1502.D.3. - **\*\*Clean Roof\*\*** Roofs shall be maintained in a clean, mildew-free condition and kept free of trash, loose shingles and debris or any other element, including grass or weeds, which is not a permanent part of the building or a functional element of its mechanical or electrical system.

SPECIFICALLY,

Please repair all damage to the roofs of both buildings including fascia, soffits, roof of the rear unit, and collapsed carport. In addition remove all tarps.


A violation exists and a request for hearing is being made.


  
\_\_\_\_\_  
Daniel Kasman

SWORN AND SUBSCRIBED before me by means of  physical presence or  online notarization on this 6th day of December, 2024, by Daniel Kasman.

STATE OF FLORIDA  
COUNTY OF PINELLAS

- PERSONALLY KNOWN TO ME  
 PRODUCED AS IDENTIFICATION


  
\_\_\_\_\_  
Type of Identification  
(Notary Signature)

  
\_\_\_\_\_  
Name of Notary (typed, printed, stamped)

FILED THIS 6<sup>th</sup> DAY OF December, 2024



MCEB CASE NO. 101-25

  
\_\_\_\_\_  
Affidavit Violation



**CITY OF CLEARWATER**  
PLANNING & DEVELOPMENT DEPARTMENT  
POST OFFICE BOX 4748, CLEARWATER, FLORIDA 33758-4748  
MUNICIPAL SERVICES BUILDING, 100 SOUTH MYRTLE AVENUE, CLEARWATER, FLORIDA 33756  
TELEPHONE (727) 562-4720 FAX (727) 562-4735

**Notice of Violation**

OKUBOYE, JULIUS A REVOCABLE LIVING TRUST  
OKUBOYE, JULIUS A TRE  
600 N OSCEOLA AVE  
CLEARWATER, FL 33755-3838

**CDC2024-01290**

ADDRESS OR LOCATION OF VIOLATION: **403 PRINCESS ST**

LEGAL DESCRIPTION: NORTH SHORE PARK BLK 7, LOT 4

DATE OF INSPECTION: 8/26/2024

PARCEL: 04-29-15-61488-007-0040

Section of City Code Violated:

3-1502.B. - **\*\*EXTERIOR SURFACES\*\*** All building walls shall be maintained in a secure and attractive manner. All defective structural and decorative elements of any building wall shall be repaired or replaced in a workmanlike manner to match as closely as possible the original materials and construction of the building. Exterior surfaces shall be free of mildew; rust; loose material including peeling paint; and patching, painting or resurfacing shall be accomplished to match the existing or adjacent surfaces as to material, color, bond and joining. All exterior surfaces other than decay-resistant wood and other weather durable finishes, shall be protected from the elements by paint or other protective covering applied and maintained in accord with manufacturer's specifications and otherwise treated in a consistent manner.

Specifically: Please clean your buildings, repair all damage to the exterior stucco/wood, and repaint where necessary to come into compliance.

THIS VIOLATION CITED ABOVE MUST BE CORRECTED PRIOR TO 9/26/2024. FAILURE TO CORRECT THE ABOVE LISTED VIOLATION BY THE DATE INDICATED, OR RECURRENCE OF THE VIOLATION AFTER CORRECTION, WILL RESULT IN A LEGAL ACTION BY THE CODE ENFORCEMENT BOARD OF THE CITY OF CLEARWATER OR BY THE PINELLAS COUNTY COURT. SUCH ACTION MAY RESULT IN A FINE. THE ALLEGED VIOLATOR MAY BE LIABLE FOR THE REASONABLE COSTS OF THE INVESTIGATION, PROSECUTION AND THE ADMINISTRATIVE HEARING SHOULD THIS PERSON BE FOUND GUILTY OF THE VIOLATION.

*Daniel Kasman*

---

Daniel Kasman Code Inspector  
727-444-8715  
daniel.kasman@myclearwater.com

Date Printed: 8/26/2024



# CITY OF CLEARWATER

PLANNING & DEVELOPMENT DEPARTMENT  
POST OFFICE BOX 4748, CLEARWATER, FLORIDA 33758-4748  
MUNICIPAL SERVICES BUILDING, 100 SOUTH MYRTLE AVENUE, CLEARWATER, FLORIDA 33756  
TELEPHONE (727) 562-4720 FAX (727) 562-4735

## Notice of Violation

OKUBOYE, JULIUS A REVOCABLE LIVING  
TRUST  
OKUBOYE, JULIUS A TRE  
600 N OSCEOLA AVE  
CLEARWATER, FL 33755-3838

CDC2024-01291

ADDRESS OR LOCATION OF VIOLATION: **403 PRINCESS ST**

LEGAL DESCRIPTION: NORTH SHORE PARK BLK 7, LOT 4

DATE OF INSPECTION: 8/26/2024

PARCEL: 04-29-15-61488-007-0040

### Section of City Code Violated:

3-1502.D.1. - **\*\*ROOF MAINTENANCE\*\*** All roofs shall be maintained in a safe, secure and watertight condition.

3-1502.D.3. - **\*\*Clean Roof\*\*** Roofs shall be maintained in a clean, mildew-free condition and kept free of trash, loose shingles and debris or any other element, including grass or weeds, which is not a permanent part of the building or a functional element of its mechanical or electrical system.

Specifically: Please repair all damage to the roofs of both buildings including fascia, soffits, roof of the rear unit, and collapsed carport. In addition remove all tarps.

THIS VIOLATION CITED ABOVE MUST BE CORRECTED PRIOR TO 9/26/2024. FAILURE TO CORRECT THE ABOVE LISTED VIOLATION BY THE DATE INDICATED, OR RECURRENCE OF THE VIOLATION AFTER CORRECTION, WILL RESULT IN A LEGAL ACTION BY THE CODE ENFORCEMENT BOARD OF THE CITY OF CLEARWATER OR BY THE PINELLAS COUNTY COURT. SUCH ACTION MAY RESULT IN A FINE. THE ALLEGED VIOLATOR MAY BE LIABLE FOR THE REASONABLE COSTS OF THE INVESTIGATION, PROSECUTION AND THE ADMINISTRATIVE HEARING SHOULD THIS PERSON BE FOUND GUILTY OF THE VIOLATION.

*Daniel Kasman*

---

Daniel Kasman Code Inspector  
727-444-8715  
daniel.kasman@myclearwater.com

Date Printed: 8/26/2024

**Section 3-1502. - Property maintenance requirements.**

- A. *Minimum building and fire code requirements.* All buildings shall be maintained in accordance with the Florida Building Code, the Florida Fire Prevention Code, and the International Property Maintenance Code.
- B. *Exterior surfaces.* All building walls shall be maintained in a secure and attractive manner. All defective structural and decorative elements of any building wall shall be repaired or replaced in a workmanlike manner to match as closely as possible the original materials and construction of the building. All exterior surfaces shall be free of:
1. Mildew;
  2. Rust;
  3. Loose material, including peeling paint; and
  4. Patching, painting or resurfacing shall be accomplished to match the existing or adjacent surfaces as to materials, color, bond and joining.

All cornices, trim and window frames that are damaged, sagging or otherwise deteriorated shall be repaired or replaced to be made structurally sound. All exterior surfaces other than decay-resistant wood and other weather durable finishes, shall be protected from the elements by paint or other protective covering applied and maintained according to manufacturer's specifications and otherwise treated in a consistent manner.

C. *Door and window openings.*

1. All windows and doors shall be secured in a tight fitting and weatherproof manner and have sashes of proper size and design.
2. Sashes with rotten wood, broken joints or deteriorated mullions or muntins must be repaired or replaced.
3. Windows shall be maintained in an unbroken, and clean state. No windows shall be permanently removed and enclosed, covered or boarded up unless treated as an integral part of the building façade using wall materials and window detailing comparable with any upper floors and the building façade in general. All damaged or broken windows shall be promptly restored, repaired or replaced. All awnings, screens or canopies facing or visible from the public right-of-way or any other parcel shall be maintained in a good and attractive condition and torn, loose and/or bleached awnings, screens or canopies shall be promptly replaced, repaired or removed.
4. Doors and windows not facing the public right-of-way and upper level window and door openings fronting a public right-of-way shall be similarly maintained and repaired as the doors and windows facing the public right-of-way, except that such doors and windows may

be enclosed or removed provided the sills, lintels and frames are removed and the opening properly closed to match and be compatible with the design, material and finish of the adjoining wall of which the opening is a part.

*D. Roofs.*

1. All roofs shall be maintained in a safe, secure and watertight condition.
2. Any new mechanical equipment, including replacement equipment placed on a roof, shall be so located as to be screened from view from the public right-of-way at street level from adjoining properties.
3. Roofs shall be maintained in a clean, mildew-free condition and kept free of trash, loose shingles and debris or any other element, including grass or weeds, which is not a permanent part of the building or a functional element of its mechanical or electrical system.
4. Tile roofs with peeling paint shall be repainted or have the paint removed.
5. Any false roof, mansard or similar roof element or other auxiliary structure on the roof shall be finished and maintained in a condition comparable to and compatible with the exterior side of the building wall to which the roof element abuts.

*E. Auxiliary and appurtenant structures.*

1. Chimneys and elevator shafts, and mechanical and electrical structures shall be maintained in a satisfactory state of repair and their exterior finish must be architecturally consistent with the exterior side of the building wall from which they can be seen.
2. Freestanding walls and fences shall be maintained in accordance with the provisions of section 3-808 of this development code.
3. Fountains and other amenities shall be maintained in good working order and all structural components shall be maintained in a satisfactory state of repair, free of chipping, pitting, cracking, discoloration, peeling or fading.

*F. Exterior storage and display/ nonresidential properties.*

1. All equipment, materials and merchandise shall be stored and located at all times within an enclosed structure and no exterior storage of merchandise for sale shall be permitted unless expressly authorized pursuant to the provisions of this Development Code.
2. Garbage and trash shall be deposited only in dumpsters or cans or other receptacles specifically manufactured and intended for such purpose, and secured at all times with a tight fitting cover or lid.

*G. Exterior storage and display for residential properties.*

1. As provided in Section 3-913 of this Development Code, outdoor storage is prohibited. For the purposes of this section, carports are subject to the outdoor storage provisions.
- 2.



**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  Agent  
 Addressee  
 B. Received by (Printed Name) C. Date of Delivery

address different from item 1?  
 or delivery address below:  Yes  
 No  
**SEP 09 2024**  
 PLANNING & DEVELOPMENT  
 CODE COMPLIANCE

OKUBOYE, JULIUS A REVOCABLE LIVING TRUST  
 OKUBOYE, JULIUS A TRE  
 600 N OSCEOLA AVE  
 CLEARWATER, FL 33755-3838




3. Service Type
- Adult Signature
  - Adult Signature Restricted Delivery
  - Certified Mail®
  - Certified Mail Restricted Delivery
  - Collect on Delivery
  - Collect on Delivery Restricted Delivery
  - Insured Mail
  - Insured Mail Restricted Delivery (over \$500)
  - Priority Mail Express®
  - Registered Mail™
  - Registered Mail Restricted Delivery
  - Return Receipt for Merchandise
  - Signature Confirmation™
  - Signature Confirmation Restricted Delivery

2. Article Number (Transfer from service label)

7019 2970 0001 6126 1389

PS Form 3811, July 2015 PSN 7530-02-000-9063 *OK CDC 2024-1146-1292* Domestic Return Receipt

USPS TRACKING#



First-Class Mail  
 Postage & Fees Paid  
 USPS  
 Permit No. G-10

United States  
Postal Service

\* Sender: Please print your name, address, and ZIP+4® in this box\*

CITY OF CLEARWATER,  
 CODE COMPLIANCE  
 PO BOX 6738  
 CLEARWATER, FL 33758-4738

INTL. *Dual*

09/04



**Parcel Summary (as of 06-Dec-2024)** **Parcel Map**

Parcel Number  
**04-29-15-61488-007-0040**

Owner Name  
OKUBOYE, JULIUS A REVOCABLE LIVING TRUST  
OKUBOYE, JULIUS A TRE

Property Use  
0810 Single Family - more than one house per parcel


Site Address  
403 PRINCESS ST  
CLEARWATER, FL 33755

Mailing Address  
600 N OSCEOLA AVE  
CLEARWATER, FL 33755-3838

Legal Description  
NORTH SHORE PARK BLK 7, LOT 4

Current Tax District  
CLEARWATER (CW)

Year Built  
1935 | 1935



Living SF	Gross SF	Living Units	Buildings
883	1,831	2	2

**Exemptions**

Year	Homestead	Use %	Status	Property Exemptions & Classifications
2026	No	0%		No Property Exemptions or Classifications found. Please note that Ownership Exemptions (Homestead, Senior, Widow/Widower, Veterans, First Responder, etc... will not display here).
2025	No	0%		
2024	No	0%		

**Miscellaneous Parcel Info**

Last Recorded Deed	Sales Comparison	Census Tract	Evacuation Zone	Flood Zone	Elevation Certificate	Zoning	Plat Blk/Pg
17264/2428	\$358,100	<u>261.01</u>	<u>C</u>	<u>Current FEMA Maps</u>	<u>Check for EC</u>	Zoning Map	3/10

**2024 Final Values**

Year	Just/Market Value	Assessed Value/SOH Cap	County Taxable Value	School Taxable Value	Municipal Taxable Value
2024	\$307,480	\$177,569	\$177,569	\$307,480	\$177,569

**Value History (yellow indicates corrected value)**

Year	Homestead Exemption	Just/Market Value	Assessed Value/SOH Cap	County Taxable Value	School Taxable Value	Municipal Taxable Value
2023	N	\$230,007	\$161,426	\$161,426	\$230,007	\$161,426
2022	N	\$188,875	\$146,751	\$146,751	\$188,875	\$146,751
2021	N	\$160,211	\$133,410	\$133,410	\$160,211	\$133,410
2020	N	\$165,269	\$121,282	\$121,282	\$165,269	\$121,282
2019	N	\$144,706	\$110,256	\$110,256	\$144,706	\$110,256