

Note: Primary Award

Note: Secondary Award

Note: Did not meet specifications

## Bid Tabulation 45-25, Natural Gas Meters and Regulators

|           |                                                                                                                                                                                                                                                                                                                                                             |                      |                 | Control Southern |                    | Devtech Sales |                    | Equipment Controls Company |                    | Marieco   |                    | TECHNICO  |                    |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----------------|------------------|--------------------|---------------|--------------------|----------------------------|--------------------|-----------|--------------------|-----------|--------------------|
| Line Item | Description                                                                                                                                                                                                                                                                                                                                                 | Estimated Annual Qty | Unit of Measure | Unit Cost        | Lead Time in Weeks | Unit Cost     | Lead Time in Weeks | Unit Cost                  | Lead Time in Weeks | Unit Cost | Lead Time in Weeks | Unit Cost | Lead Time in Weeks |
| 1         | 200 CLASS CFH (NTC) SCREWED CASE ALUMINUM GAS METERS WITH CONNECTIONS (General)<br>1) HUBS: SPRAGUE 1A<br>2) CAPACITY: 250 CFH OF .60 SG NATURAL GAS AT 1/2" W.C. DIFFERENTIAL<br>3) MAXIMUM WORKING PRESSURE: 5 PSIG<br>4) CONNECTIONS: 2 - INSUL 3/4" MALE PIPE THREAD GALV.<br>5) COMPATIBLE WITH ERT MODEL ERG-5006                                     | 1500                 | Each            | No Bid           |                    | \$175.00      | 4-6weeks           | \$ 143.31                  | 6 Weeks ARO        | \$ -      |                    | No Bid    |                    |
| 2         | 400 CLASS CFH (NTC) ALUMINUM GAS METERS WITH CONNECTIONS<br>1) HUBS: AMERICAN 425 - 45 LT.; INVENSYS 415 - 45 LT.; ACTARIS 400 - SPRAGUE STD.<br>2) CAPACITY: 400 CFH OF .60 SG NATURAL GAS AT 1/2" W.C. DIFFERENTIAL<br>3) MAXIMUM WORKING PRESSURE: 10 PSIG<br>4) CONNECTIONS: 2 - 1 1/2" INSULATED MALE SWIVELS<br>5) COMPATIBLE WITH ERT MODEL ERG-5006 | 500                  | Each            | No Bid           |                    | \$466.00      | 28weeks            | \$ 375.65                  | 34 Weeks ARO       | \$ -      |                    | No Bid    |                    |
| 3         | 600 CLASS CFH (NTC) ALUMINUM GAS METERS WITH CONNECTIONS<br>1) HUBS: 45 LT.<br>2) CAPACITY: 630 CFH OF .60 SG NATURAL GAS AT 1/2" W.C. DIFFERENTIAL<br>3) MAXIMUM WORKING PRESSURE: 25 PSIG<br>4) CONNECTIONS: 2 - 1 1/2" INSULATED MALE SWIVELS<br>5) COMPATIBLE WITH ERT MODEL ERG-5006                                                                   | 300                  | Each            | No Bid           |                    | \$952.00      | 18weeks            | No Bid                     |                    | \$ -      |                    | No Bid    |                    |
| 4         | 600 CLASS CFH (NTC) ALUMINUM GAS METERS WITH CONNECTIONS (Can be used for right to left)<br>1) HUBS: 45 LT.<br>2) CAPACITY: 630 CFH OF .60 SG NATURAL GAS AT 1/2" W.C. DIFFERENTIAL<br>3) MAXIMUM WORKING PRESSURE: 25 PSIG<br>4) CONNECTIONS: 2 - 1 1/2" INSULATED MALE SWIVELS<br>5) COMPATIBLE WITH ERT MODEL ERG-5006                                   | 25                   | Each            | No Bid           |                    | \$952.00      | 18weeks            | No Bid                     |                    | \$ -      |                    | No Bid    |                    |

|   |                                                                                                                                                                                                                                                                                                                                                    |    |      |        |  |            |            |        |  |      |  |        |  |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|--------|--|------------|------------|--------|--|------|--|--------|--|
| 5 | 800 CLASS CFH (NTC) ALUMINUM GAS METERS WITH CONNECTIONS<br>1) HUBS: SPRAGUE STANDARD<br>2) CAPACITY: 1000 CFH OF .60 SG NATURAL GAS AT 1/2" W.C. DIFFERENTIAL<br>3) MAXIMUM WORKING PRESSURE: 25 PSIG<br>4) CONNECTIONS 2 - 2" FEMALE INSULATED FEMALE SWIVEL GALVANIZED<br>5) COMPATIBLE WITH ERT MODEL ERG-5006                                 | 40 | Each | No Bid |  | \$1,645.00 | 18weeks    | No Bid |  | \$ - |  | No Bid |  |
| 6 | 800 CLASS CFH (NTC) ALUMINUM GAS METERS WITH CONNECTIONS (With 2lb dial)<br>1) HUBS: SPRAGUE STANDARD<br>2) CAPACITY: 1000 CFH OF .60 SG NATURAL GAS AT 1/2" W.C. DIFFERENTIAL<br>3) MAXIMUM WORKING PRESSURE: 25 PSIG<br>4) CONNECTIONS 2 - 2" FEMALE INSULATED FEMALE SWIVEL GALVANIZED<br>5) COMPATIBLE WITH ERT MODEL ERG-5006                 | 40 | Each | No Bid |  | \$1,650.00 | 18weeks    | No Bid |  | \$ - |  | No Bid |  |
| 7 | 1000 CLASS CFH (NTC) ALUMINUM GAS METERS WITH CONNECTIONS (With 2 lb Dial)<br>1) HUBS: SPRAGUE STANDARD<br>2) CAPACITY: 1000 CFH OF .60 SG NATURAL GAS AT 1/2" W.C. DIFFERENTIAL<br>3) MAXIMUM WORKING PRESSURE: 25 PSIG<br>4) CONNECTIONS 2 - 2" FEMALE INSULATED FEMALE SWIVEL GALVANIZED<br>5) COMPATIBLE WITH ERT MODEL ERG-5006               | 60 | Each | No Bid |  | \$1,818.00 | 12-14weeks | No Bid |  | \$ - |  | No Bid |  |
| 8 | 1000 CLASS CFH (NTC) ALUMINUM GAS METERS WITH CONNECTIONS (With 2 lb Dial) Right to left<br>1) HUBS: SPRAGUE STANDARD<br>2) CAPACITY: 1000 CFH OF .60 SG NATURAL GAS AT 1/2" W.C. DIFFERENTIAL<br>3) MAXIMUM WORKING PRESSURE: 25 PSIG<br>4) CONNECTIONS 2 - 2" FEMALE INSULATED FEMALE SWIVEL GALVANIZED<br>5) COMPATIBLE WITH ERT MODEL ERG-5006 | 20 | Each | No Bid |  | \$1,818.00 | 12-14weeks | No Bid |  | \$ - |  | No Bid |  |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |    |      |        |  |            |                 |            |                 |      |  |            |     |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|--------|--|------------|-----------------|------------|-----------------|------|--|------------|-----|
| 9  | ROMET OR ROOTS 3M ROTARY METER OR EQUIVALENT<br>1) BASE RATE (Q.MAX):3000 ACFH BASE RATE<br>2) RANGEABILITY (+/-1%): 76:1 RATIO<br>3) RANGEABILITY (+/- 2%): 139:1 RATIO<br>4) START RATE: 2.1 CFH<br>5) STOP RATE 1.8 CFH<br>6) FLOW RATE @ 0.5" W.C. GAS: 2580 CFH<br>7) AVERAGE DIFFERENTIAL, 100% FLOW: 1.05 IN W.C.<br>8) MAX OPERATING SPEED: 2000 RPM<br>9) GEAR RATIO: 400:1<br>10) DISPLACED VOLUME/REVOLUTIN: 0.025 CF<br>11) DRIVE RATE, CD: 10 CF/REV<br>12) DRIVE RATE, TD: 100CF/REV<br>13) ODOMETER TURNOVER: 3.8 YEARS<br>14) NOMINAL PIPE SIZE: 2 INCH<br>15) FLANGE-TO-FLANGE: 6-3/4 INCH<br>16) BOLTS PER FLANGE: 4<br>17) FLANGE BOLT HOLE DEPTH: 15/16 INCH<br>18) RESTRICTING ORFICE (120%): 17/32 INCH | 50 | Each | No Bid |  | \$1,780.00 | stock or 4-6wks | \$1,732.95 | 10-12 Weeks ARO | \$ - |  | \$2,209.00 | 1-2 |
| 10 | ROMET OR ROOTS 5M ROTARY METER OR EQUIVALENT<br>1) BASE RATE (Q.MAX) : 5000 ACFH<br>2) RANGEABILITY (+/-1%): 120:1 RATIO<br>3) RANGEABILITY (+/- 2%): 215:1 RATIO<br>4) START RATE: 1.2 CFH<br>5) STOP RATE 0.8 CFH<br>6) FLOW RATE @ 0.5" W.C. GAS: 3975 CFH<br>7) AVG. DIFFERENTIAL, 100% FLOW: 1.05 IN. W.C.<br>8) MAX. OPERATING SPEED: 2250 RPM<br>9) GEAR RATIO: 270:1 RATIO<br>10) DISPLACED VOLUME/ REVOLUTION: 0.037037 CF<br>11) DRIVE RATE, CD: 10 CF/REV<br>12) DRIVE RATE, TD: 100 CF/REV<br>13) ODOMETER TURNOVER: 2.28 YRS.<br>14) NOMINAL PIPE SIZE: 3 IN.<br>15) FLANGE-TO-FLANGE: 6-3/4 IN.<br>16) BOLTS PER FLANGE: 4<br>17) FLANGE BOLT HOLE DEPTH 15/16 IN.<br>18) RESTRICTING ORFICE (120%): 23/32 IN.  | 30 | Each | No Bid |  | \$2,310.00 | stock or 4-6wks | \$2,320.00 | 10-12 Weeks ARO | \$ - |  | \$2,821.00 | 1-2 |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |    |      |        |  |            |                 |            |                 |        |  |            |     |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|--------|--|------------|-----------------|------------|-----------------|--------|--|------------|-----|
| 11 | ROMET OR ROOTS 7M ROTARY METER OR EQUIVALENT<br>1) BASE RATE (Q.MAX) : 7000 ACFH<br>2) RANGEABILITY (+/-1%): 67:1 RATIO<br>3) RANGEABILITY (+/- 2%): 115:1 RATIO<br>4) START RATE: 5.33 CFH<br>5) STOP RATE 3.39 CFH<br>6) FLOW RATE @ 0.5" W.C. GAS: 5400 CFH<br>7) AVG. DIFFERENTIAL, 100% FLOW: 1.6 IN. W.C.<br>8) MAX. OPERATING SPEED: 1867 RPM<br>9) GEAR RATIO: 160:1 RATIO<br>10) DISPLACED VOLUME/ REVOLUTION: 0.0325 CF<br>11) DRIVE RATE, CD: 10 CF/REV<br>12) DRIVE RATE, TD: 100 CF/REV<br>13) ODOMETER TURNOVER: 1.63 YRS.<br>14) NOMINAL PIPE SIZE: 3 IN.<br>15) FLANGE-TO-FLANGE: 9-1/2 IN.<br>16) BOLTS PER FLANGE: 4<br>17) FLANGE BOLT HOLE DEPTH 15/16 IN.<br>18) RESTRICTING ORFICE (120%): 13/16 IN. | 10 | Each | No Bid |  | \$2,558.00 | stock or 4-6wks | \$2,892.95 | 10-12 Weeks ARO | No Bid |  | \$3,634.00 | 2-3 |
| 12 | ROMET OR ROOTS 11M ROTARY METER OR EQUIVALENT<br>1) BASE RATE (Q.MAX) : 11000 ACFH<br>2) RANGEABILITY (+/-1%): 124:1 RATIO<br>3) RANGEABILITY (+/- 2%): 227:1RATIO<br>4) START RATE: 3.88 CFH<br>5) STOP RATE 3.23 CFH<br>6) FLOW RATE @ 0.5" W.C. GAS: 7300 CFH<br>7) AVG. DIFFERENTIAL, 100% FLOW: 1.6 IN. W.C.<br>8) MAX. OPERATING SPEED: 1833 RPM<br>9) GEAR RATIO: 100:1 RATIO<br>10) DISPLACED VOLUME/ REVOLUTION: 0.1 CF<br>11) DRIVE RATE, CD: 10 CF/REV<br>12) DRIVE RATE, TD: 100 CF/REV<br>13) ODOMETER TURNOVER: 1.04 YRS.<br>14) NOMINAL PIPE SIZE: 4 IN.<br>15) FLANGE-TO-FLANGE: 9-1/2 IN.<br>16) BOLTS PER FLANGE: 8<br>17) FLANGE BOLT HOLE DEPTH 1-1/16 IN.<br>18) RESTRICTING ORFICE (120%): 1 IN.     | 10 | Each | No Bid |  | \$2,952.00 | stock or 4-6wks | \$3,442.36 | 10-12 Weeks ARO | No Bid |  | \$4,363.00 | 2-3 |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |      |          |     |            |                 |            |                 |        |  |            |     |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|----------|-----|------------|-----------------|------------|-----------------|--------|--|------------|-----|
| 13 | ROMET OR ROOTS 16M ROTARY METER OR EQUIVALENT<br>1) BASE RATE (Q.MAX) : 11000 ACFH<br>2) RANGEABILITY (+/-1%): 124:1 RATIO<br>3) RANGEABILITY (+/- 2%): 227:1RATIO<br>4) START RATE: 3.88 CFH<br>5) STOP RATE 3.23 CFH<br>6) FLOW RATE @ 0.5" W.C. GAS: 7300 CFH<br>7) AVG. DIFFERENTIAL, 100% FLOW: 1.6 IN. W.C.<br>8) MAX. OPERATING SPEED: 1833 RPM<br>9) GEAR RATIO: 100:1 RATIO<br>10) DISPLACED VOLUME/ REVOLUTION: 0.1 CF<br>11) DRIVE RATE, CD: 10 CF/REV<br>12) DRIVE RATE, TD: 100 CF/REV<br>13) ODOMETER TURNOVER: 1.04 YRS.<br>14) NOMINAL PIPE SIZE: 4 IN.<br>15) FLANGE-TO-FLANGE: 9-1/2 IN.<br>16) BOLTS PER FLANGE: 8<br>17) FLANGE BOLT HOLE DEPTH 1-1/16 IN.<br>18) RESTRICTING ORFICE (120%): 1 IN. | 3    | Each | No Bid   |     | \$3,295.00 | stock or 4-6wks | \$3,955.30 | 10-12 Weeks ARO | No Bid |  | \$6,080.00 | 6   |
| 14 | HSR 3/4" ANGLE BODY<br>1) INLET PRESSURE: 60 PSIG<br>2) OUTLET PRESSURE: 7" W.C. TO 2LB W.C.<br>3) ORIFICE SIZE: 1/8"<br>4) VENT POSITION: SENSUS - #14; FISHER - E; ACTARIS - #13; LANCASTER - 9-9; AMERICAN - VALVE HEAD (A) VENT #1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1200 | Each | \$ 43.52 | 3-4 | \$39.50    | 6-18weeks       | \$ 57.32   | 17 Weeks ARO    | No Bid |  | \$ 41.00   | 1-2 |
| 15 | HSR 3/4" ANGLE BODY<br>1) INLET PRESSURE: 6 PSIG<br>2) OUTLET PRESSURE: 7" W.C. TO 2LB W.C.<br>3) ORIFICE SIZE: 3/8"<br>4) VENT POSITION: SENSUS - #14; FISHER - E; ACTARIS - #13; LANCASTER - 9-9; AMERICAN - VALVE HEAD (A) VENT #1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 500  | Each | \$ 43.52 | 3-4 | \$39.50    | 6-18weeks       | \$ 57.32   | 17 Weeks ARO    | No Bid |  | \$ 41.00   | 1-2 |
| 16 | HSR 3/4" GLOBE BODY<br>1) INLET PRESSURE: 60 PSIG<br>2) OUTLET PRESSURE: 7" W.C. TO 2LB W.C.<br>3) ORIFICE SIZE: 1/8"<br>4) VENT POSITION: SENSUS - #14; FISHER - E; ACTARIS - #13; LANCASTER - 9-9; AMERICAN - VALVE HEAD (A) VENT #1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 100  | Each | \$ 43.52 | 3-4 | \$39.50    | 6-18weeks       | \$ 53.07   | 17 Weeks ARO    | No Bid |  | \$ 45.00   | 1-2 |
| 17 | HSR 3/4" GLOBE BODY<br>1) INLET PRESSURE: 6 PSIG<br>2) OUTLET PRESSURE: 7" W.C. TO 2LB W.C.<br>3) ORIFICE SIZE: 3/8"<br>4) VENT POSITION: SENSUS - #14; FISHER - E; ACTARIS - #13; LANCASTER - 9-9; AMERICAN - VALVE HEAD (A) VENT #1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 300  | Each | \$ 43.52 | 3-4 | \$39.50    | 6-18weeks       | \$ 53.07   | 17 Weeks ARO    | No Bid |  | \$ 42.00   | 1-2 |

|    |                                                                                                                                                                                                                                                                                                                                         |     |      |           |     |          |                     |           |                 |        |  |          |     |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|-----------|-----|----------|---------------------|-----------|-----------------|--------|--|----------|-----|
| 18 | HSR 1" GLOBE BODY<br>1) INLET PRESSURE: 60 PSIG<br>2) OUTLET PRESSURE: 7" W.C. TO 2LB W.C.<br>3) ORIFICE SIZE: 1/8"<br>4) VENT POSITION: SENSUS - 105; FISHER - 3F;<br>ACTARIS - #5; LANCASTER - 6-6;<br>AMERICAN - VALVE HEAD (C) VENT #2                                                                                              | 300 | Each | \$ 43.52  | 3-4 | \$39.50  | 6-18weeks           | \$ 53.07  | 17 Weeks<br>ARO | No Bid |  | \$ 42.00 | 1-2 |
| 19 | HSR 1" GLOBE BODY<br>1) INLET PRESSURE: 6 PSIG<br>2) OUTLET PRESSURE: 7" W.C. TO 2LB W.C.<br>3) ORIFICE SIZE: 3/8"<br>4) VENT POSITION: SENSUS - 105; FISHER - 3F;<br>ACTARIS - #5; LANCASTER - 6-6;<br>AMERICAN - VALVE HEAD C VENT #2                                                                                                 | 300 | Each | \$ 43.52  | 3-4 | \$39.50  | 6-18weeks           | \$ 53.07  | 17 Weeks<br>ARO | No Bid |  | \$ 42.00 | 1-2 |
| 20 | DIRECT OPERATED PRESSURE REDUCING<br>REGULATOR (EQUIVALENT TO FISHER 627)<br>1) LARGE RESIDENTIAL 10 LB OR HIGHER<br>2) INLET PRESSURE: 60 PSIG<br>3) OUTLET PRESSURE: 5-20 PSIG<br>4) ORIFICE SIZE: 1/4"<br>5) 1" BODY<br>6) INTERNAL RELIEF WITH OPEN THROAT<br>CAPACITY FULL RELIEF<br>60# INLET<br>10# OUT<br>1/4" ORIFICE 4710SCFH | 15  | Each | \$ 229.97 | 4-6 | \$325.00 | stock or 4-<br>6wks | \$ 254.60 | 22 Weeks<br>ARO | No Bid |  | No Bid   |     |
| 21 | DIRECT OPERATED PRESSURE REDUCING<br>REGULATOR (FISHER 627R)<br>1) LARGE RESIDENTIAL 10 LB OR HIGHER<br>2) INLET PRESSURE: 60 PSIG<br>3) OUTLET PRESSURE: 5-20 PSIG<br>4) ORIFICE SIZE: 1/2"<br>5) 2" BODY<br>6) INTERNAL RELIEF WITH OPEN THROAT<br>CAPACITY FULL RELIEF<br>60# INLET<br>10# OUT<br>1/4" ORIFICE 4710SCFH              | 10  | Each | \$ 287.19 | 4-6 | \$423.00 | 12-14wks            | No Bid    |                 | No Bid |  | No Bid   |     |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |    |      |           |     |          |            |           |                 |        |  |           |     |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|-----------|-----|----------|------------|-----------|-----------------|--------|--|-----------|-----|
| 22 | CONSTANT PRESSURE PILOT LOADED REGULATOR LT<br>GREEN MAIN SPRING, BLUE PILOT SRING<br>(EQUIVALENT TO CL231)<br>1) INLET PRESSURE: 60 PSIG<br>2) OUTLET PRESSURE: 1LB-20LB<br>3) ORIFICE SIZE: 3/8" WITH ABILITY TO<br>INTERCHANGE<br>4) 2" BODY<br>5) INTERNAL BLEED TO PREVENT VAPOR-LOCK UP<br>6) VENT POSITION: SENSUS - 105; FISHER - 3F;<br>ACTARIS - #5; LANCASTER - 6-6;<br>AMERICAN - VALVE HEAD C VENT #2<br>CAPACITY TOKEN RELIEF<br>60# INLET 1-20#OUTLET<br>1/4" ORIFICE 3/8"ORIFICE<br>4600 SCFH 7500SCFH                                                                                                                                                                                                                                      | 15 | Each | \$ 455.33 | 4-6 | \$604.00 | 12-14wks   | \$ 975.20 | 20 Weeks<br>ARO | No Bid |  | \$ 560.00 | 1-2 |
| 23 | 2" FLANGED SPRING LOADED, SELF REGULATED<br>GAS REGULATOR WITH INTERNAL RELIEF VALVE<br>(EQUIVALENT TO ITRON B34)<br>1) INLET PRESSURE: 60 PSIG .60 SG NATURAL GAS<br>2) OUTLET PRESSURE: 7" W.C. TO 14" W.C.<br>(MUST BE CAPABLE OF OUTLET PRESSURE UP TO 2<br>PSI WITH ONLY A CHANGE OF SPRING)<br>3) BRASS ORIFICE SIZE: 3/8", WITH THE ABILITY TO<br>INTERCHANGE ORFICES<br>5) ADJUSTABLE LOADING RING<br>6) 1 IN. INTERNAL RELIEF VALVE FULL RELIEF<br>7) CONTROLLED SIZE BREATHER ORFICE<br>8) VENT POSITION: SENSUS -105; FISHER - 3F;<br>ACTARIS - #5; LANCASTER - 6-6;<br>CAPACITY:<br>60# IN 60# IN 5#IN 5#IN<br>7"OUT 2# OUT 7"OUT 2# OUT<br>1/4"ORIFICE 1/4"ORIFICE 3/8 X 1/2ORIFICE 3/8 X<br>1/2ORIFICE<br>4500SCFH 4000SCFH 2400SCFH 1500SCFH | 30 | Each | \$ 415.70 | 4-6 | \$560.00 | 10-12weeks | \$ 513.93 | 20 Weeks<br>ARO | No Bid |  | \$ 418.00 | 1-2 |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |      |           |     |          |            |           |              |        |  |           |     |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|-----------|-----|----------|------------|-----------|--------------|--------|--|-----------|-----|
| 24 | <p>2" FEMALE PIPE THREAD SPRING LOADED, SELF OPERATED GAS REGULATOR WITH INTERNAL RELIEF VALVE (EQUIVALENT TO ITRON B34)</p> <p>1) INLET PRESSURE: 60 PSIG .60 SG NATURAL GAS</p> <p>2) OUTLET PRESSURE: 7" W.C. TO 14" W.C. (MUST BE CAPABLE OF OUTLET PRESSURE UP TO 2 PSI WITH ONLY A CHANGE OF SPRING)</p> <p>3) BRASS ORIFICE SIZE: 3/8", WITH THE ABILITY TO INTERCHANGE ORIFICES</p> <p>5) ADJUSTABLE LOADING RING</p> <p>6) 1 IN. INTERNAL RELIEF VALVE FULL RELIEF</p> <p>7) CONTROLLED SIZE BREATHER ORFICE</p> <p>8) VENT POSITION: SENSUS -105; FISHER - 3F; ACTARIS - #5; LANCASTER - 6-6;</p> <p>CAPACITY:<br/>60# IN 60# IN 5#IN 5#IN</p> <p>7"OUT 2# OUT 7"OUT 2# OUT</p> <p>1/4"ORIFICE 1/4"ORIFICE 3/8 X 1/2ORIFICE 3/8 X 1/2ORIFICE</p> <p>4500SCFH 4000SCFH 2400SCFH 1500SCFH</p> | 30 | Each | \$ 357.57 | 4-6 | \$435.00 | 10-12weeks | \$ 398.91 | 20 Weeks ARO | No Bid |  | \$ 418.00 | 1-2 |
| 25 | <p>1 1/4" SPRING LOADED, SELF OPERATED GAS REGULATOR WITH INTERNAL RELIEF (EQUIVALENT TO B34SR)</p> <p>1) INLET PRESSURE: 60 PSIG .60 SG NATURAL GAS</p> <p>2) OUTLET PRESSURE: 7" W.C. TO 14" W.C. (MUST BE CAPABLE OF OUTLET PRESSURE UP TO 2 PSI WITH ONLY A CHANGE OF SPRING)</p> <p>3) BRASS ORIFICE SIZE: 3/8" X 1/2" with the ability to interchange orifice</p> <p>5) ADJUSTABLE LOADING RING</p> <p>6) 1 IN. INTERNAL RELIEF VALVE FULL RELIEF</p> <p>7) CONTROLLED SIZE BREATHER ORFICE</p> <p>8) VENT POSITION: SENSUS -105; FISHER - 3F; ACTARIS - #5; LANCASTER - 6-6;</p> <p>CAPACITY:<br/>60# IN 60# IN 5#IN 5#IN</p> <p>7"OUT 2# OUT 7"OUT 2# OUT</p> <p>1/4" x 3/8" ORIFICE 3/8 X 1/2ORIFICE 3/8 X 1/2ORIFICE 7/8" X 1"ORIFICE</p> <p>4080SCFH 3550SCFH 1960SCFH 1170SCFH</p>        | 10 | Each | \$ 231.94 | 4-6 | \$277.00 | 10-12weeks | \$ 353.99 | 20 Weeks ARO | No Bid |  | \$ 247.00 | 1-2 |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |      |             |     |            |                 |           |              |        |  |           |     |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|-------------|-----|------------|-----------------|-----------|--------------|--------|--|-----------|-----|
| 26 | 1 1/4" SPRING LOADED, SELF OPERATED GAS REGULATOR WITH INTERNAL RELIEF (EQUIVALENT TO B34SR)<br>1) INLET PRESSURE: 60 PSIG .60 SG NATURAL GAS<br>2) OUTLET PRESSURE: 7" W.C. TO 14" W.C. (MUST BE CAPABLE OF OUTLET PRESSURE UP TO 2 PSI WITH ONLY A CHANGE OF SPRING)<br>3) BRASS ORIFICE SIZE: 7/8" X 1"<br>5) ADJUSTABLE LOADING RING<br>6) 1 IN. INTERNAL RELIEF VALVE FULL RELIEF<br>7) CONTROLLED SIZE BREATHER ORFICE<br>8) VENT POSITION: SENSUS -105; FISHER - 3F; ACTARIS - #5; LANCASTER - 6-6;<br>CAPACITY:<br>60# IN 60# IN 5#IN 5#IN<br>7"OUT 2# OUT 7"OUT 2# OUT<br>1/4" x 3/8" ORIFICE 3/8 X 1/2ORIFICE 3/8 X 1/2ORIFICE 7/8" X 1"ORIFICE<br>4080SCFH 3550SCFH 1960SCFH 1170SCFH | 10 | Each | \$ 357.57   | 4-6 | \$277.00   | 10-12weeks      | \$ 353.99 | 20 Weeks ARO | No Bid |  | \$ 247.00 | 1-2 |
| 27 | SPRING LOADED THROTTLING RELIEF BACK PRESSURE REGULATOR (OVERPRESSURE RELIEF REGULATOR) (EQUIVALENT TO FISHER 289)<br>1) 1 INCH BODY<br>2) 15#-50# INTEGRAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 25 | Each | \$ 157.13   | 4-6 | \$194.00   | 10-12weeks      | No Bid    |              | No Bid |  | No Bid    |     |
| 28 | SPRING LOADED THROTTLING RELIEF BACK PRESSURE REGULATOR (OVERPRESSURE RELIEF REGULATOR) (EQUIVALENT TO FISHER 289)<br>1) 1 INCH BODY<br>2) 4LB-15LB INTEGRAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 25 | Each | \$ 157.13   | 4-6 | \$194.00   | stock or 4-6wks | No Bid    |              | No Bid |  | No Bid    |     |
| 29 | BACKPRESSURE REGULATOR/RELIEF VALVE FOR REGULATOR AND DISTRIC GATE STATIONS (FISHER 1805) HIGHER PRESSURE FOR REG STATION<br>1)INLET:150PSIG/10.3 BAR<br>2)OUTLET:5 TO 125 PSIG<br>3)2" THREADED BODY<br>4)INTEGRAL ORIFICE                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 15 | Each | \$ 591.18   | 4-6 | \$1,305.00 | stock or 4-6wks | No Bid    |              | No Bid |  | No Bid    |     |
| 30 | PRESSURE REDUCING REGULATOR FOR REGULATOR STATIONS AND DISTRIC GATE STATIONS (FISHER 99 )<br>1) INLET: UP TO 1000 PSIG/69.1 BAR<br>2) OUTLET: 2" W.C.TO 160 PSIG MAX<br>3)BRASS SEAT<br>4)ORIFICE: 7/8" X 3/8"<br>5) INTERNAL PRESSURE REGISTRATION<br>6) 2 INCH CARBON STEEL CL150RF FLANGED BODY<br>7) 61L PILOTG                                                                                                                                                                                                                                                                                                                                                                              | 10 | Each | \$ 1,752.77 | 4-6 | \$6,158.00 | 6-8weeks        | No Bid    |              | No Bid |  | No Bid    |     |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                            |    |      |             |     |            |            |        |  |        |  |        |  |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|-------------|-----|------------|------------|--------|--|--------|--|--------|--|
| 31 | BACKPRESSURE REGULATOR/RELIEF VALVE FOR<br>REGULATOR AND DISTRIC GATE STATIONS (FISHER<br>1805) HIGHER PRESSURE FOR REG STATION<br>1)INLET:150PSIG/10.3 BAR<br>2)OUTLET:5 TO 125 PSIG<br>3)1" THREADED BODY<br>4)INTEGRAL ORIFICE                                                                                                                                                                                                                          | 12 | Each | \$ 260.06   | 4-6 | \$595.00   | 4-6weeks   | No Bid |  | No Bid |  | No Bid |  |
| 32 | STRAINERS STYLE 351 PART#0351-1200-100<br>1) 2" THREADED BODY<br>2) 100 MESH                                                                                                                                                                                                                                                                                                                                                                               | 50 | Each | \$ -        |     | \$353.00   | 6-8weeks   | No Bid |  | No Bid |  | No Bid |  |
| 33 | FILTER 2" (DRY PARTICLE) FILTER FAB. MATCHES<br>GAP OF SETS WITH THESE FILTERS<br>1) 2" FLANGED BODY<br>2) 180 PSIG MAX<br>3) 10 MICRON FILTER                                                                                                                                                                                                                                                                                                             | 5  | Each | \$ -        |     | \$1,535.00 | 6-8weeks   | No Bid |  | \$ -   |  | No Bid |  |
| 34 | FILTER 3" (DRY PARTICLE) FILTRER FAB. MATCHES<br>GAP OF SETS WITH THESE FILTERS<br>1) 3" FLANGED BODY<br>2) 180 PSIG MAX<br>3) 10 MICRON FILTER                                                                                                                                                                                                                                                                                                            | 2  | Each | \$ -        |     | \$1,649.00 | 10-12 week | No Bid |  | \$ -   |  | No Bid |  |
| 35 | FILTER 4" (DRY PARTICLE) FILTER FAB. MATCHES<br>GAP OF SETS WITH THESE FILTERS<br>1) 4" FLANGED BODY<br>2) 180 PSIG MAX<br>3) 10 MICRON FILTER                                                                                                                                                                                                                                                                                                             | 2  | Each | \$ -        |     | \$2,657.00 | 10-12weeks | No Bid |  | \$ -   |  | No Bid |  |
| 36 | PILOT OPERATED PRESSURE REDUCING REGULATOR<br>(FISHER 299 WOULD NEED TO BE EXACT<br>SPECIFICATION FOR REGULATOR STATION SWAP<br>OUT)<br>DISTRIBUTION, INDUSTRIAL, AND COMMERCIAL<br>APPLICATIONS<br>1) INLET: UP TO 175 PSIG/12.1 BAR<br>2) OUTLET: 5-16# (LARGE COMMERCIAL AND REG,<br>STATIONS)<br>3) INTEGRAL TOKEN RELIEF (DESIGNED TO RELIEVE<br>OVERPRESSURE CAUSED BY THERMAL EXPANSION<br>4) ORIFICE: 1/2"<br>5) 125FF<br>6) EXTERNAL REGISTRATION | 10 | Each | \$ 1,065.36 | 4-6 | \$2,100.00 | 4-6weeks   | No Bid |  | No Bid |  | No Bid |  |

|    |                                                                                                                                                                                                                                                                                                                                                                           |   |      |             |     |             |            |        |  |        |  |        |  |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|------|-------------|-----|-------------|------------|--------|--|--------|--|--------|--|
| 37 | PILOT OPERATED PRESSURE RELIEF VALVE OR<br>BACKPRESSURE REGULATOR (FISHER EZR)<br>DISTRIBUTION, INDUSTRIAL, AND COMMERCIAL<br>APPLICATIONS<br>1) INLET: UP TO 175 PSIG/12.1 BAR<br>2) OUTLET: 20-125# (LARGE COMMERCIAL AND REG,<br>STATIONS)<br>3) BODY SIZE: 6" STEEL CL150 RF<br>4) SPRING 100 PSIG<br>5) 6358B PILOT<br>6) NBR 17E97 DIAPHRAGM<br>7) EZR-1206-7041072 | 4 | Each | \$ 6,178.04 | 4-6 | \$14,365.00 | 10-12weeks | No Bid |  | No Bid |  | No Bid |  |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|------|-------------|-----|-------------|------------|--------|--|--------|--|--------|--|