

PROPOSAL FOR FURNISHING FIRE APPARATUS

September 10, 2014

Clearwater Fire Department
610 Franklin Street
Clearwater, FL 33756

The undersigned is prepared to manufacture for you, upon an order being placed by you, for final acceptance by Pierce Manufacturing, Inc., at its home office in Appleton, Wisconsin, the apparatus and equipment herein named and for the following prices:

One (1) Pierce Heavy Duty Velocity Pumper. ¹	\$ 550,300.00
---	---------------

Pre-pay discount for paying 100% of unit at time of order	(16,300.00)
---	-------------

Performance bond included.	
----------------------------	--

Price includes Ward No Smoke and customization of ladder rack to house surfboard	
--	--

Total \$	534,000.00
----------	------------


Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or intentional conflict, failures to obtain chassis, materials, or other causes beyond our control not preventing, within about 8 months after receipt of this order and the acceptance thereof at our office at Appleton, Wisconsin, and to be delivered to you at Clearwater, FL.

The specifications herein contained shall form a part of the final contract, and are subject to changes desired by the purchaser, provided such alterations are interlined prior to the acceptance by the company of the order to purchase, and provided such alterations do not materially affect the cost of the construction of the apparatus.

The proposal for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications. Any increased costs incurred by first party because of future changes in or additions to said DOT or NFPA standards will be passed along to the customers as an addition to the price set forth above.

Unless accepted within 60 days from date, the right is reserved to withdraw this proposition.

Pierce Manufacturing, Inc.

By: 

AUTHORIZED SALES REPRESENTATIVE

John Thompson



PERFORM. LIKE NO OTHER.



Proposal Option List

9/11/2014

Customer:	East Lake Tarpon Special Fire Cont Dist	Bid Number:	417
Representative	Thompson, John	Job Number:	
Organization:	Ten-8 Fire Equipment, Inc	Bid Date:	03-05-2014
Requirements Manager:		Stock Number:	
Description:	Clearwater 2014	DBVersion:	02.00.0547.0000
Body:	Pumper, Med, Alum, 2nd Gen		
Chassis:	Velocity Chassis (Med Block), 2010		

Line	Option	Type	Option Description	Qty
1	0671399		Boiler Plates, Pumper	1
			Fire Department/Customer - Clearwater	
			Operating/In conjunction W-Service Center - In Conjunction	
			Miles - 50 Miles	
			Number of Fire Dept/Municipalities - 10	
			Bidder/Sales Organization - ten8	
			Delivery - Delivery representative	
			Dealership/Sales Organization, Service - Ten8	
2	0661794		Single Source Compliance	1
3	0584456		Manufacture Location: Appleton, Wisconsin	1
4	0584452		RFP Location: Appleton, Wisconsin	1
5	0588609		Vehicle Destination, US	1
6	0520877		Comparison Report Required	1
			Fill in Blank - this unit is almost identical to previous unit 26468 (new unit has FR cab)	
7	0533316		Comply NFPA 1901 Changes Effective Jan 1, 2009, With Exceptions	1
8	0533347		Pumper/Pumper with Aerial Device Fire Apparatus	1
9	0588611		Vehicle Certification, Pumper	1
10	0661778		Agency, Apparatus Certification, Pumper/Tanker, U.L.	1
11	0008036		Career/Paid Department	1
12	0537375		Unit of Measure, US Gallons	1
13	0529326		Bid Bond, 10%, Pierce Built Chassis	1
14	9999999	SCC	Performance Bond, 100% Req'd (Statement by Rep) - 27562	1
15	0050066		Performance Bond, 100% Req'd (Statement by Rep)	1
16	0000007		Approval Drawing	1
17	0002928		Electrical Diagrams	1
18	0597598		Velocity Chassis (Med Block), 2010	1
19	0000110		Wheelbase	1
			Wheelbase - 184.50 inches	
20	0000070		GVW Rating	1
			GVW rating - 43500	
21	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/Dash CF	1
22	0020018		Frame Liner not Req'd	1
23	0508848		Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel	1
24	0030264		Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf	1
25	0087572		Shock Absorbers, KONI, on TAK-4 Qtm/AXT/Imp/Vel/DCF/Enf	1
26	0000322		Oil Seals, Front Axle	1
27	0521236		Tires, Front, Michelin, XFE (wb), 385/65R22.50, 18 ply	1
28	0019611		Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot	1
29	0530464		Axle, Rear, Meritor RS24-160, 24,000 lb, Imp/Vel/Dash CF	1
30	0544250		Top Speed of Vehicle, 65 MPH	1
31	0122076		Suspen, Rear, Standens, Spring, 24,000 lb, Imp/Vel/Dash CF	1
32	0000485		Oil Seals, Rear Axle	1
33	0031836		Tires, Rear, Michelin, XZE*, 12R22.50, 16 ply, Single	1
34	0019632		Wheels, Rear, Alcoa, 22.50" x 8.25", Aluminum-Steel, Hub Pilot, Single	1
35	0568081		Tire Balancing, Counteract Beads	1
36	0545391		Tire Pressure Monitoring Valve Cap	1
			Qty, Tire Pressure Ind - 6	
37	0002045		Mud Flaps, w/logo front & rear	1

Line	Option	Type	Option Description	Qty
38	0544802		Chocks, Wheel, SAC-44-E, Folding Qty, Pair - 01	1
39	0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal Location, Wheel chock - underneath D1 Qty, Pair - 01	1
40	0010670		ABS Wabco Brake System, Single rear axle	1
41	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
42	0000730		Brakes, Meritor, Cam, Rear, 16.50 x 7.00"	1
43	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
44	0000785		Brake Reservoirs, Three	1
45	0568012		Air Dryer, Wabco System Saver 1200, 2010	1
46	0000790		Brake Lines, Nylon	1
47	0000858		Inlet/Outlet, Air, w/Disconnect Fitting Location, Air Coupling(s) - a) DS Step Well Qty, Air Coupling (s) - 1	1
48	0666640		Engine, Cummins ISL9, 450 hp, 1250 ft-lb, W/OBD, EPA 2013, Imp/Vel	1
49	0001244		High Idle w/Electronic Engine, Custom	1
50	0687994		Engine Brake, Jacobs Compression Brake, Cummins Engine Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo	1
51	0552334		Clutch, Fan, Air Actuated, Horton Drive Master	1
52	0123135		Air Intake, w/Ember separator, Imp/Vel	1
53	0597542		Exhaust System, 4", 2010 ISL9/ISC8.3 Engine, Horizontal, Officer Side	1
54	0634308	SP	Exhaust, Modified 35 Degree w/2010 Engine - Approval Req'd	1
55	0557543		Radiator, Imp/Vel	1
56	0511426		Cooling Hoses, Silicone	1
57	0001125		Fuel Tank, 65 Gallon, Left Side Fill	1
58	0001129		Lines, Fuel	1
59	0595087		DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle Door, Material & Finish, DEF Tank - *	1
60	0552793		Not Required, Fuel Priming Pump	1
61	0582243		Shutoff Valves, Fuel Line @ Primary Filter, Cummins	1
62	0699437		Cooler, Chassis Fuel, Not Req'd.	1
63	0642572		Trans, Allison 5th Gen, 3000 EVS P, Imp/Vel/Dash CF/SFR/Enf, With Prognostics	1
64	0011477		Transmission, Shifter, 5-Spd, Push Button Trans, ratio - 3000 EVS, 5Spd	1
65	0684459		Transmission Oil Cooler, Modine, External	1
66	0090176		Mode, Downshift, Aggressive downshift to 3rd, w/engine brake, 5 speed	1
67	0001370		Driveline, Spicer 1710	1
68	0669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1
69	0001544		Not Required, Steering assist cylinder on front axle	1
70	0509230		Steering Wheel, 4 Spoke without Controls	1
71	0690274		Logo/Emblem, on Dash Text, Row One - Clearwater Text, Row Two - Fire Text, Row Three - Rescue	1
72	0524744		Bumper, 22" Extended Steel Painted, Imp/Vel	1
73	0510226		Lift & Tow Package, Imp/Vel, AXT, Dash CF	1
74	0522573		No Tow Hooks Required, Due to Lift and Tow package	1
75	0012259		Tray, Hose Center, 22" bumper w/inside Air Horns Grating, Bumper extension - Grating, Rubber Capacity, Bumper Tray - 08) 125' of 1.50"	1
76	0591012		Hose Restraint, Bumper Tray, Straps with Fasteners Qty, - 02 Type of fastener - seat belt buckle fastener Location 7 - driver & center	2
77	0598432	SP	Tray, (1) Hose Left Side of Bumper, 4" above and 11" below deck, radius lip Grating, Bumper extension - Grating, Rubber Capacity, Bumper Tray - 09) 150' of 1.50"	1
78	0678962		Coating, Top Flange, Front Bumper, Outside Exterior, Line-X Coating, Red	1
79	0668315		Cab, Velocity FR, 7010 Raised Roof	1
80	0668309		Engine Tunnel, ISL and DD13, Impel/Veloccity FR	1

Line	Option	Type	Option Description	Qty
81	0677478		Rear Wall, Exterior, Cab, Aluminum Treadplate	1
82	0122465		Cab Lift, Elec/Hyd, Imp/Vel	1
83	0123176		Grille, Bright Finished, Front of Cab, Impel/Velocity	1
84	0029007	SP	Scuffplates, On Rear Corners of Cab	1
			Material Trim/Scuffplate - c) S/S, Polished	
85	0523925		Scuffplates, S/S At Cab Door Jambs, Full Coverage, VEL/IMP/Dash CF	1
			Material Trim/Scuffplate - c) S/S, Polished	
86	0527032		Trim, S/S Band, Across Cab Face, Rect Lights, Velocity	1
			Material Trim/Scuffplate - c) S/S, Polished	
			Turnsignal Covers - *	
87	0015440		No Chrome Molding, On side of cab	1
88	0559131		Mirrors, Forward Mtd, Remote, Pierce One-Eleven, LED Turn Signal	1
			Finish, Arm Cover - Chrome	
			Finish, Mirror Head - Chrome	
89	0667921		Door, Half-Height, Velocity FR 4-Door Cab, Raised Roof	1
90	0655511		Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab	1
91	0667905		Storage Pockets w/ Elastic Cover, Recessed, Impel/Velocity FR	1
92	0667902		Controls, Electric Windows, All Cab Doors, Impel/Velocity FR	1
93	0555485		Steps, 4-Door Full Tilt Cab, Std, Imp/Vel	1
94	0509649		Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1 Light Per Step	1
95	0002140		Fenders, S/S on Cab	1
96	0552648		Grab Handle, Black Rubber Covered, Specify Location, Qty	1
			Location - PS a post in cab	
			Qty, - 01	
97	0122479		Window, Side of C/C, Fixed, Imp/Vel	1
98	0552935		Trim, Cab Side Windows, Velocity	1
99	0012090		Not Required, Windows, Front/Side of raised roof	1
100	0509286		Not Required, Windows Rear of Crew Cab, Imp/Vel	1
101	0558334		Not Required, Trim, Cab Rear Windows, No Rear Windows	1
102	0123686		Drip Rail, Cab Roof, Impel/Velocity/Velocity SLT	1
103	0632483		Hood Release, Cable, IATS	1
104	0667945		Cab Interior, Vinyl Covered Walls, Velocity FR	1
			Color, Cab Interior Vinyl/Fabric - c) Black	
105	0667943		Cab Interior, Paint Color, Impel/Velocity FR	1
			Color, Cab Interior Paint - b) black	
106	0509532		Floor, Rubber Padded Cab & Crew Cab, Imp/Vel, Dash CF	1
107	0667936		Heater/defroster, Dual Zone Control, Impel/Velocity FR	1
108	0668089		Air Conditioning, Impel/Velocity FR, Dual Zone Control, Center Mount	1
109	0543257		Grab Handles, Driver Door Post & Passenger Dash panel, Imp/Vel	1
110	0002526		Light, Engine Compt, All Custom Chassis	1
111	0122516		Fluid Check Access, Imp/Vel, AXT	1
112	0626480	SP	Tray, Records, 14" Wide, across from officer, DLX, AXT, Imp, Vel	1
113	0583040		Frontal Impact Protection	1
114	0000109		Seating Capacity, Cab	5
			Qty, - 05	
115	0697006		Seat, Driver, Pierce PS6, Premium, Frontal Impact, Air Ride Hi-Back	1
116	0696991		Seat, Officer, Pierce PS6, Premium, Frontal Impact, Air Ride, SCBA	1
117	0002517		Not Required, Radio Compartment	1
118	0102788		Not Required, Seat, Rr Facing C/C, DS Outboard	1
119	0102783		Not Required, Seat, Rr Facing C/C, Center	1
120	0102790		Not Required, Seat, Rr Facing C/C, PS Outboard	1
121	0199330		Seat, Forward Facing C/C, DS Outboard, Pierce PS6, Base, SCBA, Foldup	1
122	0123170		Seat, Forward Facing C/C, Center, (1) Pierce PS6, Base, SCBA	1
123	0199329		Seat, Forward Facing C/C, PS Outboard, Pierce PS6, Base, SCBA, Foldup	1
124	0511300		Upholstery, Seats In Cab, All Imperial 1200, Pierce PS6	1
			Color, Cab Interior Vinyl/Fabric - h) Gray/Black	
125	0543991		Bracket, Air Bottle, Hands-Free II, Cab Seats	4
			Qty, - 04	
126	0553393		Seat Belt Height Adjustment, Imp/Vel, Dash CF	5
			Qty, - 05	
127	0547293		Seat Belts, Red	1

Line	Option	Type	Option Description	Qty
128	0566465		Seat Belt Monitoring, NFPA 2009, Command Zone Color Display	1
129	0543133		Bracket, Helmet Holder, Zico UHH-1	1
			Qty, Helmet Storage Brkt - 5	
130	0546692		Lights, Dome, Weldon, 8080-8000-13, 2-Dual LED Lights, Blk Bez	1
131	0582829		Lights, Dome CC, (2) Weldon, 8080-8000-13 LED, Red/Clear, Blk Bezel	1
132	0544419		Handlights, (2) Streamlight Fire Vulcan, Single-Filament 44401 LED 12v, Orange	1
			Location, lights - Leave loose but run 12 volt wires near or around the engine tunnel with 10' of lead. Will mount after pick up when Clearwater determines where to mount	
133	0568369		Cab Instruments, Ivory Gauges, Chrome Bezels, Impel/Velocity 2010, Dash CF	1
134	0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF	1
135	0032602		Speedometer, Class 1 w/LED, Officer Overhead	1
136	0543751		Light, Do Not Move Apparatus	1
			Alarm, Do Not Move Truck - Pulsing Alarm	
137	0509042		Messages, Open Door/Do Not Move Truck, Imp/Vel, Vel SLT, AXT, Dash CF	1
138	0509921		Switching, Cab, Membrane, Impel/Velocity/Quantum, AXT MUX, Dash CF	1
			Location, Emerg Sw Pnls - Driver's Side Overhead	
139	0555915		Wiper Control, 2-Speed with Intermittent, Impel/Velocity, Dash CF	1
140	0548009		Wiring, Spare, 20 A 12V DC 1st	1
			Qty, - 01	
			12vdc power from - Battery direct	
			Wire termination - b) butt splice	
			Location - P3 upper near 110 recept	
141	0533955	SP	Switch Panel Modification, In Cab, Per Hour	3
			Qty, - 03	
			Fill in Blank - remove existing rear camera display and rewire into MUX display	
142	0087852		Vehicle Information Center, 7" Color Display, MUX	1
143	0543930		Vehicle Data Recorder, Dual Module	1
144	0003757		Antenna, Std and Add'l Mts Only, 2-way Radio,Cust,Spl Cable Routing	4
			Location - to the officer's side overhead switch panel	
			Qty, - 04	
			Location 1 - two (2) mounts on PS & two (2) mounts on DS (as space permits)	
145	0653526		Camera, Pierce, Driver Mux Display, Rear Camera Only	1
			Camera System Audio - Not Provided	
146	0511071		Guard, 4-Way, Rear Vision Camera	1
			Qty, - 1	
			Location - match previous	
147	0509965		Pierce Command Zone, Advanced Electronics and Control System, Diagnostic LEDs	1
148	0509732		Electrical System, Impel/Velocity/Veloccity SLT	1
149	0079166		Batteries, (4) Exide Grp 31, 950 CCA each, Threaded Stud	1
150	0008621		Battery System, Single Start, All Custom Chassis	1
151	0123174		Battery Compartment, Imp/Vel	1
152	0579436		Charger, Sngl Sys, Kussmaul, 1200, 091-187-12-Remote, 40 Amp	1
153	0012780		Location, Charger/Compr, In Seat Box, Custom	1
154	0531403		Location, Battery Charger Indicator, Driver's Seat with Bracket	1
155	0016857		Shoreline, 20A 120V, Kussmaul Auto Eject, "Super" 091-55-20-120	1
			Color, Kussmaul Cover - b) red	
			Connection, Shoreline - battery charger & receptacle in P3	
			Qty, Shoreline - 1	
156	0556764	SP	Shoreline Location	1
			Location, Shoreline(s) - DS Extd Bumper	
157	0121711		Alternator, 320 amp, Leece-Neville 4962PA, Sgl Sys	1
158	0532857	SP	Programming, Step Lights, Activated w/Parking Brake, IAT	1
159	0092582		Load Manager/Sequencer, MUX	1
			Enable/Disable Hi-Idle - d)High Idle disable	
160	0679328		Lighting, FMVSS, Cab, P25 LED Clrnc/ID, Imp/Vel, Rect HID Hdlt	1
161	0511567		Lights, Identification/Clearance, Rear, Truck-Lite, 15050R & P25 LED, DO NOT USE	1
162	0650678		Lights, Tail, Whelen 60BTT* Red LED Stop/Tail & 60A00TAR Amb LED Dir w/Flange	1
			Color, Lens - Colored	

Line	Option	Type	Option Description	Qty
163	0039215		Lights, Backup, Whelen 600, LED Flange Kit, Whelen 6E - w)6E or 64 Flange Kit	1
164	0664481		Bracket, License Plate & Light, P25 LED	1
165	0589905		Alarm, Back-up Warning, PRECO 1040	1
166	0517190		Light, Map, Sunnex 761, Clear Lens, Ceiling Mount Location - in the corner between the AC and the cab light on ceiling See photo in job e-folder. Qty, Lights - 01	1
167	0521285		Light, Directional/Marker, Intermediate Light, Truck-Lite Model 60115Y LED	1
168	0687604		Lights, Perimeter Scene Cab Exits, Truck-Lite 6060C LED Grommet Mt 4 Dr	1
169	0538271		Lights, Perimeter, Truck-Lite 6060C LED Grmt (4) Lts Pump Panel/Rear Step Switch, Location, Perim - cab rocker switch	1
170	0556360		Lights, Step, P25 LED 4lts	1
171	0589760		Light, Whelen, 12V PFP1 Pioneer LED Floodlt, PBA103 Recessed 15 Deg 3rd Location, lights - PS cab match previous 26468 Qty, - 01 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control Color, Wln Lt Housing - White Paint	1
172	0589761		Light, Whelen, 12V PFP1 Pioneer LED Floodlt, PBA103 Recessed 15 Deg 2nd Location, lights - One DS and one PS rear Match previous unit Qty, - 02 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control Color, Wln Lt Housing - White Paint	2
173	0588919		Light, Whelen, 12V PFP1 Pioneer LED Floodlt, PBA106 Bail Brkt 1st Location, lights - PS catwalk Match 26468 Qty, - 02 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control Color, Wln Lt Housing - White Paint	2
174	0589768		Light, Whelen, 12V PFP1 Pioneer LED Floodlt, PBA103 Recessed 15 Deg 1st Location, lights - DS cab Match 26468 Qty, - 01 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control Color, Wln Lt Housing - White Paint	1
175	0588913		Light, Whelen, 12V PFP1 Pioneer LED Floodlt, PBA106 Bail Brkt 2nd Location, lights - DS catwalk Match 26468 Qty, - 02 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control	2
176	0569150		Light, Visor, Whelen, 12V PFP2 Pioneer LED Floodlt, 1st Qty, - 01 Location, driver's/passenger's/center - centered Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control Color, Wln Lt Housing - White Paint	1
177	0532358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
178	0645668		Lights, Front of Hose Bed, Whelen 70C0ELZR LED Location - mounted high and centered on cross divider Qty, - 01 Light Guard - Without Guard	1

Line	Option	Type	Option Description	Qty
178			Control, Hose Bed Lts - DS Pump Panel Sw	
			Light Bracket - No Bracket	1
179	0645677		Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body	1
180	0060115		Pumper, Med, Alum, 2nd Gen	1
181	0554271		Body Skirt Height, 20"	1
182	0013303		Tank, Water, 500 Gallon, Poly, Med, New York Style	1
183	0003405		Overflow, 4" Water Tank, Poly	1
184	0541296	SP	Dome, Foam Fill, Location	1
			Location - Match 26468. On the DS front corner of upper portion of water tank	
185	0010011		Fill Dome Special Location	1
			Location, Tank Dome - Match 26468	
186	0599851		Modified Poly Tank, Ext'd To Rear, New York Style Water Tank	1
			Door, Material & Finish, Storage - *	
			Latch, Door, Storage - *	
			Hole Diameter, Pegboard/Toolboard - *	
			Door Type - *	
187	0553725		Restraint, Water Tank, Heavy Duty, Special Type Tank, 4x4, or Export	1
188	0003429		No Direct Tank Fill Req'd	1
189	0003424		(No Dump Valve required)	1
190	0048710		Jet Assist Not Req'd	1
191	0030007		(No Dump Chute Required)	1
192	0514778		Not Required, Switch, Tank Dump Master	1
193	0556223		Hose Bed, Aluminum, Pumper, New York Style, Fill In Blank Height	1
			Fill in Blank - 62	
			Material Trim/Scuffplate - b) S/S, Brushed	
194	0003481		Hose Bed Capacity, Special	1
			Capacity, Hosebed - starting from the driver's side: 400' of 2.5", 300' of 3", 300' of 3", 1100' of 5", 150' of 1.75" and 300' of 1.75"	
195	0083488		Divider, Hose Bed, .25" Unpainted	3
			Qty, Hosebed Dividers - 3	
196	0589278		Hose Restraint, Hose Bed, Velcro Strap on Top, 2" Heavy Nylon Web at Rear	1
			Type of fastener - seat belt buckle	
			Nylon Web Color - Black	
			Type of fastener, Rear - seat belt buckle - bottom of hosebed	
197	0040083	SP	Divider, Hose Bed, Unpainted, Extruded, Additional	4
			Location - Install two in the center of the hosebed and tie up the other two and ship loose	
			Qty, - 04	
198	0013512		Runningboard, 12.75" Deep	1
199	0681766		Tailboard, 16" Deep, Full Width, Extended Substructure, Angled Corners	1
200	0690027		Wall, Rear, Smooth Aluminum/Body Material, Flush Rear Wall	1
201	0003531		Tow Bar, Under Tailboard	1
202	0590926		Hose Restraint, Running Board, Velcro Straps	2
			Location, Hose Tray, runn - a) both sides	
			Qty, Tray, Hose - 2	
203	0014110		Tray, Hose, Running Board, 100' of 1.50" Hose	2
			Location, Hose Tray, runn - a) both sides	
			Qty, Tray, Hose - 2	
204	0003561		Construction, Compt, Alum, Pumper	1
205	0023650		DS 152" Rollup, Full Height Front & Rear, FDLER	1
206	0063658		PS 152" Rollup, Full Height Front & Rear, FDLER	1
207	0594005		Doors, Rollup, AMDOR, Side Compartments	6
			Qty, Door Accessory - 06	
			Color, Roll-up Door - ad) AMDOR painted to match lower	
			Latch, Roll-up Door - Lift-bar	
208	0098470		Rear - Rollup Dr/30.75" FF, 25.88" Deep, Flush Rear	1
209	0594003		Door(s), AMDOR, Rollup, Rear Compt	1
			Color, Roll-up Door - aaa) AMDOR satin aluminum	
			Latch, Roll-up Door - Lift-bar	
210	0554995		No Body Modification Required	1

Line	Option	Type	Option Description	Qty
211	0019845		Guard, Drip Pan, S/S, Rollup Door Qty, Door Accessory - 07 Location, Door Accessory - all body compartment doors	7
212	0040046	SP	Keyed Locks for Roll-Up Doors, Key Style 1250 Qty, Door Accessory - 01 Location, Door Accessory - P3	1
213	0689549		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door Location - D3 P3 D1 P1 R1 Qty, - 05	5
214	0689538		Lights, Compt, Pierce, LED Light Strip, 54", Additional Location, lights - P2 and D2 mounted horizontal on ceiling Qty, - 02	2
215	0687146		Shelf Tracks, Painted Qty, Shelf Track - 01 location - P3	1
216	0687112		Shelves, Adjustable, 500 lb Capacity, Full Width/Depth, Painted Qty, Shelf - 03 Location, Shelf - Three in P3 2 upper and 1 lower	3
217	0645249	SP	Compt, Backboard Storage, Over Pump, No Troughs Size, Backboard - 3 x 18 x 72 Door, Material & Finish, Storage - Polished S/S Latch, Door, Storage - Southco Push Close, Flush Quantity - 02 Location, Backboard/Stokes Storage Over Pump - Rearward, Crosslays Access, Backboard/Stokes Compt - Both	1
218	0003995		Grating, Alum in Compt Location - D3 Qty, Comp. Accessory - 01	1
219	0009729		Pac Trac, Installed on Compt Wall Location - P2 and D2 and rear (tank) wall only of D1 and D3 Qty, Comp. Accessory - 04	4
220	0696950	SP	High Rise Pack Storage, Curved Mount, Inside Compt, Each Location - P1 Qty, Comp. Accessory - 02 Location, Bracket/comp. - Match 26468 - the mounts will be positioned 49.25" off the compartment floor to the top of curve. One (1) bracket to be 11" to center of bracket off rear wall and one (1) 31" to center off rear wall. See photo in job e-folders 24136. Size - 9.25" Dimensions - 7.25" by 3" high. See sketch in job e-folders 24136.	2
221	0004016		Rub Rail, Aluminum Extruded, Side of Body	1
222	0004024		Fender Crowns, Rear, S/S	1
223	0519849		Not Required, Hose, Hard Suction	1
224	0578764		Handrails, Side Pump Panels (4), Per Print	1
225	0015540		Handrail, Beavertail, PS	1
226	0676355		Handrails, Rear, (3), (1) Above and (2) Below Hose Bed	1
227	0657524		Compt, Air Bottle, Single, Round, Fender Panel Qty, Air Bottle Comp - 2 Door Finish, Fender Compt - Polished Location, Fender Compt - Single - PS Fwd Location, Fender Compt - Single - PS Rear Latch, Air Bottle Compt - Flush Lift & Turn Insert, Air Bottle Compt - Rubber Matting	2
228	0004225		Ladder, 24' Duo-Safety 900A 2-Section	1
229	0004230		Ladder, 14' Duo-Safety 775A Roof	1
230	0028934		Rack, Ladder, Hydraulic, Left Side, Air Clamps	1
231	0014245		Ladder, Folding, 10' 585A, Duo-Safety, w/Mounting Location, Fold Ladder - b) Hyd Rack	1
232	0024499		Arm, Rear, Offset, HLR 2000, Recess Light Qty, - 1	1
233	0040714	SP	Ladder, Mounting, 2000 Rack Special Arrangement Fill in Blank - They want the 14' ladder to load first so the first one off will be the 24'	1

Line	Option	Type	Option Description	Qty
234	0049512		Cover, S/S, Over Ladder Rack Air Locks, Pair Finish - Polished	1
235	0638810		Pike Pole, Pumper, Provided by Fire Department Pike Pole Make/Model - Akron 10' Pike Pole	1
236	0638855		Pike Pole, 6', Pumper, Provided by Fire Department Pike Pole Make/Model - Akron 6' Pike Pole	1
237	0593076		Steps, Folding, Front Body, Pass Side Only, w/LED, Trident Coating, Step - luminescent	1
238	0592994		Steps, Folding, Rear of Body, w/LED, Trident Coating, Step - luminescent	1
239	0592990		Step, Folding - Extra, Body Only, Luminescent w/LED, Trident Qty, Folding Step - 02 Location, Additional Step - Ps front body	2
240	0004425		Pump, Waterous, CSU, 1500 GPM, Single Stage	1
241	0004481		Packing, Grafoil, Waterous	1
242	0091446		Pump Setup Charges N/A	1
243	0559769		Transmission, Pump, Waterous C20 Series	1
244	0535256		Shift, Air w/ Manual Override, Split Shaft, Waterous	1
245	0003148		Transmission Lock-up, EVS	1
246	0004547		Auxiliary Cooling System	1
247	0014486		(No Transfer Valve Required on 1 Stage Pump)	1
248	0004517		Valve, Relief Intake, Elkhart	1
249	0546803		Controller, Pressure, Class 1 Total Pressure Governor (TPG)	1
250	0072153		Primer, Trident, Air Prime, Air Operated	1
251	0058516		Manuals, Pump (2), CD	1
252	0008349		Plumbing, Stainless Steel and Hose	1
253	0064656		Not Required, Black Iron Pipe with Stainless Steel Plumbing	1
254	0004645		Inlets, 6.00" - 1250 GPM or Larger Pump	1
255	0004646		Cap, Long Handle Pump Inlet, NST - VLH	1
256	0084610		Valves, Akron 8000 series- All	1
257	0004660		Inlet, LH Side, 2.50" Gated	1
258	0004680		Inlet, RH Side, 2.50" Gated	1
259	0004686		Valve, Inlet(s) Recess Behind Panel, Side Cntrl Qty, Inlets - 2	2
260	0004700		Control, Inlet, at Valve	1
261	0544957		Inlet, 4" to 6" Front w/5" S/S plumbing, w/Bleeder Valve, Saber, AXT, Imp, Vel Inlet, Size - Six Drain, Suction - Swing Handle	1
262	0014823		Control, Front Inlet, Electric, w/Indicator Lights	1
263	0009620		Intake Relief Valve, Front Inlet	1
264	0004788		Cap, Long Handle - Front Inlet - VLH	1
265	0048644		Swivel, Smooth Chrome, 6.00" Front Inlet	1
266	0092569		No Rear Inlet (Large Dia) Requested	1
267	0092696		No Rear Suction Cap	1
268	0064116		No Rear Inlet Actuation Required	1
269	0009648		No Rear Intake Relief Valve Req'd	1
270	0037897	SP	Front Suction, Max Clearance	1
271	0092568		No Rear Auxiliary Inlet Requested	1
272	0563738		Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle	1
273	0029043		Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing	1
274	0004905		Outlet, 1.50" Tank Fill	1
275	0004940		Outlets, Left Side, 2.50" Qty, Discharges - 02	2
276	0092570		Not Required, Outlets, Left Side Additional	1
277	0004945		Outlets, Right Side, 2.50" Qty, Discharges - 01	1
278	0011668		Outlet, Right Side, 3.00" w/3.00" Plumbing, Handwheel Control, (added) Qty, Discharges - 01	1
279	0029137		Not Required, Outlet, Large Diameter	1
280	0649939		Outlet, Front, 1.50" w/2.00" Plumbing Fitting, Outlet - 1.50" NST with 90 degree swivel	1

Line	Option	Type	Option Description	Qty
280			Drain, Front Outlet - Class 1 Automatic Location, Front, Single - *	1
281	0633403	SP	Front Outlet, Raised	2
282	0004995		Outlet, Rear, 2.50"	
			Qty, Discharges - 02 Location, Outlet - f) two (2) driver side	2
283	0024930		Outlet, Rear, 1.50", Additional Location - PS Qty, Discharges - 02	1
284	0092573		Not Required, Outlet, Hose Bed/Running Board Tray	1
285	0085076		Caps for 1.50" - 3.00" Discharges - VLH	1
286	0563739		Valve, 0.75" Bleeder, Discharges, Swing Handle	1
287	0005091		Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
288	0035094		Not Required, Elbow, Left Side Outlets, Additional	1
289	0025091		Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
290	0035096		Elbow, Right Side Outlets, 45 Degree, 3.00" FNST x 3.00" MNST, VLH, Additional Qty, Discharges - 03	3
291	0045091		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
292	0065696		Not Required, Elbow, Rear Outlets, 1.50", Additional	1
293	0007308		Not Required, Elbow, Large Diameter Outlet	1
294	0062133		Control, Outlets, Manual, Pierce HW if applicable	1
295	0055107		Outlet, 3.00" Deluge Riser, Akron Valve, Handwheel	1
296	0029302		No Monitor Requested	1
297	0029304		No Nozzle Req'd	1
298	0005070		Deluge Mount, NPT	1
299	0029167		Crosslays Sngl Sheet unpainted, (2+) 1.50", Std. Cap Qty, Crosslays - 2	2
300	0029196		Not Required, 2.50" Crosslay	1
301	0029260		Not Required, Speedlays	1
302	0591145		Hose Restraint, Crosslay/Deadlay, Top and Ends, Elastic Netting Qty, - 01	1
303	0034554	SP	Crosslays, 6.00" Lower Than Standard	1
304	0015412		Foam Sys, Akron Eductor 3126-125 (Single Agent) Discharge - Forward crosslay	1
305	0012126		Not Required, CAF Compressor	1
306	0552517		Not Required, Refill, Foam Tank	1
307	0031896		Demonstration, Foam System, Dealer Provided	1
308	0005448		Foam Cell, 40 Gallon, Not Reduce Water Type of Foam - Class "A" Foam, Brand Name - national	1
309	0091036		Drain, 1.00" Foam Tank #1	1
310	0091079		Not Required, Foam Tank #2	1
311	0091112		Not Required, Foam Tank Drain	1
312	0005496		Pump House, Side Control, 45"	1
313	0006348		Pump Panel Configuration, Special Instructions Fill in Blank - Panel needs to match 26468. Water level gauge must be in same spot as 26468.	1
314	0532534		Panel, Pump and Gauge, Black Line-X	1
315	0005578		Panel, Pump Access - Pass Side Only	1
316	0035501		Pump House Structure, Std Height	1
317	0005945		Light, Pump Compt	1
318	0586382		Engine Indicators, Included With Pressure Controller	1
319	0005601		Throttle Included w/ Pressure Controller	1
320	0549333		Indicators, Engine, Included with Pressure Controller	1
321	0001493		Tag, Special Wording, Discharge Qty, - 02 Discharge - PS rears Wording, Discharge - PS rear to read 150' of 1.75" PS rear outside to read 300' of 1.75"	2
322	0511078		Gauges, 4.00" Master, Class 1, 30"-0-600psi	1
323	0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1

Line	Option	Type	Option Description	Qty
324	0062586		Gauge, Water Level, Class 1, Pierce Std.	1
325	0062992		Gauge, Foam Level, (1) Tank, Class 1	1
326	0695791		Light Shield, S/S, 4 - FRC Firefly LED115-Q01 LED	1
327	0536590		Light Shield/Step 8", PS, On Scene LED, P25 LED Step Lt	1
328	0006052		Air Horns, (2) Grover in Bumper Inside Frame	1
			Location, Air Horn (bmpr) - inside frame rails	1
329	0006063		Control, Air Horn, Horn Ring, PS Foot Sw	1
330	0006133		Siren, Code 3 3692 100W or 200W	1
331	0510206		Location, Elec Siren, Recessed Overhead in Console	1
			Location, Elec Siren - Overhead, PS Inside Sw Pnl	1
332	0076157		Control, Elec Siren, Horn Ring	1
333	0550213		Speaker, Code 3, PB100C, Chrome	1
			Qty, Speakers - 1	
			Connection, Speaker - siren head	1
334	0548455		Location, Recessed in the Front Bumper, Passenger Side	1
335	0016080		Siren, Federal Q2B	1
336	0006095		Siren, Mechanical, Mounted Above Deck Plate	1
			Location, Siren, Mech - a) Left	1
337	0026160		Control, Mech Siren, Horn Ring, PS Foot Sw	1
338	0022899		Switch, Second Siren Brake, Chrome Push Button	1
			Location - next to the officer's seat, in the side of the air intake box	1
339	0513510	SP	Lightbar, Whelen, Freedom, FN**QLED, 6-R, 6-W, 2-RC	1
			Length, Wln Lightbar - 88"	1
340	0641779		Bracket, Lightbar, Forward Offset, FR Raised Roof Cab	1
341	0507231		Lights, Whelen Freedom, 24", Pair, 1 White Frwd Facing, 3 Red	1
			Lightbar Location, Cab/Cr - c)over the cab doors	
			Control, light - j) roof light	1
342	0519379		Light, Front Zone, Whelen Super 600 LED, 2pr, Q Bezel, VEL/IMP	1
			Color,Whln Sup600 LED,INN - i) clear	
			Color,Whln Sup600 LED,OUT - b) rd/cl	1
343	0598892	SP	Light, Front, Roto Ray, LED, Vel/Imp, Clear Lens, Hidden Mt	1
			Color, Rotoray - j) 2-red LED, 1-clear LED	
344	0076753		Lights, Side Zone Lower, Whelen 60*02F*R LED, Over 25 Foot Gap, 3pr	1
			Location, lights mid - one each wheel well	
			Location, lights rear - fenders	
			Location, Lights Frt Side - b)each side bumper	
			Flange Kit, 4pr - w/3 pr flange kits	
			Color,Whln Sup600 LED,BCK - b) rd/cl	
			Color,Whln Sup600 LED,FRT - b) rd/cl	
			Color,Whln Sup600 LED,MID - b) rd/cl	
345	0540811		Lights, Door Interior Flash, 4 Dr Cab, Whelen M4*C LED, Clear Lens	1
			Color, Lights, Warning - c) amber	
346	0078814		Lights, Side, Whelen, Super 600 LED	1
			Location, lights - Rear of the crew cab door inline with the side warning	
			light on the front bumper	
			Qty, Lights, Pair - 1	
			Flange Kit - w)with flange	
			Control, light - b) side warning	
			Color,Whln Sup600 LED - t) one (1) split rd/cl, cl	
347	0076758		Lights, Rear Zone Lower, Whelen 60*02F*R LED, pair	1
			Flange Kit - w)with flange	
			Color,Whln Sup600 LED - d) am/cl	
348	0006700		Mounting, Lights, Recess In Rear Bulkhead (pair)	1
			Location - one (1) each side on upper corners of bulkheads	
			Qty, Lights, Pair - 1	
349	0088745		Light, Rear Zone Upper, Whelen L31HRFN LED Beacon, Red LED	1
			Color, Dome, Rear Warning - b)both domes red	
350	0006551		Not Required, Lights, Rear Upper Zone Blocking	1
351	0006615		Mtg, Rear Warn Lts, On Top of Compt	1
352	0036623		Receptacle, 20A 120V 3-Prong SB Dup, GFI, Interior, w/Cover (shoreline)	1
			Location, Receptacles - P3 on the tank wall. As you are facing the compt	
			it will be the upper right hand corner	
			Qty, Receptacles - 01	

Line	Option	Type	Option Description	Qty
353	0519934		Not Required, Brand, Hydraulic Tool System	1
354	0007150		Bag of Nuts and Bolts	1
			Qty, Bag Nuts and Bolts - 1	
355	0532883		NFPA Required Loose Equipment, Pumper, Provided by Fire Department	1
356	0540114		Soft Suction Hose, Provided by Fire Department, Pumper NFPA Classification	1
357	0027023		No Strainer Required	1
358	0533269		Extinguisher, Dry Chemical, Pumper, Provided by Fire Department	1
359	0533278		Extinguisher, 2.5 Gal. Pressurized Water, Pumper, Provided by Fire Department	1
360	0532921		Axe, Flathead, Pumper, Provided by Fire Department	1
361	0532924		Axe, Pickhead, Pumper, Provided by Fire Department	1
362	0559673		Paint, Two Tone, Cab, w/Special Shield, Custom Cab, Vel/Imp	1
			Location - high shield	
			Paint, Color - red #90 (lower cab and body)	
			Paint Color, Upper Area - white #10 (upper cab)	
363	0646897		Paint Chassis Frame Assy, E-Coat, Standard	1
			Paint Color, Frame Assembly - Black	
364	0645644		No Pick Required	1
365	0693797		No Paint Required, Aluminum Front Wheels	1
366	0687653		Paint, Rear Wheels, Single Axle, Alum-Stl	1
			Paint, Wheels - Red #90	
367	0007230		Compartment, Painted, Spatter gray	1
368	0544124		Reflective Band, 1"-4"-1"	1
			Color, Reflect Band - A - i) gold	
			Color, Reflect Band - B - l) white	
			Color, Reflect Band - C - ze) gold	
369	0510041		Reflective across Cab Face, Imp/Vel	1
370	0536954		Stripe, Chevron, Rear, Diamond Grade, Pumper	1
			Color, Rear Chevron DG - yellow	
371	0027341		Jog, In Reflective Stripe, Single or Multiple	1
			Qty, - 1	
372	0567374		Stripe, Black Outline each Chevron Stripe @ Rear (Not Warranted)	1
373	0065687		Stripe, Reflective, Cab Doors Interior	1
			Color, Reflective - a) white	
374	0679794		Stripe, Reflective, Two-Tone Paint Break with Shield, IPO Chrome Molding	1
375	0033179		Lettering Specifications, Reflective	1
376	0686159		Lettering, Reflective, 3.00", (41-60)	1
			Outline, Lettering - Outline and Shade	
377	0686084		Lettering, Reflective, 3.00", Each	9
			Qty, Lettering - 09	
			Outline, Lettering - No Outline or Shade	
378	0686002		Lettering, Reflective, 8.00", Each	2
			Qty, Lettering - 02	
			Outline, Lettering - Outline and Shade	
379	0685981		Lettering, Reflective, 14.00", Each	4
			Qty, Lettering - 04	
			Outline, Lettering - Outline and Shade	
380	0686018		Lettering, Reflective, 5.00", Each	4
			Qty, Lettering - 04	
			Outline, Lettering - No Outline or Shade	
381	0017268		Decals, Customer furnished, Pierce installed, Per Pair	1
			Qty, - 1	
382	0516701		Emblem, American Flag Painted on Cab Grille, All Custom Chassis	1
383	0056505		Emblem, "Honoring America's Bravest" w/Helmet, Color Image, Std, Pair	1
			Qty, - 1	
			Location, Emblem - one (1) each side under the reflective stripe on compartment doors D1 and P1	
384	0695610		Emblem, Reflective, Per Dept. Submittal, Each	1
			Qty, - 01	
			Location, Emblem - rear roll up door	
			Size, Dept Seal, Reflect - 22" - 24"	
385	0000000	STF	Sales administartion	1
385	0000000	STF	Delivery and Training	1

Line	Option	Type	Option Description	Qty
385	0000000	STF	Delivery	1
385	0000000	STF	Inspection Trips (2) and Delivery	1
386	0031972		Manuals, Two (2), Fire Apparatus Parts, Custom Chassis	1
387	0002905		Manuals, Two (2) Chassis Service, Custom	1
388	0032433		Manuals, Two (2) Chassis Operation, Custom	1
389	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
390	0553301		Warranty, Chassis, 3 Year, Velocity/Impel, WA0037	1
391	0696698		Warranty, Engine, Cummins, 5 Year, WA0181	1
392	0684953		Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
393	0595767		Warranty, Frame, 50 Year, Velocity/Impel, Dash CF, WA0038	1
394	0595245		(No Pick Required)	1
395	0595698		Warranty, Axle, 3 Year, TAK-4, WA0050	1
396	0530524		Warranty, Axle, 2 Year, Meritor, General Service, WA0046	1
397	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
398	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
399	0595813		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
400	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
401	0695416		Warranty, Pierce Camera System, WA0188	1
402	0647720		Warranty, Pierce LED Strip Lights, WA0203	1
403	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
404	0685945		Warranty, Transmisson Cooler, WA0216	1
405	0688798		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
406	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
407	0693126		Warranty, AMDOR, Roll-up Door, 10 Year/5 Year Painted, WA0185	1
408	0063510		Warranty, Pump, Waterous, 5 Year Parts, WA0225	1
409	0648675		Warranty, 10 Year S/S Pumbing, WA0035	1
410	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
411	0595412		Warranty, Graphics Lamination, 1 Year, Apparatus, WA0168	1
412	0683627		Certification, Vehicle Stability, CD0089	1
413	0648409		Certification, Engine Installation, Imp/Vel, ISL9, 2013, CD0112	1
414	0686786		Certification, Power Steering, CD0098	1
415	0667417		Certification, Cab Integrity, Velocity FR	1
416	0548950		Certification, Cab Door Durability, Velocity/Impel, CD0001	1
417	0548967		Certification, Windshield Wiper Durability, Impel/Velocit, CD0005	1
418	0667411		Certification, Electric Window Durability, Velocity/Impel FR	1
419	0549273		Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018	1
420	0667416		Certification, Cab Heater and Defroster, Velocity/Impel FR	1
421	0667415		Certification, Cab Air Conditioning Performance, Velocity/Impel FR	1
422	0545073		Amp Draw Report, NFPA 2009 Edition	1
423	0002758		Amp Draw, NFPA Radio Allowance	1
424	0000018		PUMPER, 2ND GEN	1
425	0000012		PIERCE CHASSIS	1
426	0004713		ENGINE, OTHER	1
427	0046395		EVS 3000 Series TRANSMISSION	1
428	0020011		WATEROUS PUMP	1
429	0020009		POLY TANK	1
430	0028087		EDUCTOR FOAM SYSTEM	1
431	0020006		SIDE CONTROL	1
432	0020007		AKRON VALVES	1
433	0020014		FRONT SUCTION	1
434	0020015		ABS SYSTEM	1
435	0658751		Manufacturing Attribute	1