



6202 Benjamin Rd, Tampa, Florida 33634
Phone 912-313-0926 Mobile 912-313-0926
greg.waters@convergint.com

May 15, 2025

City of Clearwater ("Customer" or "You")
Government
100 South Mytle Avenue Clearwater, Florida 33756
Attention: Sandy Lear

Quotation: GW02779754P
RFP#:
License/Cert

Reference: COCW City wide Budget quote Lenel A/C
panel upgd

On behalf of Convergint's global network of colleagues, I would like to personally thank you for providing Convergint with the opportunity to present this proposal addressing your electronic security needs.

Convergint's reputation for service excellence is backed by a foundational commitment to our core value of service, and we have been recognized as the #1 Systems Integrator by SDM Magazine. This recognition reflects the strong relationships Convergint has developed with the industry's top technology manufacturers, and our history of success with providing exceptional service to our customers.

Our guiding principle has always been to be our customers' best service provider. Our dedicated and certified team of professionals strives to uphold our customer-focused, service-based mission to make a daily difference for our customers. After achieving a successful on-time and on-budget project installation, Convergint will provide you with the industry's best ongoing service, including our 24/7 customer portal iCare, designed to track service work orders, project progress, and provide you with detailed metric reporting for continuous improvement.

The following security proposal is specifically designed to meet your needs. As your single point of contact, please feel free to contact me with any additional questions you may have. Thank you again for trusting Convergint as your partner.

Scope of Work

**Sample Scope of Work, we will write a job specific as we complete the site visit.
This is a Budgetary number for the 24 sites that need Lenel panel and reader upgrades:**

Scope of Work for City of Clearwater - Convergent Technologies

Project: Installation of Upgraded Lenel Boards and BlueDiamond Readers in the
VARIOUS Buildings

Location: VARIOUS, City of Clearwater

Contractor: Convergent Technologies

1. Overview

Convergent Technologies is tasked with the installation of upgraded Lenel access control panels and BlueDiamond card readers for the City of Clearwater VARIOUS Building. The scope of work involves installing access control systems across three floors of the building. This upgrade will provide enhanced security and access management.

2. Objectives

- **Upgrade Access Control System:** Replace or update existing access control infrastructure with Lenel boards.
- **Install BlueDiamond Readers:** Set up BlueDiamond card readers for secure access at designated entry points across the building.
- **System Integration:** Ensure that the new system is integrated with the existing or new infrastructure and network.
- **Provide Training:** Train staff on system usage and maintenance.

3. Detailed Scope of Work

A. Site Assessment & Preparation

- **Conduct a Site Survey:** Review the VARIOUS Building layout, security requirements, and existing infrastructure.

- **Identify Mounting Locations:** Assess the best locations for the Lenel boards and BlueDiamond Readers on all three floors.
- **Power Requirements:** Verify power requirements and install any necessary power supplies for the new equipment.

B. Installation of Lenel Access Control Panels

- **Floor Distribution:** Install one Lenel access control panel on each of the three floors, ensuring optimal location for network connection and system monitoring.
 - **Panel Placement:** Select secure and accessible areas on each floor for the placement of the control panels.
 - **Wiring & Connections:** Connect all required power, network, and data cables to the Lenel boards.

C. Installation of BlueDiamond Readers

- **Install BlueDiamond Readers:** Position and mount BlueDiamond card readers at each designated entry point, including exterior doors and critical internal areas.
 - **Connectivity:** Ensure that each BlueDiamond reader is properly connected to the access control system.
 - **Reader Configuration:** Set up each reader to work with the upgraded Lenel boards.

D. System Integration & Testing

- **Integration with Existing Systems:** Integrate the new Lenel boards and BlueDiamond readers into the building's security system.
- **System Testing:** Conduct comprehensive testing to verify the functionality of the upgraded access control system, including:
 - Door access tests
 - Reader functionality
 - Panel communications with the control system
- **Troubleshooting:** Resolve any installation or system issues that may arise during the testing phase.

E. User Interface and Software Configuration

- **Software Configuration:** Update and configure the necessary software to control and monitor the upgraded system.
 - Configure access levels for each user group or individual.
 - Set schedules and access permissions according to the building's security needs.

F. Training and Documentation

- **Training:** Provide training for authorized personnel on how to use and manage the upgraded access control system, including how to:
 - Enroll new users
 - Grant or revoke access
 - Monitor system logs and activity
- **Documentation:** Provide complete documentation for the system, including wiring diagrams, software manuals, and maintenance procedures.

G. Project Closeout

- **Final Inspection:** Conduct a final inspection with the City of Clearwater representative to ensure all requirements are met.
- **System Handover:** Handover the completed system to the client with necessary training and documentation.
- **Warranty & Support:** Provide warranty information for the new equipment and offer ongoing support for system maintenance as per contract.

4. Timeline

- **Estimated Duration:** X weeks (specific duration to be determined based on site survey and availability of materials)
 - **Key Milestones:**
 - Completion of Site Survey and Planning
 - Installation of Lenel Panels & BlueDiamond Readers
 - System Integration and Testing
 - Training and Handover
-

5. Materials and Equipment

- **Lenel Access Control Panels** (X panels)
 - **BlueDiamond Card Readers** (number based on access points)
 - **Power Supplies & Cables**
 - **Mounting Hardware**
 - **Network and Data Cables**
-

6. Health and Safety Considerations

- **Compliance with Building Codes:** Ensure that all installations meet local building codes and regulations.
 - **Safety Protocols:** Follow standard safety protocols while performing installation work.
 - **Minimize Disruption:** Schedule work to minimize disruption to building operations.
-

7. Acceptance Criteria

- The access control system must meet the required security standards and function properly at all installed locations.
- All components should be fully integrated and tested before the project is deemed complete.

Device Hardening (reduce cyber risk)

Convergint may provide Device Hardening services for certain qualifying and scoped equipment. Services may include disabling unused & non-essential device features, disabling unused network comms (e.g., services, ports), changing default passwords, and updating firmware. The hardening services provided will depend on the equipment being installed, equipment capabilities, and manufacturer-provided permissions and recommendations. Not all equipment may receive hardening. Ask your Convergint contact for details on qualifying equipment and the hardening services being provided.

These are one-time services — ask your Convergint contact for information on how Convergint can provide ongoing support.





Convergent cannot guarantee the security of the devices it installs or of Customer's IT environment, no networked system is completely secure, and Customer remains ultimately responsible for its IT environment.

Materials

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
1	Budgetary Proposal					
2	Sourcewell Contract No.: 121024-CTL					
3	COCW PD District II site					
4	Access Control Panel Equipment					
5	3.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 2,250.27
6	3.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 568.86
7	3.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 7,259.73
8	36.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 31,303.08
9	3.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 899.40
10	9.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 1,019.52
11	9.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 360.72
12	Door devices					
13	78.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 7,913.88
14	78.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 864.24
15	78.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 27,420.90
16	Wire					
17	12.00	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 18,156.00
18	-----					
19	COCW Utilities Reservoir#1					
20	Access Control Panel Equipment					
21	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
22	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
23	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
24	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
25	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 271.20	\$ 271.20
26	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
27	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
28	Door devices					
29	3.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 304.38
30	3.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 33.24
31	3.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 1,054.65
32	Wire					
33	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50
34						
35	COCW Utilities Reservoir#2					
36	Access Control Panel Equipment					
37	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
38	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
39	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
40	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
41	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
42	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
43	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
44	Door devices					
45	2.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 202.92
46	2.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 22.16
47	2.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 703.10
48	Wire					
49	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50
50						
51	COCW PD SGNP Substation					
52	Access Control Panel Equipment					

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
53	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
54	1.00	TROVE2M2	TROVE2 & MERCURY BACKPLANE	\$ 878.62	\$ 781.97	\$ 781.97
55	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
56	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
57	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
58	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
59	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
60	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
61	Door devices					
62	2.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 202.92
63	2.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 22.16
64	2.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 703.10
65	Wire					
66	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50
67						
68	COCW PD NGNP Substation					
69	Access Control Panel Equipment					
70	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
71	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
72	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
73	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
74	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
75	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
76	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
77	Door devices					
78	2.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 202.92

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
79	2.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 22.16
80	2.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 703.10
81	Wire					
82	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50
83	-----					
84	COCW Fire station 48					
85	Access Control Panel Equipment					
86	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
87	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
88	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
89	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
90	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
91	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
92	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
93	Door devices					
94	4.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 405.84
95	4.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 44.32
96	4.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 1,406.20
97	Wire					
98	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50
99	-----					
100	COCW PD Woodvalley					
101	Access Control Panel Equipment					
102	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
103	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
104	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
105	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
106	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
107	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
108	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
109	Door devices					
110	2.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 202.92
111	2.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 22.16
112	2.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 703.10
113	Wire					
114	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50
115						
116	COCW Utilities Marshall St.					
117	Access Control Panel Equipment					
118	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
119	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
120	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
121	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
122	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
123	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
124	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
125	Door devices					
126	1.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 101.46
127	1.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 11.08
128	2.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 703.10
129	Wire					
130	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50
131						
132	COCW Utilities East Plant					
133	Access Control Panel Equipment					

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
134	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
135	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
136	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
137	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
138	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
139	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
140	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
141	Door devices					
142	2.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 703.10
143	Wire					
144	1.00	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 1,513.00
145						
146	COCW Utilities Reservoir#3					
147	Access Control Panel Equipment					
148	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
149	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
150	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
151	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
152	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
153	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
154	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
155	Door devices					
156	2.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 703.10
157	Wire					
158	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50
159						
160	COCW GS Solid Waste gate					
161	Access Control Panel Equipment					

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
162	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
163	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
164	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
165	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
166	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
167	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
168	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
169	Door devices					
170	1.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 351.55
171	Wire					
172	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50
173						
174	COCW Fire Station #49					
175	Access Control Panel Equipment					
176	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
177	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
178	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
179	3.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 2,608.59
180	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
181	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
182	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
183	Door devices					
184	8.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 811.68
185	8.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 88.64
186	8.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 2,812.40
187	Wire					
188	1.00	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 1,513.00

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
189						
190	COCW Fire Station #51					
191	Access Control Panel Equipment					
192	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
193	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
194	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
195	2.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 1,739.06
196	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
197	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
198	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
199	Door devices					
200	6.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 608.76
201	6.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 66.48
202	6.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 2,109.30
203	Wire					
204	1.00	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 1,513.00
205						
206	COCW Fire Station #44					
207	Access Control Panel Equipment					
208	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
209	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
210	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
211	2.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 1,739.06
212	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
213	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
214	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
215	Door devices					

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
216	6.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 608.76
217	6.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 66.48
218	6.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 2,109.30
219	Wire					
220	1.00	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 1,513.00
221	-----					
222	COCW Fire Station #48					
223	Access Control Panel Equipment					
224	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
225	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
226	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
227	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
228	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
229	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
230	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
231	Door devices					
232	4.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 405.84
233	4.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 44.32
234	4.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 1,406.20
235	Wire					
236	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50
237	-----					
238	COCW Fire Station #45					
239	Access Control Panel Equipment					
240	2.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 1,500.18
241	2.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 379.24
242	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
243	10.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 8,695.30
244	2.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 599.60
245	3.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 339.84
246	3.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 120.24
247	Door devices					
248	22.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 2,232.12
249	22.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 243.76
250	22.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 7,734.10
251	Wire					
252	4.00	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 6,052.00
253	-----					
254	COCW Fire Station #50					
255	Access Control Panel Equipment					
256	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
257	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
258	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
259	3.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 2,608.59
260	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
261	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
262	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
263	Door devices					
264	7.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 710.22
265	7.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 77.56
266	7.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 2,460.85
267	Wire					
268	1.00	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 1,513.00
269	-----					
270	COCW Public Works Services					
271	Access Control Panel Equipment					

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
272	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
273	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
274	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
275	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
276	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
277	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
278	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
279	Door devices					
280	2.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 703.10
281	Wire					
282	1.00	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 1,513.00
283						
284	COCW CountrySide Lib.					
285	Access Control Panel Equipment					
286	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
287	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
288	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
289	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
290	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
291	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
292	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
293	Door devices					
294	4.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 405.84
295	4.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 44.32
296	4.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 1,406.20
297	Wire					
298	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
299						
300	COCW PS Bldg.					
301	Access Control Panel Equipment					
302	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
303	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
304	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
305	2.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 1,739.06
306	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
307	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
308	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
309	Door devices					
310	6.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 608.76
311	6.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 66.48
312	6.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 2,109.30
313	Wire					
314	1.00	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 1,513.00
315						
316	COCW Parking Marina					
317	Access Control Panel Equipment					
318	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
319	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
320	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
321	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
322	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
323	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
324	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
325	Door devices					

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
326	1.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 101.46
327	1.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 11.08
328	1.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 351.55
329	Wire					
330	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50
331	-----					
332	COCW SW Transfer Station					
333	Access Control Panel Equipment					
334	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
335	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
336	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
337	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
338	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
339	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
340	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
341	Door devices					
342	1.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 351.55
343	Wire					
344	1.00	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 1,513.00
345	-----					
346	COCW Library					
347	Access Control Panel Equipment					
348	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
349	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
350	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
351	4.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 3,478.12
352	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80

Line	Qty	Part	Description	MSRP	Unit Price	Extended Price
353	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
354	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
355	Door devices					
356	10.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 1,014.60
357	10.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 110.80
358	10.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 3,515.50
359	Wire					
360	1.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 2,269.50
361						
362	COCW Parking					
363	Access Control Panel Equipment					
364	1.00	AX-TROVE2M2	TROVE2 W/MERCURY BACKPLANE	\$ 842.80	\$ 750.09	\$ 750.09
365	1.00	AX-TMV2	MERCURY/ VERTX DOOR BACKPLANE	\$ 213.06	\$ 189.62	\$ 189.62
366	1.00	LNL-M2220	Intelligent Dual Reader Controller size (6 (152mm) W x 8 (203mm) L x 1 (25mm)H); maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel, Wiegand or F2	\$ 2,719.00	\$ 2,419.91	\$ 2,419.91
367	1.00	LNL-1320-S3	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 977.00	\$ 869.53	\$ 869.53
368	1.00	AL600ULXB	12/24 @ 6A INTEGRAL P/S BRD	\$ 336.86	\$ 299.80	\$ 299.80
369	1.00	ACM8	POWER SUPPLY RELAY8 FUSED RELAY/8 TRIGGERSACCESS CONTROL	\$ 127.29	\$ 113.28	\$ 113.28
370	1.00	ALT-PD8CB	Power Distribution Module - CoCONVERTS O	\$ 45.04	\$ 40.08	\$ 40.08
371	Door devices					
372	2.00	DS-DS160	REQUEST TO EXIT PIR - GRAY	\$ 114.00	\$ 101.46	\$ 202.92
373	2.00	1078C-M	CONTACT RECESSED STEEL DOOR3/4DIA.W/WIRE LEADS CLSD LOOP3/8 GAP SIZE BROWN	\$ 12.45	\$ 11.08	\$ 22.16
374	2.00	LNL-R11320-05TB	BlueDiamond Mobile Enabled: US Single Gang	\$ 395.00	\$ 351.55	\$ 703.10
375	Wire					
376	0.50	4461030	4 Element Composite Cable Plenum Ylw Jkt	\$ 1,700.00	\$ 1,513.00	\$ 756.50
377						
378	Batteries and Misc. Construction Material for the entire project.					
379	40.00	BT126	12V/7.0AH BATTERY	\$ 48.15	\$ 42.85	\$ 1,714.00
380	1.00	Con-Ancillary	Misc construction material, Boxes, hangers, connectors some flex and fittings for panel conversions.	\$ 9,600.00	\$ 9,600.00	\$ 9,600.00
381	Labor was quoted IAW Sourcewell Contract No.: 121024-CTL					
382	1 year labor warranty and Convergent to pass through Manufacturer warranty on parts per Sourcewell Contract No. 121024-CTL					

Equipment Total	\$	311,964.63
Total Labor/Other Costs	\$	363,873.89
Freight/Warranty	\$	0.00
Tax if Applicable	\$	0.00
Total Project Price	\$	675,838.52

Clarifications and Exclusion

1. All work proposed herein, shall be performed during normal business hours Monday through Friday 8:00 am - 5:00 pm.
2. Low voltage wiring shall be installed via open air code approved methods.
3. Provision or installation of conduit, wire, boxes, fittings or other electrical installation materials unless specifically listed under Inclusions or Bill of Materials.
4. Permits or associated fees are not included.
5. Customer to provide static IP addresses and network connections at panel locations.
6. Customer to provide a secured staging & storage area for project related materials.
7. Pricing assumes that electronic Auto CAD files are available from customer for our use in creating submittal drawings.
8. Fifty percent (50%) of the proposed sell price shall be payable to Convergent for project mobilization. Mobilization shall be invoiced and due upon customer acceptance of this proposal.
9. Proposal does not include sales tax unless otherwise noted.
10. Anything in the Contract Documents notwithstanding, in no event shall either Contractor or Subcontractor be liable for special, indirect, incidental or consequential damages, including commercial loss, loss of use, or lost profits, even if either party has been advised of the possibility of such damages.
11. Convergent reserves the right to negotiate mutually acceptable contract terms and conditions with customer by making mutually agreeable changes to the formal contract included in the Bid Documents.
12. Supply Chain Delays & Price Adjustments: Customer acknowledges that supply chain disruptions and shipping delays may occur for reasons beyond Convergent's reasonable control and agrees to grant reasonable extensions for such delays. Pricing is based on current market conditions and excludes increases due to tariffs, duties, manufacturer-imposed surcharges, or other cost increases arising from trade policy, regulatory actions, or external factors beyond Convergent's control. If such cost increases arise, Convergent will submit a formal change order, and Customer agrees to approve reasonable adjustments. Convergent will use commercially reasonable efforts to minimize such increases.

REVIEW IMPORTANT PRODUCT SAFETY AND SERVICE INFORMATION PRIOR TO USING A CONVERGINT-INSTALLED SYSTEM: See the "IMPORTANT PRODUCT SAFETY AND SERVICE INFORMATION" documentation, available at convergint.com/terms.

IMPORTANT NOTICE

You requested that Convergint provide you with certain security and safety products and services. By using these products and services, you acknowledge that:

- **Under no circumstances should Convergint-provided products and services be your sole method of security or safety.** Effective security and safety require a multi-layered approach involving people, processes, and technologies. Convergint-provided products and services do not guarantee security or safety, will not detect or prevent all threats or risks all the time (including threats they are designed to detect), and will not ensure overall safety and security. You are ultimately responsible for your people, premises, and property, including for maintaining an effective response plan and promptly implementing your response plan in response to alarms or threats.
- **All security products and services have limitations.** No product or service can guarantee safety or security. It is your responsibility to ensure you are informed about product or service limitations and that you regularly test and validate the products and safety plans. Reach out to your Convergint account executive to learn how our support services can help. And if you have a service plan, you are responsible for promptly notifying Convergint in the event of any defect, malfunction, or performance issue with the products and services.
- **Various factors can impact product performance.** Selecting products and settings may involve tradeoffs between the level of security and safety on the one hand and speed, convenience, and cost on the other hand. Convergint can give you guidance, but you are ultimately responsible for selecting products and settings based on your organization's risk profile and tolerance.
- **The products are made by third-party manufacturers, not Convergint.** You are bound by and must use, test, and maintain the products in accordance with the manufacturer's terms and instructions. Convergint does not independently validate the accuracy of claims or statements made by manufacturers, and makes no assurances regarding their accuracy. You are responsible for using the products and services in compliance with laws and regulations applicable to you or as permitted in your jurisdiction.
- **All products and services are governed exclusively by a final agreement.** No advertisement, literature, brochure, website, or statements made during the sale process or otherwise (whether orally or in writing) should be interpreted as a promise, warranty, or other assurance.
- **You have reviewed the "IMPORTANT PRODUCT SAFETY AND SERVICE INFORMATION" documentation, available at convergint.com/terms.**



Total Project Investment:

\$ 675,838.52

Thank you for considering Convergint for your Security needs. If you have any questions or would like additional information, please don't hesitate to contact me immediately. If you would like to proceed with the scope of work as outlined in this proposal.

Sincerely,

Greg Waters

Convergint
Greg Waters

