

**NOTICE OF HEARING  
MUNICIPAL CODE ENFORCEMENT BOARD  
CITY OF CLEARWATER, FLORIDA  
Case 20-19**

**Certified Mail**  
**January 17, 2019**

Owner: **Tema Investments**  
**3035 SW 1<sup>st</sup> Ave Apt 401**  
**Miami, FL 33129-2773**

Violation Address: **516 Mandalay Ave., Clearwater**  
**Miller's Replat Lot 7**

Dear Sir/Madam:

You are hereby formally notified that on **Wednesday, February 27, 2019, at 1:30 p.m.** there will be a public hearing before the Municipal Code Enforcement Board in the Council Chambers, Clearwater Main Library at 100 North Osceola Avenue, Clearwater, Florida, concerning violation of Section **3-1502.B** of the Clearwater City Code. (See attached Affidavit(s) of Violation).

You are hereby ordered to appear before the Municipal Code Enforcement Board on the hearing date to answer these charges and to present your side of the case. Failure to appear may result in the Board proceeding in your absence. You have the right to obtain an attorney, at your own expense, to represent you before the Board. If you are absent but represented at the hearing, your representative must present to the Board your letter authorizing your representative to speak on your behalf. You will have the opportunity to present witnesses as well as question witnesses against you prior to the Board making a determination. Please be prepared to present evidence at the hearing concerning the amount of time necessary to correct the alleged violations should you be found to be in violation of the City Code.

The case shall be presented to the Board even if the violations described in the attached Affidavit(s) of Violation are corrected prior to the Board hearing.

Should you be found in violation of the City Code, the Municipal Code Enforcement Board has the power by law to levy fines of up to \$250 a day per violation against you and your property for every day each violation continues beyond the date set for compliance in an Order of the Board.

If you wish to have any witnesses subpoenaed, please contact the Secretary of the Municipal Code Enforcement Board within five (5) days at 727-562-4097. If you have any questions regarding the cited violations or if the violations are corrected prior to the hearing, please contact the Inspector whose name appears on the Affidavit(s) of Violation.

Sincerely,



SECRETARY TO THE MUNICIPAL CODE ENFORCEMENT BOARD

The Municipal Code Enforcement Board was created pursuant to General Act 80-300, General Laws of Florida, 1979, and Ordinance 2169-80 of the City of Clearwater. The purpose of this quasi-judicial Board of seven citizens is to quickly and fairly render decisions and facilitate enforcement of certain codes of the City of Clearwater.

The City of Clearwater strongly supports and fully complies with the Americans with Disabilities Act (ADA). Please advise us at least 48 hours prior to the hearing if you require special accommodations at 727-562-4090. Assisted Listening Devices are available. Kindly silence electronic devices during the hearings.

**FLORIDA STATUTE 286.0105 STATES THAT ANY PERSON APPEALING A DECISION OF THIS BOARD WILL NEED A RECORD OF THE PROCEEDINGS.**



**MUNICIPAL CODE ENFORCEMENT BOARD OF THE CITY OF CLEARWATER, FLORIDA**  
**AFFIDAVIT OF VIOLATION AND REQUEST FOR HEARING**

NAME OF VIOLATOR: TEMA INVESTMENTS  
MAILING ADDRESS: 3035 SW 1ST AVE APT 401  
MIAMI, FL 33129-2773

CITY CASE#: CDC2018-00808

VIOLATION ADDRESS: 516 MANDALAY AVE  
CLEARWATER, FL

DATE OF OFFICIAL NOTICE OF VIOLATION: 3/27/2018

LEGAL DESCRIPTION OF PROPERTY: MILLER'S REPLAT LOT 7

PARCEL #: 05-29-15-57924-000-0070

DATE OF INSPECTION: 12/17/2018 1:50:00 PM

SECTION(S) OF THE CITY CODE WHICH HAVE BEEN VIOLATED: CODE  
SECTION VIOLATED

3-1502.B. - \*\*EXTERIOR SURFACES\*\* All building walls shall be maintained in a secure and attractive manner. All defective structural and decorative elements of any building wall shall be repaired or replaced in a workmanlike manner to match as closely as possible the original materials and construction of the building. Exterior surfaces shall be free of mildew; rust; loose material including peeling paint; and patching, painting or resurfacing shall be accomplished to match the existing or adjacent surfaces as to material, color, bond and joining. All exterior surfaces other than decay-resistant wood and other weather durable finishes, shall be protected from the elements by paint or other protective covering applied and maintained in accord with manufacturer's specifications and otherwise treated in a consistent manner.

SPECIFICALLY,

During a recent inspection, the above listed condition(s) existed at this property, and must be addressed in accordance with property maintenance ordinances. Please address any visible mildew/peeling or failing paint/damaged exterior surfaces. The fascia on this building has been in disrepair since March of 2018. There is an active permit for demolition only. Further work cannot progress without drawings of proposed work being submitted to the City of Clearwater. Please have the plans submitted and repairs made to the building prior to the compliance date to avoid further action and/or fines. The property must be maintained on a regular basis. If you have any questions please call.

A violation exists and a request for hearing is being made.

  
Gregory Dixon

SWORN AND SUBSCRIBED before me on this 20th day of December, 2018, by Gregory Dixon.

STATE OF FLORIDA  
COUNTY OF PINELLAS

☒ PERSONALLY KNOWN TO ME

☐ PRODUCED AS IDENTIFICATION

N/A  
Type of Identification

  
(Notary Signature)

Daniel Knight  
Name of Notary (typed, printed, stamped)




FILED THIS 20 DAY OF Dec., 20 18

MCEB CASE NO. 20-19

Chloe Sprague

Secretary, Municipal Code Enforcement Board



# CITY OF CLEARWATER

PLANNING & DEVELOPMENT DEPARTMENT  
POST OFFICE BOX 4748, CLEARWATER, FLORIDA 33758-4748  
MUNICIPAL SERVICES BUILDING, 100 SOUTH MYRTLE AVENUE, CLEARWATER, FLORIDA 33756  
TELEPHONE (727) 562-4720 FAX (727) 562-4735

## Notice of Violation

TEMA INVESTMENTS  
3035 SW 1ST AVE APT 401  
MIAMI, FL 33129-2773

CDC2018-00808

ADDRESS OR LOCATION OF VIOLATION: 516 MANDALAY AVE

LEGAL DESCRIPTION: MILLER'S REPLAT LOT 7

DATE OF INSPECTION: 3/12/2018

PARCEL: 05-29-15-57924-000-0070

### Section of City Code Violated:

3-1502.B. - \*\*EXTERIOR SURFACES\*\* All building walls shall be maintained in a secure and attractive manner. All defective structural and decorative elements of any building wall shall be repaired or replaced in a workmanlike manner to match as closely as possible the original materials and construction of the building. Exterior surfaces shall be free of mildew; rust; loose material including peeling paint; and patching, painting or resurfacing shall be accomplished to match the existing or adjacent surfaces as to material, color, bond and joining. All exterior surfaces other than decay-resistant wood and other weather durable finishes, shall be protected from the elements by paint or other protective covering applied and maintained in accord with manufacturer's specifications and otherwise treated in a consistent manner.

Specifically: During a recent inspection, the above listed condition(s) existed at this property, and must be addressed in accordance with property maintenance ordinances. Please address any visible mildew/peeling or failing paint/damaged exterior surfaces. The property must be maintained on a regular basis. Have repairs done by compliance date to avoid further enforcement action.


THIS VIOLATION CITED ABOVE MUST BE CORRECTED PRIOR TO 4/27/2018. FAILURE TO CORRECT THE ABOVE LISTED VIOLATION BY THE DATE INDICATED, OR RECURRENCE OF THE VIOLATION AFTER CORRECTION, WILL RESULT IN A LEGAL ACTION BY THE CODE ENFORCEMENT BOARD OF THE CITY OF CLEARWATER OR BY THE PINELLAS COUNTY COURT. SUCH ACTION MAY RESULT IN A FINE. THE ALLEGED VIOLATOR MAY BE LIABLE FOR THE REASONABLE COSTS OF THE INVESTIGATION, PROSECUTION AND THE ADMINISTRATIVE HEARING SHOULD THIS PERSON BE FOUND GUILTY OF THE VIOLATION.

Inspector: Diane Devol  
Inspector Phone: 727-562-4727

Date Printed: 3/27/2018

NOV\_PropOwn





# CITY OF CLEARWATER

PLANNING & DEVELOPMENT DEPARTMENT

POST OFFICE BOX 4748, CLEARWATER, FLORIDA 33758-4748

MUNICIPAL SERVICES BUILDING, 100 SOUTH MYRTLE AVENUE, CLEARWATER, FLORIDA 33756

TELEPHONE (727) 562-4720 FAX (727) 562-4735

## Notice of Violation

TEMA INVESTMENTS  
3035 SW 1ST AVE APT 401  
MIAMI, FL 33129-2773

**CDC2018-00808**

ADDRESS OR LOCATION OF VIOLATION: **516 MANDALAY AVE**

LEGAL DESCRIPTION: MILLER'S REPLAT LOT 7

DATE OF INSPECTION: 10/30/2018

PARCEL: 05-29-15-57924-000-0070

### Section of City Code Violated:

3-1502.B. - **\*\*EXTERIOR SURFACES\*\*** All building walls shall be maintained in a secure and attractive manner. All defective structural and decorative elements of any building wall shall be repaired or replaced in a workmanlike manner to match as closely as possible the original materials and construction of the building. Exterior surfaces shall be free of mildew; rust; loose material including peeling paint; and patching, painting or resurfacing shall be accomplished to match the existing or adjacent surfaces as to material, color, bond and joining. All exterior surfaces other than decay-resistant wood and other weather durable finishes, shall be protected from the elements by paint or other protective covering applied and maintained in accord with manufacturer's specifications and otherwise treated in a consistent manner.

Specifically: During a recent inspection, the above listed condition(s) existed at this property, and must be addressed in accordance with property maintenance ordinances. Please address any visible mildew/peeling or failing paint/damaged exterior surfaces. The fascia on this building has been in disrepair since March of 2018. There is an active permit for demolition only. Further work cannot progress without drawings of proposed work being submitted to the City of Clearwater. Please have the plans submitted and repairs made to the building prior to the compliance date to avoid further action and/or fines. The property must be maintained on a regular basis. If you have any questions please call.

THIS VIOLATION CITED ABOVE MUST BE CORRECTED PRIOR TO 12/5/2018. FAILURE TO CORRECT THE ABOVE LISTED VIOLATION BY THE DATE INDICATED, OR RECURRENCE OF THE VIOLATION AFTER CORRECTION, WILL RESULT IN A LEGAL ACTION BY THE CODE ENFORCEMENT BOARD OF THE CITY OF CLEARWATER OR BY THE PINELLAS COUNTY COURT. SUCH ACTION MAY RESULT IN A FINE. THE ALLEGED VIOLATOR MAY BE LIABLE FOR THE REASONABLE COSTS OF THE INVESTIGATION, PROSECUTION AND THE ADMINISTRATIVE HEARING SHOULD THIS PERSON BE FOUND GUILTY OF THE VIOLATION.

Inspector: Gregory Dixon  
Inspector Phone: 727-562-4785

Date Printed: 11/5/2018

NOV\_PropOwn





# CITY OF CLEARWATER

PLANNING & DEVELOPMENT DEPARTMENT

POST OFFICE BOX 4748, CLEARWATER, FLORIDA 33758-4748

MUNICIPAL SERVICES BUILDING, 100 SOUTH MYRTLE AVENUE, CLEARWATER, FLORIDA 33756

TELEPHONE (727) 562-4720 FAX (727) 562-4735

## Notice of Violation

TEMA INVESTMENTS  
3035 SW 1ST AVE APT 401  
MIAMI, FL 33129-2773

CDC2018-00808

ADDRESS OR LOCATION OF VIOLATION: **516 MANDALAY AVE**

LEGAL DESCRIPTION: MILLER'S REPLAT LOT 7

DATE OF INSPECTION: 12/6/2018

PARCEL: 05-29-15-57924-000-0070

### Section of City Code Violated:

3-1502.B. - **\*\*EXTERIOR SURFACES\*\*** All building walls shall be maintained in a secure and attractive manner. All defective structural and decorative elements of any building wall shall be repaired or replaced in a workmanlike manner to match as closely as possible the original materials and construction of the building. Exterior surfaces shall be free of mildew; rust; loose material including peeling paint; and patching, painting or resurfacing shall be accomplished to match the existing or adjacent surfaces as to material, color, bond and joining. All exterior surfaces other than decay-resistant wood and other weather durable finishes, shall be protected from the elements by paint or other protective covering applied and maintained in accord with manufacturer's specifications and otherwise treated in a consistent manner.

Specifically: During a recent inspection, the above listed condition(s) existed at this property, and must be addressed in accordance with property maintenance ordinances. Please address any visible mildew/peeling or failing paint/damaged exterior surfaces. The fascia on this building has been in disrepair since March of 2018. There is an active permit for demolition only. Further work cannot progress without drawings of proposed work being submitted to the City of Clearwater. Please have the plans submitted and repairs made to the building prior to the compliance date to avoid further action and/or fines. The property must be maintained on a regular basis. If you have any questions please call.

THIS VIOLATION CITED ABOVE MUST BE CORRECTED PRIOR TO 12/16/2018. FAILURE TO CORRECT THE ABOVE LISTED VIOLATION BY THE DATE INDICATED, OR RECURRENCE OF THE VIOLATION AFTER CORRECTION, WILL RESULT IN A LEGAL ACTION BY THE CODE ENFORCEMENT BOARD OF THE CITY OF CLEARWATER OR BY THE PINELLAS COUNTY COURT. SUCH ACTION MAY RESULT IN A FINE. THE ALLEGED VIOLATOR MAY BE LIABLE FOR THE REASONABLE COSTS OF THE INVESTIGATION, PROSECUTION AND THE ADMINISTRATIVE HEARING SHOULD THIS PERSON BE FOUND GUILTY OF THE VIOLATION.

Inspector: Gregory Dixon  
Inspector Phone: 727-562-4785

Date Printed: 12/10/2018

NOV\_PropOwn



## Section 3-1502. - Property maintenance requirements.

- A. *Minimum building and fire code requirements.* All buildings shall be maintained in accordance with the Standard Building Code, the Fire Protection Code, and the Minimum Standard Housing Code as provided in Chapters 47 and 49 of the City's Code.
- B. *Exterior surfaces.* All building walls shall be maintained in a secure and attractive manner. All defective structural and decorative elements of any building wall shall be repaired or replaced in a workmanlike manner to match as closely as possible the original materials and construction of the building. All exterior surfaces shall be free of:
1. Mildew;
  2. Rust;
  3. Loose material, including peeling paint; and
  4. Patching, painting or resurfacing shall be accomplished to match the existing or adjacent surfaces as to materials, color, bond and joining.

All cornices, trim and window frames that are damaged, sagging or otherwise deteriorated shall be repaired or replaced to be made structurally sound. All exterior surfaces other than decay-resistant wood and other weather durable finishes, shall be protected from the elements by paint or other protective covering applied and maintained according to manufacturer's specifications and otherwise treated in a consistent manner.

- C. *Door and window openings.*
1. All windows and doors shall be secured in a tight fitting and weatherproof manner and have sashes of proper size and design.
  2. Sashes with rotten wood, broken joints or deteriorated mullions or muntins must be repaired or replaced.
  3. Windows shall be maintained in an unbroken, and clean state. No windows shall be permanently removed and enclosed, covered or boarded up unless treated as an integral part of the building façade using wall materials and window detailing comparable with any upper floors and the building façade in general. All damaged or broken windows shall be promptly restored, repaired or replaced. All awnings, screens or canopies facing or visible from

the public right-of-way or any other parcel shall be maintained in a good and attractive condition and torn, loose and/or bleached awnings, screens or canopies shall be promptly replaced, repaired or removed.

4. Doors and windows not facing the public right-of-way and upper level window and door openings fronting a public right-of-way shall be similarly maintained and repaired as the doors and windows facing the public right-of-way, except that such doors and windows may be enclosed or removed provided the sills, lintels and frames are removed and the opening properly closed to match and be compatible with the design, material and finish of the adjoining wall of which the opening is a part.

D. *Roofs.*

1. All roofs shall be maintained in a safe, secure and watertight condition.
2. Any new mechanical equipment, including replacement equipment placed on a roof, shall be so located as to be screened from view from the public right-of-way at street level from adjoining properties.
3. Roofs shall be maintained in a clean, mildew-free condition and kept free of trash, loose shingles and debris or any other element, including grass or weeds, which is not a permanent part of the building or a functional element of its mechanical or electrical system.
4. Tile roofs with peeling paint shall be repainted or have the paint removed.
5. Any false roof, mansard or similar roof element or other auxiliary structure on the roof shall be finished and maintained in a condition comparable to and compatible with the exterior side of the building wall to which the roof element abuts.

E. *Auxiliary and appurtenant structures.*

1. Chimneys and elevator shafts, and mechanical and electrical structures shall be maintained in a satisfactory state of repair and their exterior finish must be architecturally consistent with the exterior side of the building wall from which they can be seen.
2. Freestanding walls and fences shall be maintained in accordance with the provisions of section 3-808 of this development code.
- 3.



Fountains and other amenities shall be maintained in good working order and all structural components shall be maintained in a satisfactory state of repair, free of chipping, pitting, cracking, discoloration, peeling or fading.

F. *Exterior storage and display/ nonresidential properties.*

1. All equipment, materials and merchandise shall be stored and located at all times within an enclosed structure and no exterior storage of merchandise for sale shall be permitted unless expressly authorized pursuant to the provisions of this Development Code.
2. Garbage and trash shall be deposited only in dumpsters or cans or other receptacles specifically manufactured and intended for such purpose, and secured at all times with a tight fitting cover or lid.

G. *Exterior storage and display for residential properties.*

1. As provided in Section 3-913 of this Development Code, outdoor storage is prohibited. For the purposes of this section, carports are subject to the outdoor storage provisions.
2. Equipment, materials or furnishings not designed for use outdoors, such as automobile parts and tires, building materials, and interior furniture, may not be stored outdoors.
3. Construction materials, unless such materials are related to an active building permit related to the property on which the materials are located, shall not be stored outdoors on a residentially zoned property.
4. Bulk items intended for pick up by the city may not be placed at the curb more than 24 hours prior to the scheduled pick up.
5. Any motor vehicle that is lawfully parked and is covered in a manner to protect the motor vehicle shall allow at least the bottom six inches of each tire to be visible. The required license plate shall be clearly visible from the right-of-way or the license plate number shall be printed legibly on the cover with characters not less than two inches in height so that it is clearly visible from the right-of-way. Covers shall not be faded and shall be in good condition, without tears, rips or holes.

H. *Yards and landscape areas.*

1. All required landscaping materials shall be maintained in accordance with the provisions of Article 3, Division 12.

2. Any portion of a lot not covered by a building or structure or otherwise devoted to parking, a service drive or a walkway shall be landscaped with grass or other appropriate ground cover and shall be maintained in a neat and orderly manner.
  3. All landscape materials, including turf, shrubs, and trees, whether required or optional, shall be maintained in a healthy live condition so as to present a neat and attractive appearance and so as to discourage the accumulation of trash or debris and/or infestation by pests.
  4. No yard, landscape area or growth of landscape material shall encroach upon the public right-of-way so as to hinder safe and convenient vehicular or pedestrian movement in the public right-of-way.
  5. No yard shall be used for dumping or accumulation of any garbage, rubbish, dead animals, trash, waste vegetable or animal matter of any kind or construction debris.
- I. *Signs.* All signs shall be maintained in good condition in the form in which the signs were originally approved, free of mildew, rust, loose material, including peeling or fading paint or materials. Any loose, broken, peeling or faded parts of the sign shall be promptly repaired, painted or replaced.
- J. *Vacant parcels.*
1. Vacant parcels of land shall be properly maintained consistent with section 3-1502 H and be free of weeds, litter, rubble or debris.
  2. Erosion and sedimentation mitigation measures may be required if it is determined that runoff from a vacant parcel causes harm to adjacent property, city drainage systems or navigable waters which receive the runoff.
  3. No temporary or permanent storage of materials or equipment shall be allowed on any vacant parcel except in compliance with the regulations for the use of such property as set forth under Article 2 and Article 3 Division 9 of this Development Code.
- K. *Public rights-of-way and sidewalks and parking surfaces.*
1. Public rights-of-way and sidewalks adjoining an improved parcel of land which, because of its location and character, is used as if it were appurtenant to or an extension of the parcel of land, shall be maintained in a safe and clean condition by the owner of the parcel of land. The owner shall, at a




minimum, keep such rights-of-way and sidewalks clear of litter, trash, debris, equipment, weeds, trees, shrubs and other vegetation and refuse and provide a height clearance of at least eight feet from the sidewalk pavement measured vertically from the pavement surface, unless an exception has been granted by the urban forester for protected trees. All unpaved areas shall be landscaped with grass or other ground cover and such areas shall be regularly mowed or otherwise maintained in a neat and attractive condition.

2. No person shall erect, place or locate any structure, display materials, merchandise, or similar objects within the limits of any street right-of-way unless specifically permitted pursuant to the provisions of this Development Code.
3. No trash receptacles, newspaper racks or other dispensing machines shall be located in a public right-of-way unless specifically authorized by the city and other applicable agencies.
4. Parking lot and driveway surfaces shall be maintained in a safe and clean condition by the owner of the parcel of land. The owner shall, at a minimum, keep such surface free of pot holes, litter, trash, debris, equipment, weeds, dead vegetation and refuse and shall promptly repair cracked or heaved parking lot surfaces.
5. All sidewalks located on private property shall be maintained in a safe and clean condition by the owner of the parcel of land. The owner shall, at a minimum, keep sidewalks clear of litter, trash, debris, equipment, weeds, dead vegetation and refuse. Sidewalks that are cracked, heaved or otherwise unsafe for pedestrians shall be promptly replaced.

L. *Maintenance of seawalls.* All seawalls shall be maintained in structurally sound condition and shall comply with applicable building and coastal construction codes.

(Ord. No. 6526-00, § 1, 6-15-00; Ord. No. 6928-02, §§ 71—75, 5-2-02; Ord. No. 7449-05, § 20, 12-15-05; Ord. No. 8211-10, § 11, 10-5-10; Ord. No. 8931-16, § 18, 9-1-16)



CITY OF CLEARWATER  
Planning and Development Department  
Post Office Box 4748  
CLEARWATER, FLORIDA 33758-4748



7018 0680 0002 2858 7756

U.S. POSTAGE >> PITNEY BOWES

ZIP 33760 \$ 006.67<sup>0</sup>  
02 4W  
0000337020 NOV 06 2018

RECEIVED  
NOV 19 2018  
PLANNING & DEVELOPMENT  
CODE COMPLIANCE


Artemis Couyutas  
1809 Brickell Ave Apt 1405  
Miami, FL

NIXIE 331 DE 1 0011/13/18

RETURN TO SENDER  
NOT DELIVERABLE AS ADDRESSED  
UNABLE TO FORWARD

UTP BC: 33758474848 \*0001-00001-00-47  
3312984518 > 0000

**CERTIFIED MAIL®**



CITY OF CLEARWATER  
Planning and Development Department  
Post Office Box 4748  
CLEARWATER, FLORIDA 33758-4748



7018 0680 0002 2858 7763

U.S. POSTAGE >> PITNEY BOWES

ZIP 33760 \$ 006.67<sup>0</sup>  
02 4W  
0000337020 NOV 06 2018

RECEIVED

DEC 10 2018

PLANNING & DEVELOPMENT DEPT  
CITY OF CLEARWATER

TEMA Investments  
c/o - Artemis Couyutas  
3035 SW 1st Ave Apt 401  
Miami, FL

NIXIE 331 DE 1 0012/06/18

RETURN TO SENDER  
UNCLAIMED  
UNABLE TO FORWARD

.. 00000000000000000000

UNC  
3312983773 > 0000

BC: 33758474848 \*0006-00945-08-38



MUNICIPAL CODE ENFORCEMENT BOARD OF THE CITY OF CLEARWATER, FLORIDA

**AFFIDAVIT OF POSTING**

City Case Number: CDC2018-00808


Site of Violation: 516 MANDALAY AVE

RECEIVED

DEC 10 2018

OFFICIAL RECORDS AND  
LEGISLATIVE SRVCS DEPT.

1. Gregory Dixon, being first duly sworn, deposes and says:
2. That I am a Code Inspector employed by the City of Clearwater.
3. That on the 10th day of December, 2018, a copy of the attached Notice of Violation was posted at City Hall, 112 Osceola Ave., Clearwater, Florida and at 516 MANDALAY AVE, Clearwater, Florida.

  
\_\_\_\_\_  
Gregory Dixon

STATE OF FLORIDA  
COUNTY OF PINELLAS

SWORN AND SUBSCRIBED before me on this 10th day of December, 2018, by Gregory Dixon.

☒ PERSONALLY KNOWN TO ME

☐ PRODUCED AS IDENTIFICATION


n/a

\_\_\_\_\_  
Type of Identification

  
\_\_\_\_\_  
(Notary Signature)

JEAN PEEKE

\_\_\_\_\_  
Name of Notary (typed, printed, stamped)





# CITY OF CLEARWATER

PLANNING & DEVELOPMENT DEPARTMENT

POST OFFICE BOX 4748, CLEARWATER, FLORIDA 33758-4748

MUNICIPAL SERVICES BUILDING, 100 SOUTH MYRTLE AVENUE, CLEARWATER, FLORIDA 33756

TELEPHONE (727) 562-4720 FAX (727) 562-4735

## Notice of Violation

TEMA INVESTMENTS  
3035 SW 1ST AVE APT 401  
MIAMI, FL 33129-2773

CDC2018-00808

ADDRESS OR LOCATION OF VIOLATION: **516 MANDALAY AVE**

LEGAL DESCRIPTION: MILLER'S REPLAT LOT 7

DATE OF INSPECTION: 12/6/2018

PARCEL: 05-29-15-57924-000-0070

### Section of City Code Violated:

3-1502.B. - **\*\*EXTERIOR SURFACES\*\*** All building walls shall be maintained in a secure and attractive manner. All defective structural and decorative elements of any building wall shall be repaired or replaced in a workmanlike manner to match as closely as possible the original materials and construction of the building. Exterior surfaces shall be free of mildew; rust; loose material including peeling paint; and patching, painting or resurfacing shall be accomplished to match the existing or adjacent surfaces as to material, color, bond and joining. All exterior surfaces other than decay-resistant wood and other weather durable finishes, shall be protected from the elements by paint or other protective covering applied and maintained in accord with manufacturer's specifications and otherwise treated in a consistent manner.

Specifically: During a recent inspection, the above listed condition(s) existed at this property, and must be addressed in accordance with property maintenance ordinances. Please address any visible mildew/peeling or failing paint/damaged exterior surfaces. The fascia on this building has been in disrepair since March of 2018. There is an active permit for demolition only. Further work cannot progress without drawings of proposed work being submitted to the City of Clearwater. Please have the plans submitted and repairs made to the building prior to the compliance date to avoid further action and/or fines. The property must be maintained on a regular basis. If you have any questions please call.

THIS VIOLATION CITED ABOVE MUST BE CORRECTED PRIOR TO 12/16/2018. FAILURE TO CORRECT THE ABOVE LISTED VIOLATION BY THE DATE INDICATED, OR RECURRENCE OF THE VIOLATION AFTER CORRECTION, WILL RESULT IN A LEGAL ACTION BY THE CODE ENFORCEMENT BOARD OF THE CITY OF CLEARWATER OR BY THE PINELLAS COUNTY COURT. SUCH ACTION MAY RESULT IN A FINE. THE ALLEGED VIOLATOR MAY BE LIABLE FOR THE REASONABLE COSTS OF THE INVESTIGATION, PROSECUTION AND THE ADMINISTRATIVE HEARING SHOULD THIS PERSON BE FOUND GUILTY OF THE VIOLATION.

Inspector: Gregory Dixon  
Inspector Phone: 727-562-4785

Date Printed: 12/10/2018

NOV\_PropOwn



[Interactive Map of this parcel](#) [Sales Query](#) [Back to Query Results](#) [New Search](#) [Tax Collector Home Page](#) [Contact Us](#) [WM](#)

**05-29-15-57924-000-0070**

**Compact Property Record Card**


[Tax Estimator](#)

**Updated December  
20, 2018**

[Email](#) [Print](#) [Radius Search](#)

[FEMA/WLM](#)

<b>Ownership/Mailing Address <a href="#">Change</a> Mailing Address</b>	<b>Site Address</b>
TEMA INVESTMENTS 3035 SW 1ST AVE APT 401 MIAMI FL 33129-2773	516 MANDALAY AVE CLEARWATER



Property Use: 1730 (General Office - Non-Professional One Story (advertising, travel & employment agencies, pest contro)

Total Heated    Total Gross  
SF: 4,106        SF: 4,984

[\[click here to hide\]](#) **Legal Description**

MILLER'S REPLAT LOT 7

<b>File for Homestead Exemption</b>			<b>2019 Parcel Use</b>
<b>Exemption</b>	<b>2018</b>	<b>2019</b>	
Homestead:	No	No	
Government:	No	No	Homestead Use Percentage: 0.00%
Institutional:	No	No	Non-Homestead Use Percentage: 100.00%
Historic:	No	No	Classified Agricultural: No

**Parcel Information Latest Notice of Proposed Property Taxes (TRIM Notice)**

<b>Most Recent Recording</b>	<b><a href="#">Sales Comparison</a></b>	<b><a href="#">Census Tract</a></b>	<b>Evacuation Zone (NOT the same as a FEMA Flood Zone)</b>	<b>Flood Zone (NOT the same as your evacuation zone)</b>	<b>Plat Book/Page</b>
05539/1093	<a href="#">Sales Query</a>	121030260022	A	<a href="#">Compare Preliminary to Current FEMA Maps</a>	26/17

**2018 Interim Value Information**

Year	<a href="#">Just/Market Value</a>	<a href="#">Assessed Value / Non-HX Cap</a>	<a href="#">County Taxable Value</a>	<a href="#">School Taxable Value</a>	<a href="#">Municipal Taxable Value</a>
2018	\$615,000	\$533,500	\$533,500	\$615,000	\$533,500

[\[click here to hide\]](#) Value History as Certified (yellow indicates correction on file)