

**NOTICE OF HEARING
MUNICIPAL CODE ENFORCEMENT BOARD
CITY OF CLEARWATER, FLORIDA
Case 16-21**

Certified Mail
January 19, 2021

Owner: **Navnit Kundra**
Anita Kundra
3013 Oakmont Dr
Clearwater, FL 33761-1433

Violation Address: **3013 Oakmont Dr**
16-28-16-74373-000-0040

Dear Sir/Madam:

You are hereby formally notified that on **Wednesday, February 24, 2021**, at **1:30 p.m.** there will be a public hearing before the Municipal Code Enforcement Board in the Council Chambers, Clearwater Main Library at 100 North Osceola Avenue, Clearwater, Florida, concerning violation of Section(s) **3-1502.B.** of the Clearwater City Code. (See attached Affidavit(s) of Violation).


You are hereby ordered to appear before the Municipal Code Enforcement Board on the hearing date to answer these charges and to present your side of the case. Failure to appear may result in the Board proceeding in your absence. You have the right to obtain an attorney, at your own expense, to represent you before the Board. If you are absent but represented at the hearing, your representative must present to the Board your letter authorizing your representative to speak on your behalf. You will have the opportunity to present witnesses as well as question witnesses against you prior to the Board making a determination. Please be prepared to present evidence at the hearing concerning the amount of time necessary to correct the alleged violations should you be found to be in violation of the City Code.

The case shall be presented to the Board even if the violations described in the attached Affidavit(s) of Violation are corrected prior to the Board hearing.

Should you be found in violation of the City Code, the Municipal Code Enforcement Board has the power by law to levy fines of up to \$250 a day per violation against you and your property for every day each violation continues beyond the date set for compliance in an Order of the Board.

If you wish to have any witnesses subpoenaed, please contact the Secretary of the Municipal Code Enforcement Board within five (5) days at 727-562-4097. If you have any questions regarding the cited violations or if the violations are corrected prior to the hearing, please contact the Inspector whose name appears on the Affidavit(s) of Violation.

Sincerely,



SECRETARY TO THE MUNICIPAL CODE ENFORCEMENT BOARD

The Municipal Code Enforcement Board was created pursuant to General Act 80-300, General Laws of Florida, 1979, and Ordinance 2169-80 of the City of Clearwater.

The City of Clearwater strongly supports and fully complies with the Americans with Disabilities Act (ADA). Please advise us at least 48 hours prior to the hearing if you require special accommodations at 727-562-4090. Assisted Listening Devices are available. **Kindly refrain from private conversations, cellular phone use, etc. that distract meeting participants.**

Any party may appeal a final order of this Board by filing an appeal with the Circuit Court within 30 days of entry of the order. Appellants need a record of proceedings; a verbatim record of testimony and evidence that is the basis for the appeal may be required. F.S. § 286.0105, CDC Sec 7-104

MUNICIPAL CODE ENFORCEMENT BOARD OF THE CITY OF CLEARWATER, FLORIDA

AFFIDAVIT OF VIOLATION AND REQUEST FOR HEARING

City Case Number: CDC2020-01239

NAME OF VIOLATOR: NAVNIT KUNDRA
ANITA KUNDRA
MAILING ADDRESS: 3013 OAKMONT DR
CLEARWATER, FL 33761-1433

VIOLATION ADDRESS: 3013 OAKMONT DR


LEGAL DESCRIPTION OF PROPERTY: See "Exhibit "A", Pinellas County Property Records Printout, attached, for legal description

PARCEL #: 16-28-16-74373-000-0040

DATE OF INSPECTION: 1/8/2021 4:11:00 PM

SECTION(S) OF THE CITY CODE WHICH HAVE BEEN VIOLATED: CODE
SECTION VIOLATED

3-1502.B. - **EXTERIOR SURFACES** All building walls shall be maintained in a secure and attractive manner. All defective structural and decorative elements of any building wall shall be repaired or replaced in a workmanlike manner to match as closely as possible the original materials and construction of the building. Exterior surfaces shall be free of mildew; rust; loose material including peeling paint; and patching, painting or resurfacing shall be accomplished to match the existing or adjacent surfaces as to material, color, bond and joining. All exterior surfaces other than decay-resistant wood and other weather durable finishes, shall be protected from the elements by paint or other protective covering applied and maintained in accord with manufacturer's specifications and otherwise treated in a consistent manner.



Shelby Brown

STATE OF FLORIDA
COUNTY OF PINELLAS


SWORN AND SUBSCRIBED before me by means of / physical presence or online
notarization on this 8th day of January, 2021, by Shelby Brown.

☒ PERSONALLY KNOWN TO ME

☐ PRODUCED AS IDENTIFICATION


(Notary Signature)

Type of Identification




Name of Notary (typed, printed, stamped)

FILED THIS 13th DAY OF January, 2021

MCEB CASE NO.

16-21



Affidavit_Req4Hearing

Section 3-1502. - Property maintenance requirements.

- A. *Minimum building and fire code requirements.* All buildings shall be maintained in accordance with the Florida Building Code, the Florida Fire Prevention Code, and the International Property Maintenance Code.
- B. *Exterior surfaces.* All building walls shall be maintained in a secure and attractive manner. All defective structural and decorative elements of any building wall shall be repaired or replaced in a workmanlike manner to match as closely as possible the original materials and construction of the building. All exterior surfaces shall be free of:
1. Mildew;
 2. Rust;
 3. Loose material, including peeling paint; and
 4. Patching, painting or resurfacing shall be accomplished to match the existing or adjacent surfaces as to materials, color, bond and joining.

All cornices, trim and window frames that are damaged, sagging or otherwise deteriorated shall be repaired or replaced to be made structurally sound. All exterior surfaces other than decay-resistant wood and other weather durable finishes, shall be protected from the elements by paint or other protective covering applied and maintained according to manufacturer's specifications and otherwise treated in a consistent manner.

C. *Door and window openings.*

1. All windows and doors shall be secured in a tight fitting and weatherproof manner and have sashes of proper size and design.
2. Sashes with rotten wood, broken joints or deteriorated mullions or muntins must be repaired or replaced.
3. Windows shall be maintained in an unbroken, and clean state. No windows shall be permanently removed and enclosed, covered or boarded up unless treated as an integral part of the building façade using wall materials and window detailing comparable with any upper floors and the building façade in general. All damaged or broken windows shall be promptly restored, repaired or replaced. All awnings, screens or canopies facing or visible from the public right-of-way or any other parcel shall be maintained in a good and attractive condition and torn, loose and/or bleached awnings, screens or canopies shall be promptly replaced, repaired or removed.
4. Doors and windows not facing the public right-of-way and upper level window and door openings fronting a public right-of-way shall be similarly maintained and repaired as the doors and windows facing the public right-of-way, except that such doors and windows may be enclosed or removed provided the sills, lintels and frames are removed and the opening properly closed to match and be compatible with the design, material and finish of the adjoining wall of which the opening is a part.

D. *Roofs.*

1. All roofs shall be maintained in a safe, secure and watertight condition.
2. Any new mechanical equipment, including replacement equipment placed on a roof, shall be so located as to be screened from view from the public right-of-way at street level from adjoining properties.
3. Roofs shall be maintained in a clean, mildew-free condition and kept free of trash, loose shingles and debris or any other element, including grass or weeds, which is not a permanent part of the building or a functional element of its mechanical or electrical system.



CITY OF CLEARWATER
PLANNING & DEVELOPMENT DEPARTMENT
POST OFFICE BOX 4748, CLEARWATER, FLORIDA 33758-4748
MUNICIPAL SERVICES BUILDING, 100 SOUTH MYRTLE AVENUE, CLEARWATER, FLORIDA 33756
TELEPHONE (727) 562-4720 FAX (727) 562-4735

Notice of Violation

NAVNIT KUNDRA
ANITA KUNDRA
3013 OAKMONT DR
CLEARWATER, FL 33761-1433

CDC2020-01239

ADDRESS OR LOCATION OF VIOLATION: **3013 OAKMONT DR**

LEGAL DESCRIPTION: RESERVE, THE LOT 4

DATE OF INSPECTION: 10/6/2020

PARCEL: 16-28-16-74373-000-0040

Section of City Code Violated:

3-1502.B. - ****EXTERIOR SURFACES**** All building walls shall be maintained in a secure and attractive manner. All defective structural and decorative elements of any building wall shall be repaired or replaced in a workmanlike manner to match as closely as possible the original materials and construction of the building. Exterior surfaces shall be free of mildew; rust; loose material including peeling paint; and patching, painting or resurfacing shall be accomplished to match the existing or adjacent surfaces as to material, color, bond and joining. All exterior surfaces other than decay-resistant wood and other weather durable finishes, shall be protected from the elements by paint or other protective covering applied and maintained in accord with manufacturer's specifications and otherwise treated in a consistent manner.

Specifically: During a recent inspection, the above listed condition(s) still existed at this property, and must be addressed in accordance with property maintenance ordinances. Please address any visible mildew/peeling or failing paint/damaged exterior surfaces, and maintain the property on a regular basis. Thank you in advance for your assistance.


THIS VIOLATION CITED ABOVE MUST BE CORRECTED PRIOR TO 12/5/2020. FAILURE TO CORRECT THE ABOVE LISTED VIOLATION BY THE DATE INDICATED, OR RECURRENCE OF THE VIOLATION AFTER CORRECTION, WILL RESULT IN A LEGAL ACTION BY THE CODE ENFORCEMENT BOARD OF THE CITY OF CLEARWATER OR BY THE PINELLAS COUNTY COURT. SUCH ACTION MAY RESULT IN A FINE. THE ALLEGED VIOLATOR MAY BE LIABLE FOR THE REASONABLE COSTS OF THE INVESTIGATION, PROSECUTION AND THE ADMINISTRATIVE HEARING SHOULD THIS PERSON BE FOUND GUILTY OF THE VIOLATION.

Inspector: Shelby Brown
Inspector Phone: 562-4725

Date Printed: 10/12/2020

[Interactive Map of this parcel](#)[Sales Query](#)[Back to Query Results](#)[New Search](#)[Tax Collector Home Page](#)[Contact Us](#)**16-28-16-74373-000-0040****Compact Property Record Card**[Tax Estimator](#)**Updated January 7, 2021** [Email](#) [Print](#) [Radius Search](#) [FEMA/WLM](#)

Ownership/Mailing Address Change Mailing Address	Site Address
KUNDRA, NAVNIT KUNDRA, ANITA 3013 OAKMONT DR CLEARWATER FL 33761-1433	3013 OAKMONT DR CLEARWATER



Property Use: 0810 (Single Family Current Tax District:
- more than one house per parcel) CLEARWATER (CW) **Total Living:** SF: 8,746 **Total Gross SF:** 10,932 **Total Living Units:** 2

[click here to hide] **Legal Description**
RESERVE, THE LOT 4

Tax Estimator	File for Homestead Exemption	2021 Parcel Use															
<table> <tr> <th>Exemption</th><th>2020</th><th>2021</th></tr> <tr> <td>Homestead:</td><td>Yes</td><td>Yes</td></tr> <tr> <td>Government:</td><td>No</td><td>No</td></tr> <tr> <td>Institutional:</td><td>No</td><td>No</td></tr> <tr> <td>Historic:</td><td>No</td><td>No</td></tr> </table>	Exemption	2020	2021	Homestead:	Yes	Yes	Government:	No	No	Institutional:	No	No	Historic:	No	No		*Assuming no ownership changes before Jan. 1 Homestead Use Percentage: 100.00% Non-Homestead Use Percentage: 0.00% Classified Agricultural: No
Exemption	2020	2021															
Homestead:	Yes	Yes															
Government:	No	No															
Institutional:	No	No															
Historic:	No	No															

Parcel Information Latest Notice of Proposed Property Taxes (TRIM Notice)

Most Recent Recording	Sales Comparison	Census Tract	Evacuation Zone (NOT the same as a FEMA Flood Zone)	Flood Zone (NOT the same as your evacuation zone)	Plat Book/Page
09648/0798	\$1,417,900 Sales Query	121030268113	D	Compare Preliminary to Current FEMA Maps	106/2

2020 Interim Value Information

Year	Just/Market Value	Assessed Value / SOH Cap	County Taxable Value	School Taxable Value	Municipal Taxable Value
2020	\$1,172,877	\$872,583	\$822,583	\$847,583	\$822,583

[click here to hide] Value History as Certified (yellow indicates correction on file)

Year	Homestead Exemption	Just/Market Value	Assessed Value	County Taxable Value	School Taxable Value	Municipal Taxable Value
2019	Yes	\$1,134,644	\$852,965	\$802,965	\$827,965	\$802,965
2018	Yes	\$1,096,794	\$837,061	\$787,061	\$812,061	\$787,061
2017	Yes	\$1,046,698	\$819,844	\$769,844	\$794,844	\$769,844
2016	Yes	\$1,018,010	\$802,981	\$752,981	\$777,981	\$752,981
2015	Yes	\$984,622	\$797,399	\$747,399	\$772,399	\$747,399
2014	Yes	\$1,054,450	\$791,070	\$741,070	\$766,070	\$741,070
2013	Yes	\$779,379	\$779,379	\$729,379	\$754,379	\$729,379
2012	Yes	\$806,565	\$778,620	\$728,620	\$753,620	\$728,620
2011	Yes	\$755,942	\$755,942	\$705,942	\$730,942	\$705,942
2010	Yes	\$826,683	\$826,683	\$776,683	\$801,683	\$776,683